



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2510SMAZ1716.5092
Batch #: DFC-ACAGOL-092625



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17007

(Jeeter) AIO ACAPULCO GOLD LIQUID DIAMOND 1G VAPE

Batch #: DFC-ACAGOL-092625
Strain: Acapulco Gold
Parent Batch #:
Production Method: Butane
Harvest Date: 08/23/2025
Received: 10/06/2025

Sample ID: 2510SMAZ1716.5092
Amount Received: 10.3 g
Sample Type: Vape
Sample Collected: 10/06/2025 12:05:00
Manufacture Date: 09/26/2025
Published: 10/09/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

92.8509%
Total THC

0.2629%
Total CBD

0.7731%
CBN


1.2846%
CBG

96.3917%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2510SMAZ1716.5092
Batch #: DFC-ACAGOL-092625



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17007

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 10/06/2025
SOP: 418.AZ
Batch Number: 4254
Test ID: 93923

Sample Analysis

Date: 10/07/2025
SOP: 417.AZ - HPLC
Sample Weight: 0.042 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3070	0.9300	1	0.6612	6.6120	
CBD	0.3070	0.9300	1	0.2629	2.6290	
CBDA	0.3070	0.9300	1	ND	ND	
CBDV	0.3070	0.9300	1	ND	ND	
CBG	0.3070	0.9300	1	1.2846	12.8460	
CBGA	0.3070	0.9300	1	ND	ND	
CBN	0.3070	0.9300	1	0.7731	7.7310	
d8-THC	0.3070	0.9300	1	ND	ND	
d9-THC	0.3070	0.9300	1	92.5922	925.9220	
THCA	0.3070	0.9300	1	0.2950	2.9500	
THCV	0.3070	0.9300	1	0.5228	5.2280	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	92.8509	928.5090	
Total CBD	0.2629	2.6290	
Total Cannabinoids	96.3917	963.9170	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2510SMAZ1716.5092
Batch #: DFC-ACAGOL-092625



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 17007

Terpene Total

GC-FID

Tested (1.1404%)


Sample Prep

Batch Date: 10/07/2025
SOP: 419
Batch Number: 4264

Sample Analysis

Date: 10/08/2025
SOP: 419 - GC-FID
Sample Weight: 0.407 g
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.0167	Q3	gamma-Terpinene	0.0010 / 0.0029	1	0.0046	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	ND	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.0057	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	ND	Q3
alpha-Pinene	0.0010 / 0.0029	1	0.0448	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	<LOQ	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	0.1501	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	0.0486	Q3	Limonene	0.0010 / 0.0029	1	0.5088	Q3
Borneol	0.0010 / 0.0029	1	ND	Q3	Linalool	0.0010 / 0.0029	1	0.2136	Q3
Camphene	0.0010 / 0.0029	1	0.0162	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	0.0166	Q3
3-Carene	0.0010 / 0.0029	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	0.0107	Q3	Terpineol	0.0010 / 0.0029	1	0.0220	Q3
Cedrol	0.0010 / 0.0029	1	0.0040	Q3	Terpinolene	0.0010 / 0.0029	1	0.0118	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	0.0280	Q3
cis-Ocimene	0.0010 / 0.0029	1	<LOQ	Q3	trans-Nerolidol	0.0010 / 0.0029	1	0.0034	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	0.0186	Q3	trans-Ocimene	0.0010 / 0.0029	1	0.0162	Q3
Eucalyptol	0.0010 / 0.0029	1	<LOQ	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	ND	Q3					



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2510SMAZ1716.5092
Batch #: DFC-ACAGOL-092625



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17007

Microbial Analysis

Pass

Sample Prep

Batch Date: 10/08/2025
SOP: 412.AZ
Batch Number: 4276
Test ID: 93961

Sample Analysis

Date: 10/09/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.059 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 10/07/2025
SOP: 406.AZ
Batch Number: 4265
Test ID: 93962

Sample Analysis

Date: 10/09/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.006 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 10/07/2025
SOP: 406.AZ
Batch Number: 4265
Test ID: 93966

Sample Analysis

Date: 10/09/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.006 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2510SMAZ1716.5092
Batch #: DFC-ACAGOL-092625



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17007

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 10/07/2025
SOP: 405.AZ
Batch Number: 4260
Test ID: 93924

Sample Analysis

Date: 10/08/2025
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.053 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	62 / 189	1	1000	ND		Heptane	315 / 943	1	5000	ND	
Acetonitrile	26 / 77	1	410	ND		Hexanes	45 / 137	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	315 / 943	1	5000	ND	
Butanes	157 / 472	1	5000	ND		Methanol	189 / 566	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	315 / 943	1	5000	ND	
Dichloromethane	38 / 113	1	600	ND		2-Propanol (IPA)	315 / 943	1	5000	ND	
Ethanol	315 / 943	1	5000	ND		Toluene	57 / 168	1	890	ND	
Ethyl acetate	315 / 943	1	5000	ND		Xylenes	274 / 819	1	2170	ND	
Ethyl ether	315 / 943	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2510SMAZ1716.5092
Batch #: DFC-ACAGOL-092625



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17007

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 10/06/2025
SOP: 428.AZ
Batch Number: 4258
Test ID: 93925

Sample Analysis

Date: 10/07/2025
SOP: 428.AZ - ICP-MS
Sample Weight: 0.213 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.056	0.188	10	0.4	ND	
Cadmium	0.056	0.188	10	0.4	ND	
Lead	0.056	0.470	10	1	ND	
Mercury	0.056	0.094	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 10/07/2025
SOP: 432.AZ
Batch Number: 4262
Test ID: 93928

Sample Analysis

Date: 10/08/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.523 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.82	9.56	1	20	ND	R1
Aflatoxin B1	3.82	9.56	1		ND	
Aflatoxin B2	3.82	9.56	1		ND	I1
Aflatoxin G1	3.82	9.56	1		ND	R1
Aflatoxin G2	3.82	4.78	1		ND	
Ochratoxin A	9.56	9.56	1	20	ND	I1 V1, L1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2510SMAZ1716.5092
Batch #: DFC-ACAGOL-092625



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 17007

Pesticides, Fungicides, and Growth Regulators

LC-MS/MS **Pass**

Sample Prep

Batch Date: 10/07/2025
SOP: 432.AZ
Batch Number: 4262
Test ID: 93927

Sample Analysis

Date: 10/08/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.523 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.079 / 0.239	1	0.5	ND	L1 V1	Hexythiazox	0.160 / 0.478	1	1	ND	
Acephate	0.064 / 0.191	1	0.4	ND		Imazalil	0.032 / 0.096	1	0.2	ND	R1
Acetamiprid	0.032 / 0.096	1	0.2	ND		Imidacloprid	0.064 / 0.191	1	0.4	ND	
Aldicarb	0.064 / 0.191	1	0.4	ND		Kresoxim-methyl	0.064 / 0.191	1	0.4	ND	
Azoxystrobin	0.032 / 0.096	1	0.2	ND		Malathion	0.032 / 0.096	1	0.2	ND	
Bifenazate	0.032 / 0.096	1	0.2	ND	L1	Metaxyl	0.032 / 0.096	1	0.2	ND	
Bifenthrin	0.032 / 0.096	1	0.2	ND		Methiocarb	0.032 / 0.096	1	0.2	ND	
Boscalid	0.064 / 0.191	1	0.4	ND		Methomyl	0.064 / 0.191	1	0.4	ND	V1
Carbaryl	0.032 / 0.096	1	0.2	ND		Myclobutanil	0.032 / 0.096	1	0.2	ND	L1 V1
Carbofuran	0.032 / 0.096	1	0.2	ND		Naled	0.079 / 0.239	1	0.5	ND	V1
Chlorantraniliprole	0.032 / 0.096	1	0.2	ND		Oxamyl	0.160 / 0.478	1	1	ND	V1
Chlorfenapyr	0.160 / 0.478	1	1	ND		Paclobutrazol	0.064 / 0.191	1	0.4	ND	L1 V1
Chlorpyrifos	0.032 / 0.096	1	0.2	ND		Permethrins	0.032 / 0.096	1	0.2	ND	
Clofentezine	0.032 / 0.096	1	0.2	ND		Phosmet	0.032 / 0.096	1	0.2	ND	
Cyfluthrin	0.160 / 0.478	1	1	ND		Piperonyl Butoxide	0.318 / 0.956	1	2	ND	
Cypermethrin	0.160 / 0.478	1	1	ND		Prallethrin	0.032 / 0.096	1	0.2	ND	
Daminozide	0.160 / 0.478	1	1	ND		Propiconazole	0.064 / 0.191	1	0.4	ND	L1 V1
Diazinon	0.032 / 0.096	1	0.2	ND		Propoxur	0.032 / 0.096	1	0.2	ND	
Dichlorvos	0.016 / 0.048	1	0.1	ND		Pyrethrins	0.134 / 0.401	1	1	ND	
Dimethoate	0.032 / 0.096	1	0.2	ND		Pyridaben	0.032 / 0.096	1	0.2	ND	
Ethoprophos	0.032 / 0.096	1	0.2	ND		Spinosad	0.032 / 0.096	1	0.2	ND	
Etofenprox	0.064 / 0.191	1	0.4	ND	V1	Spiromesifen	0.032 / 0.096	1	0.2	ND	
Etoxazole	0.032 / 0.096	1	0.2	ND		Spirotetramat	0.032 / 0.096	1	0.2	ND	
Fenoxycarb	0.032 / 0.096	1	0.2	ND		Spiroxamine	0.064 / 0.191	1	0.4	ND	
Fenpyroximate	0.064 / 0.191	1	0.4	ND		Tebuconazole	0.064 / 0.191	1	0.4	ND	L1 V1
Fipronil	0.064 / 0.191	1	0.4	ND	I1, L1 V1	Thiacloprid	0.032 / 0.096	1	0.2	ND	
Fonicamid	0.160 / 0.478	1	1	ND	V1	Thiamethoxam	0.032 / 0.096	1	0.2	ND	V1
Fludioxonil	0.064 / 0.191	1	0.4	ND		Trifloxystrobin	0.032 / 0.096	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2510SMAZ1716.5092
Batch #: DFC-ACAGOL-092625



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17007

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2510SMAZ1716.5092
Batch #: DFC-ACAGOL-092625



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 17007

Notes: Method of Extraction: Butane



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.
This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>