



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0185.0653
 Batch #: DFC-ACAGOL-012626



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20801

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 01/27/2026
 SOP: 418.AZ
 Batch Number: 5073
 Test ID: 113617

Sample Analysis

Date: 01/28/2026
 SOP: 417.AZ - HPLC
 Sample Weight: 0.043 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3000	0.9090	1	0.5727	5.7270	
CBD	0.3000	0.9090	1	0.3501	3.5010	
CBDA	0.3000	0.9090	1	ND	ND	
CBDV	0.3000	0.9090	1	ND	ND	
CBG	0.3000	0.9090	1	2.0934	20.9340	
CBGA	0.3000	0.9090	1	ND	ND	
CBN	0.3000	0.9090	1	0.6927	6.9270	
d8-THC	0.3000	0.9090	1	ND	ND	
d9-THC	0.3000	0.9090	1	88.5118	885.1180	
THCA	0.3000	0.9090	1	0.1887	1.8870	
THCV	0.3000	0.9090	1	0.5379	5.3790	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	88.6773	886.7730	
Total CBD	0.3501	3.5010	
Total Cannabinoids	92.9473	929.4730	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0185.0653
 Batch #: DFC-ACAGOL-012626



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592


Certificate: 20801

Terpene Total
 GC-FID **Tested (1.1332%)**

Sample Prep
 Batch Date: 01/27/2026
 SOP: 419
 Batch Number: 5067

Sample Analysis
 Date: 01/28/2026
 SOP: 419 - GC-FID
 Sample Weight: 0.411 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.0184	Q3	gamma-Terpinene	0.0010 / 0.0029	1	0.0046	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	ND	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.0044	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	0.0042	Q3
alpha-Pinene	0.0010 / 0.0029	1	0.0459	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	0.1427	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	0.0471	Q3	Limonene	0.0010 / 0.0029	1	0.5073	Q3
Borneol	0.0010 / 0.0029	1	ND	Q3	Linalool	0.0010 / 0.0029	1	0.2163	Q3
Camphene	0.0010 / 0.0029	1	0.0155	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	0.0163	Q3
3-Carene	0.0010 / 0.0029	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	0.0109	Q3	Terpineol	0.0010 / 0.0029	1	0.0187	Q3
Cedrol	0.0010 / 0.0029	1	0.0065	Q3	Terpinolene	0.0010 / 0.0029	1	0.0116	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	0.0271	Q3
cis-Ocimene	0.0010 / 0.0029	1	<LOQ	Q3	trans-Nerolidol	0.0010 / 0.0029	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	0.0190	Q3	trans-Ocimene	0.0010 / 0.0029	1	0.0165	Q3
Eucalyptol	0.0010 / 0.0029	1	<LOQ	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	ND	Q3					



Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0185.0653
 Batch #: DFC-ACAGOL-012626



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20801

Microbial Analysis
 Pass

Sample Prep

Batch Date: 01/27/2026
 SOP: 412.AZ
 Batch Number: 5069
 Test ID: 113625

Sample Analysis

Date: 01/28/2026
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.044 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 01/26/2026
 SOP: 406.AZ
 Batch Number: 5065
 Test ID: 113626

Sample Analysis

Date: 01/28/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.025 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 01/26/2026
 SOP: 406.AZ
 Batch Number: 5065
 Test ID: 113627

Sample Analysis

Date: 01/28/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.025 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0185.0653
 Batch #: DFC-ACAGOL-012626



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20801

Residual Solvents

HS-GC-MS **Pass**

Sample Prep

Batch Date: 01/27/2026
 SOP: 405.AZ
 Batch Number: 5066
 Test ID: 113618

Sample Analysis

Date: 01/28/2026
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.054 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	61 / 185	1	1000	ND		Heptane	309 / 926	1	5000	ND	
Acetonitrile	26 / 76	1	410	ND		Hexanes	44 / 134	1	290	ND	
Benzene	0.13 / 0.37	1	2	ND		Isopropyl acetate	309 / 926	1	5000	ND	
Butanes	154 / 463	1	5000	ND		Methanol	185 / 556	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	309 / 926	1	5000	ND	
Dichloromethane	37 / 111	1	600	ND		2-Propanol (IPA)	309 / 926	1	5000	ND	
Ethanol	309 / 926	1	5000	ND		Toluene	56 / 165	1	890	ND	
Ethyl acetate	309 / 926	1	5000	ND		Xylenes	269 / 804	1	2170	ND	
Ethyl ether	309 / 926	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0185.0653
 Batch #: DFC-ACAGOL-012626



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20801

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 01/26/2026
 SOP: 428.AZ
 Batch Number: 5061
 Test ID: 113619

Sample Analysis
 Date: 01/27/2026
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.238 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.050	0.168	10	0.4	ND	L1
Cadmium	0.050	0.168	10	0.4	ND	L1
Lead	0.050	0.420	10	1	ND	L1
Mercury	0.050	0.084	10	0.2	ND	R1

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 01/27/2026
 SOP: 432.AZ
 Batch Number: 5074
 Test ID: 113622

Sample Analysis
 Date: 01/29/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.506 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.95	9.88	1	20	ND	R1 V1
Aflatoxin B1	3.95	9.88	1		ND	I1
Aflatoxin B2	3.95	9.88	1		ND	I1, R1 V1
Aflatoxin G1	3.95	9.88	1		ND	
Aflatoxin G2	3.95	4.94	1		ND	
Ochratoxin A	9.88	9.88	1	20	ND	I1, R1 V1

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0185.0653
 Batch #: DFC-ACAGOL-012626



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20801

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 01/27/2026
 SOP: 432.AZ
 Batch Number: 5074
 Test ID: 113621

Sample Analysis

Date: 01/29/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.506 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.082 / 0.247	1	0.5	ND		Hexythiazox	0.165 / 0.494	1	1	ND	
Acephate	0.066 / 0.198	1	0.4	ND	L1	Imazalil	0.033 / 0.099	1	0.2	ND	
Acetamiprid	0.033 / 0.099	1	0.2	ND	V1	Imidacloprid	0.066 / 0.198	1	0.4	ND	
Aldicarb	0.066 / 0.198	1	0.4	ND		Kresoxim-methyl	0.066 / 0.198	1	0.4	ND	
Azoxystrobin	0.033 / 0.099	1	0.2	ND		Malathion	0.033 / 0.099	1	0.2	ND	
Bifenazate	0.033 / 0.099	1	0.2	ND	L1	Metaxyl	0.033 / 0.099	1	0.2	ND	
Bifenthrin	0.033 / 0.099	1	0.2	ND		Methiocarb	0.033 / 0.099	1	0.2	ND	
Boscalid	0.066 / 0.198	1	0.4	ND		Methomyl	0.066 / 0.198	1	0.4	ND	V1
Carbaryl	0.033 / 0.099	1	0.2	ND	V1	Myclobutanil	0.033 / 0.099	1	0.2	ND	L1 V1
Carbofuran	0.033 / 0.099	1	0.2	ND		Naled	0.082 / 0.247	1	0.5	ND	V1
Chlorantraniliprole	0.033 / 0.099	1	0.2	ND	V1	Oxamyl	0.165 / 0.494	1	1	ND	V1
Chlorfenapyr	0.165 / 0.494	1	1	ND		Pacllobutrazol	0.066 / 0.198	1	0.4	ND	L1 V1
Chlorpyrifos	0.033 / 0.099	1	0.2	ND		Permethrins	0.033 / 0.099	1	0.2	ND	
Clofentezine	0.033 / 0.099	1	0.2	ND		Phosmet	0.033 / 0.099	1	0.2	ND	L1 V1
Cyfluthrin	0.165 / 0.494	1	1	ND		Piperonyl Butoxide	0.329 / 0.988	1	2	ND	
Cypermethrin	0.165 / 0.494	1	1	ND		Prallethrin	0.033 / 0.099	1	0.2	ND	
Daminozide	0.165 / 0.494	1	1	ND		Propiconazole	0.066 / 0.198	1	0.4	ND	L1 V1
Diazinon	0.033 / 0.099	1	0.2	ND		Propoxur	0.033 / 0.099	1	0.2	ND	
Dichlorvos	0.017 / 0.049	1	0.1	ND		Pyrethrins	0.138 / 0.414	1	1	ND	
Dimethoate	0.033 / 0.099	1	0.2	ND		Pyridaben	0.033 / 0.099	1	0.2	ND	
Ethoprophos	0.033 / 0.099	1	0.2	ND		Spinosad	0.033 / 0.099	1	0.2	ND	
Etofenprox	0.066 / 0.198	1	0.4	ND	L1 V1	Spiromesifen	0.033 / 0.099	1	0.2	ND	
Etoxazole	0.033 / 0.099	1	0.2	ND		Spirotetramat	0.033 / 0.099	1	0.2	ND	V1
Fenoxycarb	0.033 / 0.099	1	0.2	ND		Spiroxamine	0.066 / 0.198	1	0.4	ND	
Fenpyroximate	0.066 / 0.198	1	0.4	ND		Tebuconazole	0.066 / 0.198	1	0.4	ND	L1 V1
Fipronil	0.066 / 0.198	1	0.4	ND	l1, L1 V1	Thiacloprid	0.033 / 0.099	1	0.2	ND	
Fonicamid	0.165 / 0.494	1	1	ND	L1 V1	Thiamethoxam	0.033 / 0.099	1	0.2	ND	V1
Fludioxonil	0.066 / 0.198	1	0.4	ND		Trifloxystrobin	0.033 / 0.099	1	0.2	ND	

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0185.0653
 Batch #: DFC-ACAGOL-012626



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20801

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0185.0653
 Batch #: DFC-ACAGOL-012626



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20801

Notes: Method of Extraction: Butane



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>