



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0013.0044
 Batch #: DFC-BLUZKZ-122225



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19908

(Jeeter) AIO BLUE ZKZ LIQUID DIAMOND 1G VAPE

Batch #: DFC-BLUZKZ-122225 Sample ID: 2601SMAZ0013.0044
 Strain: Blue Zkz Amount Received: 11.7 g
 Parent Batch #: Sample Type: Vape
 Production Method: Butane Sample Collected: 01/05/2026 12:28:00
 Harvest Date: 11/11/2025 Manufacture Date: 12/22/2025
 Received: 01/05/2026 Published: 01/08/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

91.6848% Total THC
0.2236% Total CBD
0.5840% CBN
2.3486% CBG
96.3279% Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0013.0044
 Batch #: DFC-BLUZKZ-122225



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19908

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 01/05/2026
 SOP: 418.AZ
 Batch Number: 4880
 Test ID: 109349

Sample Analysis

Date: 01/06/2026
 SOP: 417.AZ - HPLC
 Sample Weight: 0.040 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3220	0.9770	1	0.7920	7.9200	M1
CBD	0.3220	0.9770	1	0.2236	2.2360	M1
CBDA	0.3220	0.9770	1	ND	ND	M1
CBDV	0.3220	0.9770	1	ND	ND	M1
CBG	0.3220	0.9770	1	2.3486	23.4860	M1
CBGA	0.3220	0.9770	1	ND	ND	M1
CBN	0.3220	0.9770	1	0.5840	5.8400	M1
d8-THC	0.3220	0.9770	1	ND	ND	M1
d9-THC	0.3220	0.9770	1	91.2834	912.8340	M1
THCA	0.3220	0.9770	1	0.4577	4.5770	M1
THCV	0.3220	0.9770	1	0.6386	6.3860	M1

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	91.6848	916.8480	
Total CBD	0.2236	2.2360	
Total Cannabinoids	96.3279	963.2790	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0013.0044
 Batch #: DFC-BLUZKZ-122225



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19908

Terpene Total

GC-FID **Tested (2.0382%)**


Sample Prep

Batch Date: 01/07/2026
 SOP: 419
 Batch Number: 4900

Sample Analysis

Date: 01/08/2026
 SOP: 419 - GC-FID
 Sample Weight: 0.420 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.0372	Q3	gamma-Terpinene	0.0010 / 0.0029	1	<LOQ	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	ND	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.0073	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	ND	Q3
alpha-Pinene	0.0010 / 0.0029	1	0.0041	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	0.0046	Q3
beta-Myrcene	0.0010 / 0.0029	1	0.0169	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	0.0067	Q3	Limonene	0.0010 / 0.0029	1	1.7902	Q3
Borneol	0.0010 / 0.0029	1	ND	Q3	Linalool	0.0010 / 0.0029	1	0.0449	Q3
Camphene	0.0010 / 0.0029	1	ND	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	<LOQ	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	0.0390	Q3	Terpineol	0.0010 / 0.0029	1	0.0202	Q3
Cedrol	0.0010 / 0.0029	1	0.0052	Q3	Terpinolene	0.0010 / 0.0029	1	ND	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	0.0620	Q3
cis-Ocimene	0.0010 / 0.0029	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0029	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	ND	Q3	trans-Ocimene	0.0010 / 0.0029	1	ND	Q3
Eucalyptol	0.0010 / 0.0029	1	ND	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	ND	Q3					



Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0013.0044
 Batch #: DFC-BLUZKZ-122225



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19908

Microbial Analysis
Pass

Sample Prep

Batch Date: 01/06/2026
 SOP: 412.AZ
 Batch Number: 4898
 Test ID: 109396

Sample Analysis

Date: 01/07/2026
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.022 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 01/06/2026
 SOP: 406.AZ
 Batch Number: 4895
 Test ID: 109403

Sample Analysis

Date: 01/07/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.015 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 01/06/2026
 SOP: 406.AZ
 Batch Number: 4895
 Test ID: 109406

Sample Analysis

Date: 01/07/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.015 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0013.0044
 Batch #: DFC-BLUZKZ-122225



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19908

Residual Solvents
 HS-GC-MS **Pass**

Sample Prep
 Batch Date: 01/06/2026
 SOP: 405.AZ
 Batch Number: 4891
 Test ID: 109350

Sample Analysis
 Date: 01/07/2026
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.0536 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	62 / 187	1	1000	ND		Heptane	312 / 933	1	5000	ND	
Acetonitrile	26 / 76	1	410	ND		Hexanes	45 / 135	1	290	ND	
Benzene	0.13 / 0.37	1	2	ND		Isopropyl acetate	312 / 933	1	5000	ND	
Butanes	155 / 466	1	5000	ND		Methanol	187 / 560	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	312 / 933	1	5000	ND	
Dichloromethane	37 / 112	1	600	ND		2-Propanol (IPA)	312 / 933	1	5000	ND	
Ethanol	312 / 933	1	5000	ND		Toluene	56 / 166	1	890	ND	
Ethyl acetate	312 / 933	1	5000	ND		Xylenes	271 / 810	1	2170	ND	
Ethyl ether	312 / 933	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0013.0044
 Batch #: DFC-BLUZKZ-122225



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19908

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 01/06/2026
 SOP: 428.AZ
 Batch Number: 4890
 Test ID: 109351

Sample Analysis
 Date: 01/06/2026
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.239 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.050	0.167	10	0.4	ND	
Cadmium	0.050	0.167	10	0.4	ND	
Lead	0.050	0.418	10	1	ND	
Mercury	0.050	0.084	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 01/05/2026
 SOP: 432.AZ
 Batch Number: 4885
 Test ID: 109354

Sample Analysis
 Date: 01/06/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.550 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.64	9.09	1	20	ND	
Aflatoxin B1	3.64	9.09	1		ND	
Aflatoxin B2	3.64	9.09	1		ND	
Aflatoxin G1	3.64	9.09	1		ND	
Aflatoxin G2	3.64	4.55	1		ND	
Ochratoxin A	9.09	9.09	1	20	ND	I1, L1

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0013.0044
 Batch #: DFC-BLUZKZ-122225



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19908

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 01/05/2026
 SOP: 432.AZ
 Batch Number: 4885
 Test ID: 109353

Sample Analysis

Date: 01/06/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.550 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.075 / 0.227	1	0.5	ND	L1	Hexythiazox	0.152 / 0.455	1	1	ND	R1
Acephate	0.061 / 0.182	1	0.4	ND	L1	Imazalil	0.030 / 0.091	1	0.2	ND	
Acetamiprid	0.030 / 0.091	1	0.2	ND		Imidacloprid	0.061 / 0.182	1	0.4	ND	L1
Aldicarb	0.061 / 0.182	1	0.4	ND		Kresoxim-methyl	0.061 / 0.182	1	0.4	ND	
Azoxystrobin	0.030 / 0.091	1	0.2	ND		Malathion	0.030 / 0.091	1	0.2	ND	
Bifenazate	0.030 / 0.091	1	0.2	ND		Metaxyl	0.030 / 0.091	1	0.2	ND	
Bifenthrin	0.030 / 0.091	1	0.2	ND	R1	Methiocarb	0.030 / 0.091	1	0.2	ND	
Boscalid	0.061 / 0.182	1	0.4	ND		Methomyl	0.061 / 0.182	1	0.4	ND	
Carbaryl	0.030 / 0.091	1	0.2	ND		Myclobutanil	0.030 / 0.091	1	0.2	ND	L1
Carbofuran	0.030 / 0.091	1	0.2	ND		Naled	0.075 / 0.227	1	0.5	ND	
Chlorantraniliprole	0.030 / 0.091	1	0.2	ND	L1	Oxamyl	0.152 / 0.455	1	1	ND	
Chlorfenapyr	0.152 / 0.455	1	1	ND		Pacllobutrazol	0.061 / 0.182	1	0.4	ND	L1
Chlorpyrifos	0.030 / 0.091	1	0.2	ND		Permethrins	0.030 / 0.091	1	0.2	ND	L1
Clofentezine	0.030 / 0.091	1	0.2	ND		Phosmet	0.030 / 0.091	1	0.2	ND	
Cyfluthrin	0.152 / 0.455	1	1	ND		Piperonyl Butoxide	0.303 / 0.909	1	2	ND	
Cypermethrin	0.152 / 0.455	1	1	ND	R1	Prallethrin	0.030 / 0.091	1	0.2	ND	L1
Daminozide	0.152 / 0.455	1	1	ND		Propiconazole	0.061 / 0.182	1	0.4	ND	
Diazinon	0.030 / 0.091	1	0.2	ND		Propoxur	0.030 / 0.091	1	0.2	ND	
Dichlorvos	0.015 / 0.045	1	0.1	ND		Pyrethrins	0.127 / 0.381	1	1	ND	L1
Dimethoate	0.030 / 0.091	1	0.2	ND		Pyridaben	0.030 / 0.091	1	0.2	ND	L1
Ethoprophos	0.030 / 0.091	1	0.2	ND		Spinosad	0.030 / 0.091	1	0.2	ND	
Etofenprox	0.061 / 0.182	1	0.4	ND	R1	Spiromesifen	0.030 / 0.091	1	0.2	ND	
Etoxazole	0.030 / 0.091	1	0.2	ND	L1	Spirotetramat	0.030 / 0.091	1	0.2	ND	L1
Fenoxycarb	0.030 / 0.091	1	0.2	ND		Spiroxamine	0.061 / 0.182	1	0.4	ND	
Fenpyroximate	0.061 / 0.182	1	0.4	ND	L1	Tebuconazole	0.061 / 0.182	1	0.4	ND	L1
Fipronil	0.061 / 0.182	1	0.4	ND	I1, R1	Thiacloprid	0.030 / 0.091	1	0.2	ND	L1
Fonicamid	0.152 / 0.455	1	1	ND	L1	Thiamethoxam	0.030 / 0.091	1	0.2	ND	
Fludioxonil	0.061 / 0.182	1	0.4	ND		Trifloxystrobin	0.030 / 0.091	1	0.2	ND	

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0013.0044
 Batch #: DFC-BLUZKZ-122225



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19908

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0013.0044
 Batch #: DFC-BLUZKZ-122225



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19908

Notes: Method of Extraction: Butane



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>