



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0563.2095
 Batch #: DFC-GELATO-031026



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22535

(Jeeter) AIO GELATO LIQUID DIAMOND 1G VAPE

Batch #: DFC-GELATO-031026 Sample ID: 2603SMAZ0563.2095
 Strain: Gelato Amount Received: 11.3 g
 Parent Batch #: Sample Type: Vape
 Production Method: Butane Sample Collected: 03/13/2026 11:14:00
 Harvest Date: 02/13/2026 Manufacture Date: 03/10/2026
 Received: 03/13/2026 Published: 03/18/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

90.1615% Total THC
0.2762% Total CBD
0.3154% CBN
2.8661% CBG
95.5036% Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0563.2095
 Batch #: DFC-GELATO-031026



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22535

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 03/13/2026
 SOP: 418.AZ
 Batch Number: 5500
 Test ID: 124356

Sample Analysis

Date: 03/16/2026
 SOP: 417.AZ - HPLC
 Sample Weight: 0.042 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.6130	1.8610	2	1.0168	10.1680	
CBD	0.6130	1.8610	2	0.2762	2.7620	
CBDA	0.6130	1.8610	2	ND	ND	
CBDV	0.6130	1.8610	2	ND	ND	
CBG	0.6130	1.8610	2	2.8661	28.6610	
CBGA	0.6130	1.8610	2	ND	ND	
CBN	0.6130	1.8610	2	0.3154	3.1540	
d8-THC	0.6130	1.8610	2	ND	ND	
d9-THC	0.6130	1.8610	2	90.1615	901.6150	
THCA	0.6130	1.8610	2	<LOQ	<LOQ	
THCV	0.6130	1.8610	2	0.8676	8.6760	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	90.1615	901.6150	
Total CBD	0.2762	2.7620	
Total Cannabinoids	95.5036	955.0360	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0563.2095
 Batch #: DFC-GELATO-031026



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22535

Microbial Analysis
 Pass

Sample Prep

Batch Date: 03/13/2026
 SOP: 412.AZ
 Batch Number: 5505
 Test ID: 124431

Sample Analysis

Date: 03/16/2026
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.038 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 03/13/2026
 SOP: 406.AZ
 Batch Number: 5508
 Test ID: 124432

Sample Analysis

Date: 03/16/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.015 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 03/13/2026
 SOP: 406.AZ
 Batch Number: 5508
 Test ID: 124434

Sample Analysis

Date: 03/16/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.015 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0563.2095
 Batch #: DFC-GELATO-031026



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22535

Residual Solvents

HS-GC-MS **Pass**

Sample Prep
 Batch Date: 03/13/2026
 SOP: 405.AZ
 Batch Number: 5492
 Test ID: 124357

Sample Analysis
 Date: 03/16/2026
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.053 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	126 / 377	1	1000	<LOQ		Heptane	628 / 1887	1	5000	ND	
Acetonitrile	52 / 155	1	410	ND		Hexanes	36 / 109	1	290	ND	
Benzene	0.24 / 0.76	1	2	ND		Isopropyl acetate	628 / 1887	1	5000	ND	
Butanes	157 / 472	1	5000	ND		Methanol	377 / 1132	1	3000	ND	
Chloroform	8 / 23	1	60	ND		Pentanes	157 / 472	1	5000	ND	
Dichloromethane	75 / 226	1	600	ND		2-Propanol (IPA)	628 / 1887	1	5000	ND	
Ethanol	628 / 1887	1	5000	ND		Toluene	112 / 336	1	890	ND	
Ethyl acetate	628 / 1887	1	5000	ND		Xylenes	274 / 819	1	2170	ND	
Ethyl ether	628 / 1887	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0563.2095
 Batch #: DFC-GELATO-031026



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22535

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 03/16/2026
 SOP: 428.AZ
 Batch Number: 5521
 Test ID: 124358

Sample Analysis
 Date: 03/17/2026
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.218 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.055	0.184	10	0.4	ND	
Cadmium	0.055	0.184	10	0.4	ND	
Lead	0.055	0.459	10	1	ND	
Mercury	0.055	0.092	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 03/13/2026
 SOP: 432.AZ
 Batch Number: 5496
 Test ID: 124361

Sample Analysis
 Date: 03/16/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.545 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.67	9.17	1	20	ND	
Aflatoxin B1	3.67	9.17	1		ND	
Aflatoxin B2	3.67	9.17	1		ND	I1
Aflatoxin G1	3.67	9.17	1		ND	
Aflatoxin G2	3.67	4.59	1		ND	
Ochratoxin A	9.17	9.17	1	20	ND	I1, R1

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0563.2095
 Batch #: DFC-GELATO-031026



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22535

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 03/13/2026
 SOP: 432.AZ
 Batch Number: 5496
 Test ID: 124360

Sample Analysis

Date: 03/16/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.545 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.076 / 0.229	1	0.5	ND		Hexythiazox	0.153 / 0.459	1	1	ND	
Acephate	0.061 / 0.183	1	0.4	ND		Imazalil	0.030 / 0.092	1	0.2	ND	
Acetamiprid	0.030 / 0.092	1	0.2	ND		Imidacloprid	0.061 / 0.183	1	0.4	ND	
Aldicarb	0.061 / 0.183	1	0.4	ND		Kresoxim-methyl	0.061 / 0.183	1	0.4	ND	
Azoxystrobin	0.030 / 0.092	1	0.2	ND		Malathion	0.030 / 0.092	1	0.2	ND	
Bifenazate	0.030 / 0.092	1	0.2	ND	V1	Metaxyl	0.030 / 0.092	1	0.2	ND	
Bifenthrin	0.030 / 0.092	1	0.2	ND		Methiocarb	0.030 / 0.092	1	0.2	ND	
Boscalid	0.061 / 0.183	1	0.4	ND		Methomyl	0.061 / 0.183	1	0.4	ND	
Carbaryl	0.030 / 0.092	1	0.2	ND		Myclobutanil	0.030 / 0.092	1	0.2	ND	
Carbofuran	0.030 / 0.092	1	0.2	ND		Naled	0.076 / 0.229	1	0.5	ND	
Chlorantraniliprole	0.030 / 0.092	1	0.2	ND		Oxamyl	0.153 / 0.459	1	1	ND	
Chlorfenapyr	0.153 / 0.459	1	1	ND	I1	Pacllobutrazol	0.061 / 0.183	1	0.4	ND	
Chlorpyrifos	0.030 / 0.092	1	0.2	ND		Permethrins	0.030 / 0.092	1	0.2	ND	
Clofentezine	0.030 / 0.092	1	0.2	ND		Phosmet	0.030 / 0.092	1	0.2	ND	
Cyfluthrin	0.153 / 0.459	1	1	ND		Piperonyl Butoxide	0.306 / 0.917	1	2	ND	
Cypermethrin	0.153 / 0.459	1	1	ND		Prallethrin	0.030 / 0.092	1	0.2	ND	
Daminozide	0.153 / 0.459	1	1	ND		Propiconazole	0.061 / 0.183	1	0.4	ND	
Diazinon	0.030 / 0.092	1	0.2	ND		Propoxur	0.030 / 0.092	1	0.2	ND	
Dichlorvos	0.016 / 0.046	1	0.1	ND		Pyrethrins	0.128 / 0.384	1	1	ND	
Dimethoate	0.030 / 0.092	1	0.2	ND		Pyridaben	0.030 / 0.092	1	0.2	ND	
Ethoprophos	0.030 / 0.092	1	0.2	ND		Spinosad	0.030 / 0.092	1	0.2	ND	
Etofenprox	0.061 / 0.183	1	0.4	ND		Spiromesifen	0.030 / 0.092	1	0.2	ND	
Etoxazole	0.030 / 0.092	1	0.2	ND		Spirotetramat	0.030 / 0.092	1	0.2	ND	
Fenoxycarb	0.030 / 0.092	1	0.2	ND		Spiroxamine	0.061 / 0.183	1	0.4	ND	
Fenpyroximate	0.061 / 0.183	1	0.4	ND		Tebuconazole	0.061 / 0.183	1	0.4	ND	
Fipronil	0.061 / 0.183	1	0.4	ND	I1, L1 V1	Thiacloprid	0.030 / 0.092	1	0.2	ND	
Fonicamid	0.153 / 0.459	1	1	ND		Thiamethoxam	0.030 / 0.092	1	0.2	ND	
Fludioxonil	0.061 / 0.183	1	0.4	ND		Trifloxystrobin	0.030 / 0.092	1	0.2	ND	

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0563.2095
 Batch #: DFC-GELATO-031026



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22535

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0563.2095
 Batch #: DFC-GELATO-031026



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22535

Notes: Method of Extraction: Butane



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>