



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0185.0655
 Batch #: DFC-MAUWOW-012626



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20803

(Jeeter) AIO MAUI WOWIE LIQUID DIAMOND 1G VAPE

Batch #: DFC-MAUWOW-012626 Sample ID: 2601SMAZ0185.0655
 Strain: Maui Wowie Amount Received: ~20.1 g
 Parent Batch #: Sample Type: Vape
 Production Method: Butane Sample Collected: 01/27/2026 07:53:00
 Harvest Date: 11/11/2025 Manufacture Date: 01/26/2026
 Received: 01/27/2026 Published: 01/29/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

89.1318% Total THC
0.2377% Total CBD
0.4050% CBN
1.8259% CBG
93.4617% Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0185.0655
 Batch #: DFC-MAUWOW-012626



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20803

Cannabinoid Profile

HPLC **Tested**

Sample Prep
 Batch Date: 01/27/2026
 SOP: 418.AZ
 Batch Number: 5073
 Test ID: 113635

Sample Analysis
 Date: 01/28/2026
 SOP: 417.AZ - HPLC
 Sample Weight: 0.042 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3070	0.9300	1	0.7182	7.1820	
CBD	0.3070	0.9300	1	0.2377	2.3770	
CBDA	0.3070	0.9300	1	ND	ND	
CBDV	0.3070	0.9300	1	ND	ND	
CBG	0.3070	0.9300	1	1.8259	18.2590	
CBGA	0.3070	0.9300	1	ND	ND	
CBN	0.3070	0.9300	1	0.4050	4.0500	
d8-THC	0.3070	0.9300	1	ND	ND	
d9-THC	0.3070	0.9300	1	88.8990	888.9900	
THCA	0.3070	0.9300	1	0.2655	2.6550	
THCV	0.3070	0.9300	1	1.1104	11.1040	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	89.1318	891.3180	
Total CBD	0.2377	2.3770	
Total Cannabinoids	93.4617	934.6170	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0185.0655
 Batch #: DFC-MAUWOW-012626



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592


Certificate: 20803

Terpene Total
 GC-FID **Tested (2.0333%)**

Sample Prep
 Batch Date: 01/27/2026
 SOP: 419
 Batch Number: 5067

Sample Analysis
 Date: 01/28/2026
 SOP: 419 - GC-FID
 Sample Weight: 0.430 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0009 / 0.0028	1	0.0269	Q3	gamma-Terpinene	0.0009 / 0.0028	1	0.0384	Q3
alpha-Cedrene	0.0009 / 0.0028	1	ND	Q3	Geraniol	0.0009 / 0.0028	1	0.0262	Q3
alpha-Humulene	0.0009 / 0.0028	1	0.0269	Q3	Geranyl acetate	0.0009 / 0.0028	1	ND	Q3
alpha-Phellandrene	0.0009 / 0.0028	1	ND	Q3	Guaiol	0.0009 / 0.0028	1	ND	Q3
alpha-Pinene	0.0009 / 0.0028	1	0.2104	Q3	Hexahydrothymol	0.0009 / 0.0028	1	ND	Q3
alpha-Terpinene	0.0009 / 0.0028	1	ND	Q3	Isoborneol	0.0009 / 0.0028	1	ND	Q3
beta-Myrcene	0.0009 / 0.0028	1	0.2234	Q3	Isopulegol	0.0009 / 0.0028	1	ND	Q3
beta-Pinene	0.0009 / 0.0028	1	0.1250	Q3	Limonene	0.0009 / 0.0028	1	1.0054	Q3
Borneol	0.0009 / 0.0028	1	ND	Q3	Linalool	0.0009 / 0.0028	1	0.1202	Q3
Camphene	0.0009 / 0.0028	1	0.0070	Q3	Nerol	0.0009 / 0.0028	1	ND	Q3
Camphor	0.0009 / 0.0028	1	ND	Q3	Pulegone (+)	0.0009 / 0.0028	1	ND	Q3
3-Carene	0.0009 / 0.0028	1	ND	Q3	Sabinene Hydrate	0.0009 / 0.0028	1	ND	Q3
Caryophyllene oxide	0.0009 / 0.0028	1	0.0343	Q3	Terpineol	0.0009 / 0.0028	1	0.0160	Q3
Cedrol	0.0009 / 0.0028	1	0.0065	Q3	Terpinolene	0.0009 / 0.0028	1	ND	Q3
cis-Nerolidol	0.0009 / 0.0028	1	ND	Q3	trans-Caryophyllene	0.0009 / 0.0028	1	0.1408	Q3
cis-Ocimene	0.0009 / 0.0028	1	ND	Q3	trans-Nerolidol	0.0009 / 0.0028	1	0.0111	Q3
Fenchyl alcohol	0.0009 / 0.0028	1	0.0061	Q3	trans-Ocimene	0.0009 / 0.0028	1	ND	Q3
Eucalyptol	0.0009 / 0.0028	1	ND	Q3	Valencene	0.0009 / 0.0028	1	0.0086	Q3
Fenchone	0.0009 / 0.0028	1	ND	Q3					



Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0185.0655
 Batch #: DFC-MAUWOW-012626



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20803

Microbial Analysis
Pass

Sample Prep

Batch Date: 01/27/2026
 SOP: 412.AZ
 Batch Number: 5069
 Test ID: 113643

Sample Analysis

Date: 01/28/2026
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.028 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 01/26/2026
 SOP: 406.AZ
 Batch Number: 5065
 Test ID: 113645

Sample Analysis

Date: 01/28/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.008 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 01/26/2026
 SOP: 406.AZ
 Batch Number: 5065
 Test ID: 113647

Sample Analysis

Date: 01/28/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.008 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0185.0655
 Batch #: DFC-MAUWOW-012626



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20803

Residual Solvents

HS-GC-MS **Pass**

Sample Prep

Batch Date: 01/27/2026
 SOP: 405.AZ
 Batch Number: 5066
 Test ID: 113636

Sample Analysis

Date: 01/28/2026
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.050 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	66 / 200	1	1000	235		Heptane	334 / 1000	1	5000	ND	
Acetonitrile	28 / 82	1	410	ND		Hexanes	48 / 145	1	290	ND	
Benzene	0.14 / 0.40	1	2	ND		Isopropyl acetate	334 / 1000	1	5000	ND	
Butanes	166 / 500	1	5000	ND		Methanol	200 / 600	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	334 / 1000	1	5000	ND	
Dichloromethane	40 / 120	1	600	ND		2-Propanol (IPA)	334 / 1000	1	5000	ND	
Ethanol	334 / 1000	1	5000	ND		Toluene	60 / 178	1	890	ND	
Ethyl acetate	334 / 1000	1	5000	ND		Xylenes	290 / 868	1	2170	ND	
Ethyl ether	334 / 1000	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0185.0655
 Batch #: DFC-MAUWOW-012626



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20803

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 01/26/2026
 SOP: 428.AZ
 Batch Number: 5061
 Test ID: 113637

Sample Analysis
 Date: 01/27/2026
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.247 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.049	0.162	10	0.4	ND	L1
Cadmium	0.049	0.162	10	0.4	ND	L1
Lead	0.049	0.405	10	1	ND	L1
Mercury	0.049	0.081	10	0.2	ND	R1

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 01/27/2026
 SOP: 432.AZ
 Batch Number: 5074
 Test ID: 113640

Sample Analysis
 Date: 01/29/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.552 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.62	9.06	1	20	ND	R1 V1
Aflatoxin B1	3.62	9.06	1		ND	I1
Aflatoxin B2	3.62	9.06	1		ND	I1, R1 V1
Aflatoxin G1	3.62	9.06	1		ND	
Aflatoxin G2	3.62	4.53	1		ND	
Ochratoxin A	9.06	9.06	1	20	ND	I1, R1 V1

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0185.0655
 Batch #: DFC-MAUWOW-012626



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20803

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 01/27/2026
 SOP: 432.AZ
 Batch Number: 5074
 Test ID: 113639

Sample Analysis

Date: 01/29/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.552 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.075 / 0.226	1	0.5	ND		Hexythiazox	0.151 / 0.453	1	1	ND	
Acephate	0.061 / 0.181	1	0.4	ND	L1	Imazalil	0.030 / 0.091	1	0.2	ND	
Acetamiprid	0.030 / 0.091	1	0.2	ND	V1	Imidacloprid	0.061 / 0.181	1	0.4	ND	
Aldicarb	0.061 / 0.181	1	0.4	ND		Kresoxim-methyl	0.061 / 0.181	1	0.4	ND	
Azoxystrobin	0.030 / 0.091	1	0.2	ND		Malathion	0.030 / 0.091	1	0.2	ND	
Bifenazate	0.030 / 0.091	1	0.2	ND	L1	Metaxyl	0.030 / 0.091	1	0.2	ND	
Bifenthrin	0.030 / 0.091	1	0.2	ND		Methiocarb	0.030 / 0.091	1	0.2	ND	
Boscalid	0.061 / 0.181	1	0.4	ND		Methomyl	0.061 / 0.181	1	0.4	ND	V1
Carbaryl	0.030 / 0.091	1	0.2	ND	V1	Myclobutanil	0.030 / 0.091	1	0.2	ND	L1 V1
Carbofuran	0.030 / 0.091	1	0.2	ND		Naled	0.075 / 0.226	1	0.5	ND	V1
Chlorantraniliprole	0.030 / 0.091	1	0.2	ND	V1	Oxamyl	0.151 / 0.453	1	1	ND	V1
Chlorfenapyr	0.151 / 0.453	1	1	ND		Pacllobutrazol	0.061 / 0.181	1	0.4	ND	L1 V1
Chlorpyrifos	0.030 / 0.091	1	0.2	ND		Permethrins	0.030 / 0.091	1	0.2	ND	
Clofentezine	0.030 / 0.091	1	0.2	ND		Phosmet	0.030 / 0.091	1	0.2	ND	L1 V1
Cyfluthrin	0.151 / 0.453	1	1	ND		Piperonyl Butoxide	0.302 / 0.906	1	2	ND	
Cypermethrin	0.151 / 0.453	1	1	ND		Prallethrin	0.030 / 0.091	1	0.2	ND	
Daminozide	0.151 / 0.453	1	1	ND		Propiconazole	0.061 / 0.181	1	0.4	ND	L1 V1
Diazinon	0.030 / 0.091	1	0.2	ND		Propoxur	0.030 / 0.091	1	0.2	ND	
Dichlorvos	0.015 / 0.045	1	0.1	ND		Pyrethrins	0.127 / 0.380	1	1	ND	
Dimethoate	0.030 / 0.091	1	0.2	ND		Pyridaben	0.030 / 0.091	1	0.2	ND	
Ethoprophos	0.030 / 0.091	1	0.2	ND		Spinosad	0.030 / 0.091	1	0.2	ND	
Etofenprox	0.061 / 0.181	1	0.4	ND	L1 V1	Spiromesifen	0.030 / 0.091	1	0.2	ND	
Etoxazole	0.030 / 0.091	1	0.2	ND		Spirotetramat	0.030 / 0.091	1	0.2	ND	V1
Fenoxycarb	0.030 / 0.091	1	0.2	ND		Spiroxamine	0.061 / 0.181	1	0.4	ND	
Fenpyroximate	0.061 / 0.181	1	0.4	ND		Tebuconazole	0.061 / 0.181	1	0.4	ND	L1 V1
Fipronil	0.061 / 0.181	1	0.4	ND	I1, L1 V1	Thiacloprid	0.030 / 0.091	1	0.2	ND	
Fonicamid	0.151 / 0.453	1	1	ND	L1 V1	Thiamethoxam	0.030 / 0.091	1	0.2	ND	V1
Fludioxonil	0.061 / 0.181	1	0.4	ND		Trifloxystrobin	0.030 / 0.091	1	0.2	ND	

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0185.0655
 Batch #: DFC-MAUWOW-012626



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20803

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0185.0655
 Batch #: DFC-MAUWOW-012626



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20803

Notes: Method of Extraction: Butane



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>