



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2602SMAZ0361.1309
 Batch #: DFC-SSD-013026



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21659

(Jeeter) AIO STRAWBERRY SOUR DIESEL LIQUID DIAMOND 1G VAPE

Batch #: DFC-SSD-013026	Sample ID: 2602SMAZ0361.1309
Strain: Strawberry Sour Diesel	Amount Received: 11.5 g
Parent Batch #:	Sample Type: Vape
Production Method: Butane	Sample Collected: 02/18/2026 11:07:00
Harvest Date: 11/11/2025	Manufacture Date: 01/30/2026
Received: 02/18/2026	Published: 02/23/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

88.6095% Total THC
0.2322% Total CBD
0.4137% CBN
1.7938% CBG
92.8624% Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2602SMAZ0361.1309
 Batch #: DFC-SSD-013026



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21659

Cannabinoid Profile

HPLC **Tested**

Sample Prep
 Batch Date: 02/18/2026
 SOP: 418.AZ
 Batch Number: 5276
 Test ID: 118690

Sample Analysis
 Date: 02/19/2026
 SOP: 417.AZ - HPLC
 Sample Weight: 0.043 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3000	0.9090	1	0.6959	6.9590	
CBD	0.3000	0.9090	1	0.2322	2.3220	
CBDA	0.3000	0.9090	1	ND	ND	
CBDV	0.3000	0.9090	1	ND	ND	
CBG	0.3000	0.9090	1	1.7938	17.9380	
CBGA	0.3000	0.9090	1	ND	ND	
CBN	0.3000	0.9090	1	0.4137	4.1370	
d8-THC	0.3000	0.9090	1	ND	ND	
d9-THC	0.3000	0.9090	1	88.4876	884.8760	
THCA	0.3000	0.9090	1	0.1390	1.3900	
THCV	0.3000	0.9090	1	1.1003	11.0030	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	88.6095	886.0950	
Total CBD	0.2322	2.3220	
Total Cannabinoids	92.8624	928.6240	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2602SMAZ0361.1309
 Batch #: DFC-SSD-013026



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21659

Terpene Total

GC-FID **Tested (4.2632%)**


Sample Prep

Batch Date: 02/19/2026
 SOP: 419
 Batch Number: 5281

Sample Analysis

Date: 02/20/2026
 SOP: 419 - GC-FID
 Sample Weight: 0.424 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0009 / 0.0028	1	0.0295	Q3	gamma-Terpinene	0.0009 / 0.0028	1	0.0077	Q3
alpha-Cedrene	0.0009 / 0.0028	1	ND	Q3	Geraniol	0.0009 / 0.0028	1	0.0032	Q3
alpha-Humulene	0.0009 / 0.0028	1	0.0374	Q3	Geranyl acetate	0.0009 / 0.0028	1	ND	Q3
alpha-Phellandrene	0.0009 / 0.0028	1	ND	Q3	Guaiol	0.0009 / 0.0028	1	ND	Q3
alpha-Pinene	0.0009 / 0.0028	1	0.2580	Q3	Hexahydrothymol	0.0009 / 0.0028	1	ND	Q3
alpha-Terpinene	0.0009 / 0.0028	1	0.0110	Q3	Isoborneol	0.0009 / 0.0028	1	ND	Q3
beta-Myrcene	0.0009 / 0.0028	1	1.2367	Q3	Isopulegol	0.0009 / 0.0028	1	ND	Q3
beta-Pinene	0.0009 / 0.0028	1	0.2544	Q3	Limonene	0.0009 / 0.0028	1	1.6921	Q3
Borneol	0.0009 / 0.0028	1	ND	Q3	Linalool	0.0009 / 0.0028	1	0.0854	Q3
Camphene	0.0009 / 0.0028	1	0.0870	Q3	Nerol	0.0009 / 0.0028	1	ND	Q3
Camphor	0.0009 / 0.0028	1	<LOQ	Q3	Pulegone (+)	0.0009 / 0.0028	1	ND	Q3
3-Carene	0.0009 / 0.0028	1	ND	Q3	Sabinene Hydrate	0.0009 / 0.0028	1	0.0401	Q3
Caryophyllene oxide	0.0009 / 0.0028	1	0.0233	Q3	Terpineol	0.0009 / 0.0028	1	0.0354	Q3
Cedrol	0.0009 / 0.0028	1	0.0049	Q3	Terpinolene	0.0009 / 0.0028	1	0.0513	Q3
cis-Nerolidol	0.0009 / 0.0028	1	ND	Q3	trans-Caryophyllene	0.0009 / 0.0028	1	0.2855	Q3
cis-Ocimene	0.0009 / 0.0028	1	0.0042	Q3	trans-Nerolidol	0.0009 / 0.0028	1	ND	Q3
Fenchyl alcohol	0.0009 / 0.0028	1	0.0446	Q3	trans-Ocimene	0.0009 / 0.0028	1	0.0358	Q3
Eucalyptol	0.0009 / 0.0028	1	ND	Q3	Valencene	0.0009 / 0.0028	1	0.0356	Q3
Fenchone	0.0009 / 0.0028	1	ND	Q3					



Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2602SMAZ0361.1309
 Batch #: DFC-SSD-013026



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21659

Microbial Analysis
Pass

Sample Prep

Batch Date: 02/19/2026
 SOP: 412.AZ
 Batch Number: 5292
 Test ID: 118719

Sample Analysis

Date: 02/20/2026
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.022 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 02/19/2026
 SOP: 406.AZ
 Batch Number: 5290
 Test ID: 118722

Sample Analysis

Date: 02/20/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.024 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 02/19/2026
 SOP: 406.AZ
 Batch Number: 5290
 Test ID: 118723

Sample Analysis

Date: 02/20/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.024 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2602SMAZ0361.1309
 Batch #: DFC-SSD-013026



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21659

Residual Solvents
 HS-GC-MS **Pass**

Sample Prep
 Batch Date: 02/19/2026
 SOP: 405.AZ
 Batch Number: 5278
 Test ID: 118691

Sample Analysis
 Date: 02/20/2026
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.050 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	133 / 400	1	1000	ND		Heptane	666 / 2000	1	5000	ND	
Acetonitrile	55 / 164	1	410	ND		Hexanes	39 / 116	1	290	ND	
Benzene	0.26 / 0.80	1	2	ND		Isopropyl acetate	666 / 2000	1	5000	ND	
Butanes	167 / 500	1	5000	ND		Methanol	400 / 1200	1	3000	ND	
Chloroform	8 / 24	1	60	ND		Pentanes	167 / 500	1	5000	ND	
Dichloromethane	80 / 240	1	600	ND		2-Propanol (IPA)	666 / 2000	1	5000	ND	
Ethanol	666 / 2000	1	5000	ND		Toluene	119 / 356	1	890	ND	
Ethyl acetate	666 / 2000	1	5000	ND		Xylenes	290 / 868	1	2170	ND	
Ethyl ether	666 / 2000	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2602SMAZ0361.1309
 Batch #: DFC-SSD-013026



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21659

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 02/19/2026
 SOP: 428.AZ
 Batch Number: 5282
 Test ID: 118692

Sample Analysis
 Date: 02/20/2026
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.205 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.059	0.195	10	0.4	ND	
Cadmium	0.059	0.195	10	0.4	ND	
Lead	0.059	0.488	10	1	ND	
Mercury	0.059	0.097	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 02/19/2026
 SOP: 432.AZ
 Batch Number: 5279
 Test ID: 118695

Sample Analysis
 Date: 02/20/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.512 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.91	9.77	1	20	ND	
Aflatoxin B1	3.91	9.77	1		ND	
Aflatoxin B2	3.91	9.77	1		ND	I1
Aflatoxin G1	3.91	9.77	1		ND	I1
Aflatoxin G2	3.91	4.88	1		ND	I1
Ochratoxin A	9.77	9.77	1	20	ND	I1

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2602SMAZ0361.1309
 Batch #: DFC-SSD-013026



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21659

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 02/19/2026
 SOP: 432.AZ
 Batch Number: 5279
 Test ID: 118694

Sample Analysis

Date: 02/20/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.512 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.081 / 0.244	1	0.5	ND		Hexythiazox	0.163 / 0.488	1	1	ND	
Acephate	0.065 / 0.195	1	0.4	ND	L1	Imazalil	0.032 / 0.098	1	0.2	ND	
Acetamiprid	0.032 / 0.098	1	0.2	ND		Imidacloprid	0.065 / 0.195	1	0.4	ND	
Aldicarb	0.065 / 0.195	1	0.4	ND		Kresoxim-methyl	0.065 / 0.195	1	0.4	ND	
Azoxystrobin	0.032 / 0.098	1	0.2	ND		Malathion	0.032 / 0.098	1	0.2	ND	
Bifenazate	0.032 / 0.098	1	0.2	ND		Metaxyl	0.032 / 0.098	1	0.2	ND	
Bifenthrin	0.032 / 0.098	1	0.2	ND		Methiocarb	0.032 / 0.098	1	0.2	ND	
Boscalid	0.065 / 0.195	1	0.4	ND		Methomyl	0.065 / 0.195	1	0.4	ND	
Carbaryl	0.032 / 0.098	1	0.2	ND	L1	Myclobutanil	0.032 / 0.098	1	0.2	ND	
Carbofuran	0.032 / 0.098	1	0.2	ND		Naled	0.081 / 0.244	1	0.5	ND	
Chlorantraniliprole	0.032 / 0.098	1	0.2	ND		Oxamyl	0.163 / 0.488	1	1	ND	
Chlorfenapyr	0.163 / 0.488	1	1	ND	V1	Paclobutrazol	0.065 / 0.195	1	0.4	ND	
Chlorpyrifos	0.032 / 0.098	1	0.2	ND		Permethrins	0.032 / 0.098	1	0.2	ND	
Clofentezine	0.032 / 0.098	1	0.2	ND		Phosmet	0.032 / 0.098	1	0.2	ND	
Cyfluthrin	0.163 / 0.488	1	1	ND		Piperonyl Butoxide	0.325 / 0.977	1	2	ND	
Cypermethrin	0.163 / 0.488	1	1	ND		Prallethrin	0.032 / 0.098	1	0.2	ND	
Daminozide	0.163 / 0.488	1	1	ND		Propiconazole	0.065 / 0.195	1	0.4	ND	
Diazinon	0.032 / 0.098	1	0.2	ND		Propoxur	0.032 / 0.098	1	0.2	ND	
Dichlorvos	0.017 / 0.049	1	0.1	ND		Pyrethrins	0.136 / 0.409	1	1	ND	
Dimethoate	0.032 / 0.098	1	0.2	ND		Pyridaben	0.032 / 0.098	1	0.2	ND	
Ethoprophos	0.032 / 0.098	1	0.2	ND		Spinosad	0.032 / 0.098	1	0.2	ND	
Etofenprox	0.065 / 0.195	1	0.4	ND		Spiromesifen	0.032 / 0.098	1	0.2	ND	
Etoxazole	0.032 / 0.098	1	0.2	ND		Spirotetramat	0.032 / 0.098	1	0.2	ND	
Fenoxycarb	0.032 / 0.098	1	0.2	ND		Spiroxamine	0.065 / 0.195	1	0.4	ND	
Fenpyroximate	0.065 / 0.195	1	0.4	ND	I1	Tebuconazole	0.065 / 0.195	1	0.4	ND	
Fipronil	0.065 / 0.195	1	0.4	ND	L1 V1	Thiacloprid	0.032 / 0.098	1	0.2	ND	
Fonicamid	0.163 / 0.488	1	1	ND		Thiamethoxam	0.032 / 0.098	1	0.2	ND	
Fludioxonil	0.065 / 0.195	1	0.4	ND		Trifloxystrobin	0.032 / 0.098	1	0.2	ND	

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2602SMAZ0361.1309
 Batch #: DFC-SSD-013026



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21659

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2602SMAZ0361.1309
 Batch #: DFC-SSD-013026



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21659

Notes: Method of Extraction: Butane

Compliance Testing



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>