



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2605SMAZ0959.3477
Batch #: DFC-WATZKZ-043026



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 24210

(Jeeter) AIO WATERMELON ZKZ LIQUID DIAMOND 1G VAPE

Batch #: DFC-WATZKZ-043026

Strain: Watermelon ZKZ

Parent Batch #:

Production Method: Butane

Harvest Date: 02/13/2026

Received: 05/01/2026

Sample ID: 2605SMAZ0959.3477

Amount Received: 12.2 g

Sample Type: Vape

Sample Collected: 05/01/2026 11:08:00

Manufacture Date: 04/30/2026

Published: 05/05/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)
Tested

Microbial Contaminants
Pass

Residual Solvents
Pass

Pesticides, Fungicides,
and Growth Regulators
Pass

Mycotoxins
Pass

Heavy Metals
Pass

91.4188%
Total THC

0.2217%
Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3)
Tested

Moisture Analysis (Q3)
Not Tested

Water Activity (Q3)
Not Tested

0.4984%
CBN

1.8905%
CBG

Filth & Foreign (Q3)
Not Tested

Homogeneity (Q3)
Not Tested


Additional Microbial
Contaminants (Q3)
Not Tested

94.4857%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2605SMAZ0959.3477
Batch #: DFC-WATZKZ-043026



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 24210

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 05/01/2026
SOP: 418.AZ
Batch Number: 5949
Test ID: 135005

Sample Analysis

Date: 05/04/2026
SOP: 417.AZ - HPLC
Sample Weight: 0.041 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3140	0.9530	1	ND	ND	
CBD	0.3140	0.9530	1	0.2217	2.2170	
CBDA	0.3140	0.9530	1	ND	ND	
CBDV	0.3140	0.9530	1	ND	ND	
CBG	0.3140	0.9530	1	1.8905	18.9050	
CBGA	0.3140	0.9530	1	ND	ND	
CBN	0.3140	0.9530	1	0.4984	4.9840	
d8-THC	0.3140	0.9530	1	ND	ND	
d9-THC	0.3140	0.9530	1	91.4188	914.1880	
THCA	0.3140	0.9530	1	ND	ND	
THCV	0.3140	0.9530	1	0.4562	4.5620	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	91.4188	914.1880	
Total CBD	0.2217	2.2170	
Total Cannabinoids	94.4857	944.8570	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2605SMAZ0959.3477
Batch #: DFC-WATZKZ-043026



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 24210

Terpene Total

GC-FID

Tested (4.8208%)


Sample Prep

Batch Date: 05/01/2026
SOP: 419
Batch Number: 5942

Sample Analysis

Date: 05/04/2026
SOP: 419 - GC-FID
Sample Weight: 0.424 g
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0009 / 0.0028	1	0.1764	Q3	gamma-Terpinene	0.0009 / 0.0028	1	ND	Q3
alpha-Cedrene	0.0009 / 0.0028	1	ND	Q3	Geraniol	0.0009 / 0.0028	1	0.0197	Q3
alpha-Humulene	0.0009 / 0.0028	1	0.0471	Q3	Geranyl acetate	0.0009 / 0.0028	1	ND	Q3
alpha-Phellandrene	0.0009 / 0.0028	1	ND	Q3	Guaiol	0.0009 / 0.0028	1	ND	Q3
alpha-Pinene	0.0009 / 0.0028	1	0.1418	Q3	Hexahydrothymol	0.0009 / 0.0028	1	0.0035	Q3
alpha-Terpinene	0.0009 / 0.0028	1	ND	Q3	Isoborneol	0.0009 / 0.0028	1	0.0029	Q3
beta-Myrcene	0.0009 / 0.0028	1	0.9227	Q3	Isopulegol	0.0009 / 0.0028	1	ND	Q3
beta-Pinene	0.0009 / 0.0028	1	0.2213	Q3	Limonene	0.0009 / 0.0028	1	1.2846	Q3
Borneol	0.0009 / 0.0028	1	0.0036	Q3	Linalool	0.0009 / 0.0028	1	0.3668	Q3
Camphene	0.0009 / 0.0028	1	0.0310	Q3	Nerol	0.0009 / 0.0028	1	0.0301	Q3
Camphor	0.0009 / 0.0028	1	0.0074	Q3	Pulegone (+)	0.0009 / 0.0028	1	ND	Q3
3-Carene	0.0009 / 0.0028	1	ND	Q3	Sabinene Hydrate	0.0009 / 0.0028	1	ND	Q3
Caryophyllene oxide	0.0009 / 0.0028	1	0.0083	Q3	Terpineol	0.0009 / 0.0028	1	0.1865	Q3
Cedrol	0.0009 / 0.0028	1	0.0034	Q3	Terpinolene	0.0009 / 0.0028	1	0.0450	Q3
cis-Nerolidol	0.0009 / 0.0028	1	ND	Q3	trans-Caryophyllene	0.0009 / 0.0028	1	1.1802	Q3
cis-Ocimene	0.0009 / 0.0028	1	0.0034	Q3	trans-Nerolidol	0.0009 / 0.0028	1	ND	Q3
Fenchyl alcohol	0.0009 / 0.0028	1	0.1651	Q3	trans-Ocimene	0.0009 / 0.0028	1	ND	Q3
Eucalyptol	0.0009 / 0.0028	1	ND	Q3	Valencene	0.0009 / 0.0028	1	ND	Q3
Fenchone	0.0009 / 0.0028	1	ND	Q3					



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2605SMAZ0959.3477
Batch #: DFC-WATZKZ-043026



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 24210

Microbial Analysis

Pass

Sample Prep

Batch Date: 05/04/2026
SOP: 412.AZ
Batch Number: 5959
Test ID: 135035

Sample Analysis

Date: 05/05/2026
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.005 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 05/04/2026
SOP: 406.AZ
Batch Number: 5955
Test ID: 135037

Sample Analysis

Date: 05/05/2026
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.008 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 05/04/2026
SOP: 406.AZ
Batch Number: 5954
Test ID: 135039

Sample Analysis

Date: 05/05/2026
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.008 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2605SMAZ0959.3477
Batch #: DFC-WATZKZ-043026



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 24210

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 05/04/2026
SOP: 405.AZ
Batch Number: 5952
Test ID: 135006

Sample Analysis

Date: 05/05/2026
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.054 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	124 / 370	1	1000	ND		Heptane	617 / 1852	1	5000	ND	
Acetonitrile	51 / 152	1	410	ND		Hexanes	36 / 107	1	290	ND	
Benzene	0.24 / 0.74	1	2	ND		Isopropyl acetate	617 / 1852	1	5000	ND	
Butanes	154 / 463	1	5000	ND		Methanol	370 / 1111	1	3000	ND	
Chloroform	7 / 22	1	60	ND		Pentanes	154 / 463	1	5000	ND	
Dichloromethane	74 / 222	1	600	ND		2-Propanol (IPA)	617 / 1852	1	5000	ND	
Ethanol	617 / 1852	1	5000	ND		Toluene	110 / 330	1	890	ND	
Ethyl acetate	617 / 1852	1	5000	ND		Xylenes	269 / 804	1	2170	ND	
Ethyl ether	617 / 1852	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2605SMAZ0959.3477
Batch #: DFC-WATZKZ-043026



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 24210

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 05/01/2026
SOP: 428.AZ
Batch Number: 5947
Test ID: 135007

Sample Analysis

Date: 05/01/2026
SOP: 428.AZ - ICP-MS
Sample Weight: 0.208 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.058	0.192	10	0.4	ND	
Cadmium	0.058	0.192	10	0.4	ND	
Lead	0.058	0.481	10	1	ND	
Mercury	0.058	0.096	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 04/30/2026
SOP: 432.AZ
Batch Number: 5940
Test ID: 135010

Sample Analysis

Date: 05/05/2026
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.525 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.81	9.52	1	20	ND	L1 V1
Aflatoxin B1	3.81	9.52	1		ND	I1, V1
Aflatoxin B2	3.81	9.52	1		ND	I1
Aflatoxin G1	3.81	9.52	1		ND	I1
Aflatoxin G2	3.81	4.76	1		ND	I1, L1
Ochratoxin A	9.52	9.52	1	20	ND	I1, R1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2605SMAZ0959.3477
Batch #: DFC-WATZKZ-043026



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 24210

**Pesticides, Fungicides, and
Growth Regulators**
LC-MS/MS **Pass**

Sample Prep

Batch Date: 04/30/2026
SOP: 432.AZ
Batch Number: 5940
Test ID: 135009

Sample Analysis

Date: 05/05/2026
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.525 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.079 / 0.238	1	0.5	ND	I1	Hexythiazox	0.159 / 0.476	1	1	ND	
Acephate	0.064 / 0.190	1	0.4	ND		Imazalil	0.031 / 0.095	1	0.2	ND	I1, R1
Acetamiprid	0.031 / 0.095	1	0.2	ND		Imidacloprid	0.064 / 0.190	1	0.4	ND	
Aldicarb	0.064 / 0.190	1	0.4	ND		Kresoxim-methyl	0.064 / 0.190	1	0.4	ND	
Azoxystrobin	0.031 / 0.095	1	0.2	ND		Malathion	0.031 / 0.095	1	0.2	ND	
Bifenazate	0.031 / 0.095	1	0.2	ND		Metaxyl	0.031 / 0.095	1	0.2	ND	
Bifenthrin	0.031 / 0.095	1	0.2	ND		Methiocarb	0.031 / 0.095	1	0.2	ND	
Boscalid	0.064 / 0.190	1	0.4	ND		Methomyl	0.064 / 0.190	1	0.4	ND	
Carbaryl	0.031 / 0.095	1	0.2	ND		Myclobutanil	0.031 / 0.095	1	0.2	ND	
Carbofuran	0.031 / 0.095	1	0.2	ND		Naled	0.079 / 0.238	1	0.5	ND	
Chlorantraniliprole	0.031 / 0.095	1	0.2	ND		Oxamyl	0.159 / 0.476	1	1	ND	
Chlorfenapyr	0.159 / 0.476	1	1	ND		Paclobutrazol	0.064 / 0.190	1	0.4	ND	
Chlorpyrifos	0.031 / 0.095	1	0.2	ND		Permethrins	0.031 / 0.095	1	0.2	ND	
Clofentezine	0.031 / 0.095	1	0.2	ND		Phosmet	0.031 / 0.095	1	0.2	ND	
Cyfluthrin	0.159 / 0.476	1	1	ND		Piperonyl Butoxide	0.317 / 0.952	1	2	ND	
Cypermethrin	0.159 / 0.476	1	1	ND		Prallethrin	0.031 / 0.095	1	0.2	ND	
Daminozide	0.159 / 0.476	1	1	ND		Propiconazole	0.064 / 0.190	1	0.4	ND	
Diazinon	0.031 / 0.095	1	0.2	ND		Propoxur	0.031 / 0.095	1	0.2	ND	
Dichlorvos	0.016 / 0.048	1	0.1	ND		Pyrethrins	0.133 / 0.399	1	1	ND	
Dimethoate	0.031 / 0.095	1	0.2	ND		Pyridaben	0.031 / 0.095	1	0.2	ND	
Ethoprophos	0.031 / 0.095	1	0.2	ND		Spinosad	0.031 / 0.095	1	0.2	ND	
Etofenprox	0.064 / 0.190	1	0.4	ND		Spiromesifen	0.031 / 0.095	1	0.2	ND	
Etoazole	0.031 / 0.095	1	0.2	ND		Spirotetramat	0.031 / 0.095	1	0.2	ND	
Fenoxycarb	0.031 / 0.095	1	0.2	ND		Spiroxamine	0.064 / 0.190	1	0.4	ND	
Fenpyroximate	0.064 / 0.190	1	0.4	ND		Tebuconazole	0.064 / 0.190	1	0.4	ND	
Fipronil	0.064 / 0.190	1	0.4	ND	I1	Thiacloprid	0.031 / 0.095	1	0.2	ND	
Flonicamid	0.159 / 0.476	1	1	ND		Thiamethoxam	0.031 / 0.095	1	0.2	ND	
Fludioxonil	0.064 / 0.190	1	0.4	ND		Trifloxystrobin	0.031 / 0.095	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2605SMAZ0959.3477
Batch #: DFC-WATZKZ-043026



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 24210

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2605SMAZ0959.3477
Batch #: DFC-WATZKZ-043026



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 24210

Notes: Compliance



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>