



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2601SMAZ0157.0569
Batch #: DFAZ-OGKUSH-011226



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 20646

(Jeeter) INFUSED OG KUSH LIVE RESIN 0.5G X 3, 1.3G CANNON PREROLL

Batch #: DFAZ-OGKUSH-011226

Strain: OG KUSH

Parent Batch #:

Production Method: Other

Harvest Date: 09/22/2025

Received: 01/23/2026

Sample ID: 2601SMAZ0157.0569

Amount Received: 12.4 g

Sample Type: Enhanced/Infused Flowers

Sample Collected: 01/23/2026 08:17:00

Manufacture Date: 01/12/2026

Published: 01/27/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass	38.2206% Total THC
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass	0.1260% Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Tested	Water Activity (Q3) Not Tested	0.2781% CBN
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested	0.5660% CBG

43.7655%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2601SMAZ0157.0569
Batch #: DFAZ-OGKUSH-011226



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 20646

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 01/26/2026
SOP: 418.AZ
Batch Number: 5059
Test ID: 113456

Sample Analysis

Date: 01/27/2026
SOP: 417.AZ - HPLC
Sample Weight: 0.042 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3070	0.9300	1	0.2496	2.4960	
CBD	0.3070	0.9300	1	<LOQ	<LOQ	
CBDA	0.3070	0.9300	1	0.1436	1.4360	
CBDV	0.3070	0.9300	1	ND	ND	
CBG	0.3070	0.9300	1	0.5660	5.6600	
CBGA	0.3070	0.9300	1	1.0639	10.6390	
CBN	0.3070	0.9300	1	0.2781	2.7810	
d8-THC	0.3070	0.9300	1	ND	ND	
d9-THC	0.3070	0.9300	1	17.4074	174.0740	
THCA	0.3070	0.9300	1	23.7322	237.3220	
THCV	0.3070	0.9300	1	0.3247	3.2470	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	38.2206	382.2060	
Total CBD	0.1260	1.2600	
Total Cannabinoids	43.7655	437.6550	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2601SMAZ0157.0569
Batch #: DFAZ-OGKUSH-011226



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 20646

Terpene Total

GC-FID

Tested (3.5334%)

Sample Prep

Batch Date: 01/23/2026

SOP: 419

Batch Number: 5039

Sample Analysis


Date: 01/26/2026

SOP: 419 - GC-FID

Sample Weight: 0.441 g

Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0009 / 0.0027	1	0.1763	Q3	gamma-Terpinene	0.0009 / 0.0027	1	<LOQ	Q3
alpha-Cedrene	0.0009 / 0.0027	1	ND	Q3	Geraniol	0.0009 / 0.0027	1	0.0051	Q3
alpha-Humulene	0.0009 / 0.0027	1	0.3275	Q3	Geranyl acetate	0.0009 / 0.0027	1	ND	Q3
alpha-Phellandrene	0.0009 / 0.0027	1	ND	Q3	Guaiol	0.0009 / 0.0027	1	0.0952	Q3
alpha-Pinene	0.0009 / 0.0027	1	0.0250	Q3	Hexahydrothymol	0.0009 / 0.0027	1	ND	Q3
alpha-Terpinene	0.0009 / 0.0027	1	ND	Q3	Isoborneol	0.0009 / 0.0027	1	ND	Q3
beta-Myrcene	0.0009 / 0.0027	1	0.2886	Q3	Isopulegol	0.0009 / 0.0027	1	ND	Q3
beta-Pinene	0.0009 / 0.0027	1	0.0316	Q3	Limonene	0.0009 / 0.0027	1	0.3383	Q3
Borneol	0.0009 / 0.0027	1	0.0265	Q3	Linalool	0.0009 / 0.0027	1	0.4299	Q3
Camphene	0.0009 / 0.0027	1	0.0080	Q3	Nerol	0.0009 / 0.0027	1	ND	Q3
Camphor	0.0009 / 0.0027	1	ND	Q3	Pulegone (+)	0.0009 / 0.0027	1	ND	Q3
3-Carene	0.0009 / 0.0027	1	ND	Q3	Sabinene Hydrate	0.0009 / 0.0027	1	ND	Q3
Caryophyllene oxide	0.0009 / 0.0027	1	0.0306	Q3	Terpineol	0.0009 / 0.0027	1	0.1613	Q3
Cedrol	0.0009 / 0.0027	1	0.1397	Q3	Terpinolene	0.0009 / 0.0027	1	0.0098	Q3
cis-Nerolidol	0.0009 / 0.0027	1	ND	Q3	trans-Caryophyllene	0.0009 / 0.0027	1	1.2336	Q3
cis-Ocimene	0.0009 / 0.0027	1	<LOQ	Q3	trans-Nerolidol	0.0009 / 0.0027	1	ND	Q3
Fenchyl alcohol	0.0009 / 0.0027	1	0.1338	Q3	trans-Ocimene	0.0009 / 0.0027	1	0.0674	Q3
Eucalyptol	0.0009 / 0.0027	1	<LOQ	Q3	Valencene	0.0009 / 0.0027	1	ND	Q3
Fenchone	0.0009 / 0.0027	1	0.0051	Q3					



Ahmed Munshi

Technical Laboratory Director

AMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2601SMAZ0157.0569
Batch #: DFAZ-OGKUSH-011226



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 20646

Microbial Analysis

Pass

Sample Prep

Batch Date: 01/26/2026
SOP: 412.AZ
Batch Number: 5052
Test ID: 112997

Sample Analysis

Date: 01/27/2026
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.028 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 01/26/2026
SOP: 406.AZ
Batch Number: 5047
Test ID: 112998

Sample Analysis

Date: 01/27/2026
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.018 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 01/26/2026
SOP: 406.AZ
Batch Number: 5047
Test ID: 112999

Sample Analysis

Date: 01/27/2026
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.018 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2601SMAZ0157.0569
Batch #: DFAZ-OGKUSH-011226



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 20646

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 01/23/2026
SOP: 405.AZ
Batch Number: 5038
Test ID: 112983

Sample Analysis

Date: 01/26/2026
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.053 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	62 / 189	1	1000	<LOQ		Heptane	315 / 943	1	5000	ND	
Acetonitrile	26 / 77	1	410	ND		Hexanes	45 / 137	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	315 / 943	1	5000	ND	
Butanes	157 / 472	1	5000	ND		Methanol	189 / 566	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	315 / 943	1	5000	ND	
Dichloromethane	38 / 113	1	600	ND		2-Propanol (IPA)	315 / 943	1	5000	ND	
Ethanol	315 / 943	1	5000	ND		Toluene	57 / 168	1	890	ND	
Ethyl acetate	315 / 943	1	5000	ND		Xylenes	274 / 819	1	2170	ND	
Ethyl ether	315 / 943	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2601SMAZ0157.0569
Batch #: DFAZ-OGKUSH-011226



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 20646

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 01/26/2026
SOP: 428.AZ
Batch Number: 5061
Test ID: 112984

Sample Analysis

Date: 01/27/2026
SOP: 428.AZ - ICP-MS
Sample Weight: 0.226 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.053	0.177	10	0.4	ND	L1
Cadmium	0.053	0.177	10	0.4	ND	L1
Lead	0.053	0.443	10	1	ND	L1
Mercury	0.053	0.088	10	0.2	ND	R1

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 01/23/2026
SOP: 432.AZ
Batch Number: 5040
Test ID: 112988

Sample Analysis

Date: 01/27/2026
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.505 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.96	9.90	1	20	ND	R1
Aflatoxin B1	3.96	9.90	1		ND	I1, R1
Aflatoxin B2	3.96	9.90	1		ND	I1
Aflatoxin G1	3.96	9.90	1		ND	
Aflatoxin G2	3.96	4.95	1		ND	
Ochratoxin A	9.90	9.90	1	20	ND	I1, L1 V1

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2601SMAZ0157.0569
Batch #: DFAZ-OGKUSH-011226



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 20646

**Pesticides, Fungicides, and
Growth Regulators**

LC-MS/MS

Pass

Sample Prep

Batch Date: 01/23/2026
SOP: 432.AZ
Batch Number: 5040
Test ID: 112987

Sample Analysis

Date: 01/27/2026
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.505 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.082 / 0.248	1	0.5	ND	I1, L1	Hexythiazox	0.165 / 0.495	1	1	ND	
Acephate	0.066 / 0.198	1	0.4	ND	L1	Imazalil	0.033 / 0.099	1	0.2	ND	
Acetamiprid	0.033 / 0.099	1	0.2	ND	L1	Imidacloprid	0.066 / 0.198	1	0.4	ND	
Aldicarb	0.066 / 0.198	1	0.4	ND		Kresoxim-methyl	0.066 / 0.198	1	0.4	ND	
Azoxystrobin	0.033 / 0.099	1	0.2	ND		Malathion	0.033 / 0.099	1	0.2	ND	L1
Bifenazate	0.033 / 0.099	1	0.2	ND		Metalaxyl	0.033 / 0.099	1	0.2	ND	
Bifenthrin	0.033 / 0.099	1	0.2	ND		Methiocarb	0.033 / 0.099	1	0.2	ND	
Boscalid	0.066 / 0.198	1	0.4	ND		Methomyl	0.066 / 0.198	1	0.4	ND	V1
Carbaryl	0.033 / 0.099	1	0.2	ND	L1	Myclobutanil	0.033 / 0.099	1	0.2	ND	L1 V1
Carbofuran	0.033 / 0.099	1	0.2	ND		Naled	0.082 / 0.248	1	0.5	ND	
Chlorantraniliprole	0.033 / 0.099	1	0.2	ND		Oxamyl	0.165 / 0.495	1	1	ND	
Chlorfenapyr	0.165 / 0.495	1	1	ND	L1	Paclobutrazol	0.066 / 0.198	1	0.4	ND	L1 V1
Chlorpyrifos	0.033 / 0.099	1	0.2	ND		Permethrins	0.033 / 0.099	1	0.2	ND	
Clofentezine	0.033 / 0.099	1	0.2	ND	L1	Phosmet	0.033 / 0.099	1	0.2	ND	L1 V1
Cyfluthrin	0.165 / 0.495	1	1	ND		Piperonyl Butoxide	0.330 / 0.990	1	2	ND	
Cypermethrin	0.165 / 0.495	1	1	ND		Prallethrin	0.033 / 0.099	1	0.2	ND	
Daminozide	0.165 / 0.495	1	1	ND	L1	Propiconazole	0.066 / 0.198	1	0.4	ND	L1 V1
Diazinon	0.033 / 0.099	1	0.2	ND		Propoxur	0.033 / 0.099	1	0.2	ND	
Dichlorvos	0.017 / 0.050	1	0.1	ND		Pyrethrins	0.138 / 0.415	1	1	ND	
Dimethoate	0.033 / 0.099	1	0.2	ND		Pyridaben	0.033 / 0.099	1	0.2	ND	
Ethoprophos	0.033 / 0.099	1	0.2	ND		Spinosad	0.033 / 0.099	1	0.2	ND	
Etofenprox	0.066 / 0.198	1	0.4	ND	L1	Spiromesifen	0.033 / 0.099	1	0.2	ND	
Etoxazole	0.033 / 0.099	1	0.2	ND		Spirotetramat	0.033 / 0.099	1	0.2	ND	L1 V1
Fenoxy carb	0.033 / 0.099	1	0.2	ND		Spiroxamine	0.066 / 0.198	1	0.4	ND	
Fenpyroximate	0.066 / 0.198	1	0.4	ND		Tebuconazole	0.066 / 0.198	1	0.4	ND	L1 V1
Fipronil	0.066 / 0.198	1	0.4	ND	I1, L1	Thiacloprid	0.033 / 0.099	1	0.2	ND	
Flonicamid	0.165 / 0.495	1	1	ND	L1 V1	Thiamethoxam	0.033 / 0.099	1	0.2	ND	V1
Fludioxonil	0.066 / 0.198	1	0.4	ND		Trifloxystrobin	0.033 / 0.099	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

AH Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCB000410690
Sample ID: 2601SMAZ0157.0569
Batch #: DFAZ-OGKUSH-011226



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 20646

Moisture Analysis

Moisture: 6.44 %

Qualifier: Q3

Sample Prep and Analysis

Date: 01/23/2026
SOP: 411 - Moisture Balance
Sample Weight: 0.326 g

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2601SMAZ0157.0569
Batch #: DFAZ-OGKUSH-011226



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 20646

Qualifier Legend

B1 The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

B2 The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.

I1 The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

L1 When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

M3 The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

M4 The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

M5 The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

M6 A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

Q1 Sample integrity was not maintained.

Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

R2 The relative percent difference for a sample and duplicate exceeded the limit.

V1 The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCB000410690
Sample ID: 2601SMAZ0157.0569
Batch #: DFAZ-OGKUSH-011226



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 20646

Notes: METHOD OF EXTRACTION: BUTANE



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>