



**Jeeter**  
 2626 South Roosevelt Street  
 Tempe, AZ 85282  
 License #: 00000066DCBO00410690  
 Sample ID: 2605SMAZ1137.4045  
 Batch #: DFAZ-OGKUSH-052126



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 24858

**(Jeeter) INFUSED OG KUSH LIVE RESIN 0.5G X 3, 1.3G CANNON PREROLL**

Batch #: DFAZ-OGKUSH-052126  
 Strain: OG Kush  
 Parent Batch #:  
 Production Method: Other  
 Harvest Date: 03/30/2026  
 Received: 05/27/2026

Sample ID: 2605SMAZ1137.4045  
 Amount Received: 12.9 g  
 Sample Type: Enhanced/Infused Flowers  
 Sample Collected: 05/27/2026 10:13:00  
 Manufacture Date: 05/21/2026  
 Published: 06/01/2026



**COMPLIANCE FOR RETAIL**

**Regulated Analytes**

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>

**Additional Analytes (Not Regulated)**

Terpenes Total (Q3) <b>Tested</b>	Moisture Analysis (Q3) <b>Tested</b>	Water Activity (Q3) <b>Not Tested</b>
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>

<b>44.1001%</b> Total THC
<b>0.1379%</b> Total CBD
<b>0.1484%</b> CBN
<b>0.4011%</b> CBG
<b>49.6540%</b> Total Cannabinoids (Q3)

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
 2626 South Roosevelt Street  
 Tempe, AZ 85282  
 License #: 00000066DCBO00410690  
 Sample ID: 2605SMAZ1137.4045  
 Batch #: DFAZ-OGKUSH-052126



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 24858

**Cannabinoid Profile**

HPLC                      Tested

**Sample Prep**  
 Batch Date: 05/28/2026  
 SOP: 418.AZ  
 Batch Number: 6153  
 Test ID: 139977

**Sample Analysis**  
 Date: 05/29/2026  
 SOP: 417.AZ - HPLC  
 Sample Weight: 0.043 g  
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3000	0.9090	1	0.1756	1.7560	
CBD	0.3000	0.9090	1	<LOQ	<LOQ	
CBDA	0.3000	0.9090	1	0.1572	1.5720	
CBDV	0.3000	0.9090	1	ND	ND	
CBG	0.3000	0.9090	1	0.4011	4.0110	
CBGA	0.3000	0.9090	1	0.7761	7.7610	
CBN	0.3000	0.9090	1	0.1484	1.4840	
d8-THC	0.3000	0.9090	1	ND	ND	
d9-THC	0.3000	0.9090	1	17.0294	170.2940	
THCA	0.3000	0.9090	1	30.8673	308.6730	
THCV	0.3000	0.9090	1	0.0988	0.9880	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	44.1001	441.0010	
Total CBD	0.1379	1.3790	
Total Cannabinoids	49.6540	496.5400	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
 2626 South Roosevelt Street  
 Tempe, AZ 85282  
 License #: 00000066DCBO00410690  
 Sample ID: 2605SMAZ1137.4045  
 Batch #: DFAZ-OGKUSH-052126



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 24858

**Terpene Total**

GC-FID

**Tested (4.2970%)**


**Sample Prep**

Batch Date: 05/27/2026  
 SOP: 419  
 Batch Number: 6138

**Sample Analysis**

Date: 05/28/2026  
 SOP: 419 - GC-FID  
 Sample Weight: 0.402 g  
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0030	1	0.0516	Q3	gamma-Terpinene	0.0010 / 0.0030	1	<LOQ	Q3
alpha-Cedrene	0.0010 / 0.0030	1	ND	Q3	Geraniol	0.0010 / 0.0030	1	0.0036	Q3
alpha-Humulene	0.0010 / 0.0030	1	0.2949	Q3	Geranyl acetate	0.0010 / 0.0030	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0030	1	ND	Q3	Guaiol	0.0010 / 0.0030	1	0.0090	Q3
alpha-Pinene	0.0010 / 0.0030	1	0.0768	Q3	Hexahydrothymol	0.0010 / 0.0030	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0030	1	ND	Q3	Isoborneol	0.0010 / 0.0030	1	ND	Q3
beta-Myrcene	0.0010 / 0.0030	1	1.0171	Q3	Isopulegol	0.0010 / 0.0030	1	ND	Q3
beta-Pinene	0.0010 / 0.0030	1	0.0796	Q3	Limonene	0.0010 / 0.0030	1	0.7693	Q3
Borneol	0.0010 / 0.0030	1	0.0066	Q3	Linalool	0.0010 / 0.0030	1	0.4522	Q3
Camphene	0.0010 / 0.0030	1	0.0212	Q3	Nerol	0.0010 / 0.0030	1	0.0059	Q3
Camphor	0.0010 / 0.0030	1	ND	Q3	Pulegone (+)	0.0010 / 0.0030	1	ND	Q3
3-Carene	0.0010 / 0.0030	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0030	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0030	1	0.0190	Q3	Terpineol	0.0010 / 0.0030	1	0.0225	Q3
Cedrol	0.0010 / 0.0030	1	0.0258	Q3	Terpinolene	0.0010 / 0.0030	1	0.0316	Q3
cis-Nerolidol	0.0010 / 0.0030	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0030	1	1.1775	Q3
cis-Ocimene	0.0010 / 0.0030	1	<LOQ	Q3	trans-Nerolidol	0.0010 / 0.0030	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0030	1	0.1060	Q3	trans-Ocimene	0.0010 / 0.0030	1	0.1279	Q3
Eucalyptol	0.0010 / 0.0030	1	<LOQ	Q3	Valencene	0.0010 / 0.0030	1	ND	Q3
Fenchone	0.0010 / 0.0030	1	0.0049	Q3					



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
 2626 South Roosevelt Street  
 Tempe, AZ 85282  
 License #: 00000066DCBO00410690  
 Sample ID: 2605SMAZ1137.4045  
 Batch #: DFAZ-OGKUSH-052126



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 24858

**Microbial Analysis**  
**Pass**

**Sample Prep**

Batch Date: 05/28/2026  
 SOP: 412.AZ  
 Batch Number: 6148  
 Test ID: 139473

**Sample Analysis**

Date: 05/29/2026  
 SOP: 412.AZ - 3M Petrifilm  
 Sample Weight: 1.057 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

**Sample Prep**

Batch Date: 05/28/2026  
 SOP: 406.AZ  
 Batch Number: 6146  
 Test ID: 139474

**Sample Analysis**

Date: 06/01/2026  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.003 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Sample Prep**

Batch Date: 05/28/2026  
 SOP: 406.AZ  
 Batch Number: 6146  
 Test ID: 139475

**Sample Analysis**

Date: 06/01/2026  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.003 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
 2626 South Roosevelt Street  
 Tempe, AZ 85282  
 License #: 00000066DCBO00410690  
 Sample ID: 2605SMAZ1137.4045  
 Batch #: DFAZ-OGKUSH-052126



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 24858

**Residual Solvents**

HS-GC-MS                      **Pass**

**Sample Prep**  
 Batch Date: 05/27/2026  
 SOP: 405.AZ  
 Batch Number: 6136  
 Test ID: 139465

**Sample Analysis**  
 Date: 05/28/2026  
 SOP: 405.AZ - HS-GC-MS  
 Sample Weight: 0.051 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	131 / 392	1	1000	ND		Heptane	653 / 1961	1	5000	ND	
Acetonitrile	54 / 161	1	410	ND		Hexanes	38 / 114	1	290	ND	
Benzene	0.26 / 0.78	1	2	ND		Isopropyl acetate	653 / 1961	1	5000	ND	
Butanes	163 / 490	1	5000	ND		Methanol	392 / 1176	1	3000	ND	
Chloroform	8 / 24	1	60	ND		Pentanes	163 / 490	1	5000	ND	
Dichloromethane	78 / 235	1	600	ND		2-Propanol (IPA)	653 / 1961	1	5000	ND	
Ethanol	653 / 1961	1	5000	ND		Toluene	116 / 349	1	890	ND	
Ethyl acetate	653 / 1961	1	5000	ND		Xylenes	284 / 851	1	2170	ND	
Ethyl ether	653 / 1961	1	5000	ND							

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
 2626 South Roosevelt Street  
 Tempe, AZ 85282  
 License #: 00000066DCBO00410690  
 Sample ID: 2605SMAZ1137.4045  
 Batch #: DFAZ-OGKUSH-052126



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 24858

**Heavy Metals**

ICP-MS **Pass**

**Sample Prep**  
 Batch Date: 05/28/2026  
 SOP: 428.AZ  
 Batch Number: 6157  
 Test ID: 139466

**Sample Analysis**  
 Date: 05/29/2026  
 SOP: 428.AZ - ICP-MS  
 Sample Weight: 0.210 g  
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.057	0.191	10	0.4	ND	
Cadmium	0.057	0.191	10	0.4	ND	
Lead	0.057	0.476	10	1	ND	
Mercury	0.057	0.095	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS **Pass**

**Sample Prep**  
 Batch Date: 05/27/2026  
 SOP: 432.AZ  
 Batch Number: 6144  
 Test ID: 139470

**Sample Analysis**  
 Date: 05/29/2026  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.525 g  
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.81	9.52	1	20	ND	L1 V1
Aflatoxin B1	3.81	9.52	1		ND	I1, V1
Aflatoxin B2	3.81	9.52	1		ND	I1, L1 V1
Aflatoxin G1	3.81	9.52	1		ND	I1
Aflatoxin G2	3.81	4.76	1		ND	I1, V1
Ochratoxin A	9.52	9.52	1	20	ND	I1, R1

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
 2626 South Roosevelt Street  
 Tempe, AZ 85282  
 License #: 00000066DCBO00410690  
 Sample ID: 2605SMAZ1137.4045  
 Batch #: DFAZ-OGKUSH-052126



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 24858

**Pesticides, Fungicides, and  
 Growth Regulators**  
 LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 05/27/2026  
 SOP: 432.AZ  
 Batch Number: 6144  
 Test ID: 139469

**Sample Analysis**

Date: 05/29/2026  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.525 g  
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.079 / 0.238	1	0.5	ND	L1 V1	Hexythiazox	0.159 / 0.476	1	1	ND	
Acephate	0.064 / 0.190	1	0.4	ND		Imazalil	0.031 / 0.095	1	0.2	ND	I1
Acetamiprid	0.031 / 0.095	1	0.2	ND		Imidacloprid	0.064 / 0.190	1	0.4	ND	
Aldicarb	0.064 / 0.190	1	0.4	ND		Kresoxim-methyl	0.064 / 0.190	1	0.4	ND	
Azoxystrobin	0.031 / 0.095	1	0.2	ND		Malathion	0.031 / 0.095	1	0.2	ND	
Bifenazate	0.031 / 0.095	1	0.2	ND	L1 V1	Metaxyl	0.031 / 0.095	1	0.2	ND	
Bifenthrin	0.031 / 0.095	1	0.2	ND		Methiocarb	0.031 / 0.095	1	0.2	ND	
Boscalid	0.064 / 0.190	1	0.4	ND	V1	Methomyl	0.064 / 0.190	1	0.4	ND	
Carbaryl	0.031 / 0.095	1	0.2	ND		Myclobutanil	0.031 / 0.095	1	0.2	ND	
Carbofuran	0.031 / 0.095	1	0.2	ND		Naled	0.079 / 0.238	1	0.5	ND	
Chlorantraniliprole	0.031 / 0.095	1	0.2	ND		Oxamyl	0.159 / 0.476	1	1	ND	
Chlorfenapyr	0.159 / 0.476	1	1	ND	L1 V1	Paclobutrazol	0.064 / 0.190	1	0.4	ND	
Chlorpyrifos	0.031 / 0.095	1	0.2	ND		Permethrins	0.031 / 0.095	1	0.2	ND	
Clofentezine	0.031 / 0.095	1	0.2	ND		Phosmet	0.031 / 0.095	1	0.2	ND	
Cyfluthrin	0.159 / 0.476	1	1	ND	L1 V1	Piperonyl Butoxide	0.317 / 0.952	1	2	ND	
Cypermethrin	0.159 / 0.476	1	1	ND		Prallethrin	0.031 / 0.095	1	0.2	ND	
Daminozide	0.159 / 0.476	1	1	ND		Propiconazole	0.064 / 0.190	1	0.4	ND	
Diazinon	0.031 / 0.095	1	0.2	ND		Propoxur	0.031 / 0.095	1	0.2	ND	
Dichlorvos	0.016 / 0.048	1	0.1	ND		Pyrethrins	0.133 / 0.399	1	1	ND	
Dimethoate	0.031 / 0.095	1	0.2	ND		Pyridaben	0.031 / 0.095	1	0.2	ND	
Ethoprophos	0.031 / 0.095	1	0.2	ND		Spinosad	0.031 / 0.095	1	0.2	ND	
Etofenprox	0.064 / 0.190	1	0.4	ND		Spiromesifen	0.031 / 0.095	1	0.2	ND	
Etoxazole	0.031 / 0.095	1	0.2	ND		Spirotetramat	0.031 / 0.095	1	0.2	ND	
Fenoxycarb	0.031 / 0.095	1	0.2	ND		Spiroxamine	0.064 / 0.190	1	0.4	ND	
Fenpyroximate	0.064 / 0.190	1	0.4	ND		Tebuconazole	0.064 / 0.190	1	0.4	ND	
Fipronil	0.064 / 0.190	1	0.4	ND	L1 V1	Thiacloprid	0.031 / 0.095	1	0.2	ND	
Fonicamid	0.159 / 0.476	1	1	ND		Thiamethoxam	0.031 / 0.095	1	0.2	ND	
Fludioxonil	0.064 / 0.190	1	0.4	ND		Trifloxystrobin	0.031 / 0.095	1	0.2	ND	

**Ahmed Munshi**  
 Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
 2626 South Roosevelt Street  
 Tempe, AZ 85282  
 License #: 00000066DCBO00410690  
 Sample ID: 2605SMAZ1137.4045  
 Batch #: DFAZ-OGKUSH-052126



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 24858

**Moisture Analysis**

Moisture: **6.94 %**  
 Qualifier: Q3

**Sample Prep and Analysis**

Date: 05/27/2026  
 SOP: 411 - Moisture Balance  
 Sample Weight: 0.316 g



**Ahmed Munshi**  
 Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
 2626 South Roosevelt Street  
 Tempe, AZ 85282  
 License #: 00000066DCBO00410690  
 Sample ID: 2605SMAZ1137.4045  
 Batch #: DFAZ-OGKUSH-052126



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 24858

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
 2626 South Roosevelt Street  
 Tempe, AZ 85282  
 License #: 00000066DCBO00410690  
 Sample ID: 2605SMAZ1137.4045  
 Batch #: DFAZ-OGKUSH-052126



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 24858

**Notes:** Method of Extraction: Butane



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>