



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0641.2390
 Batch #: DFAZ-PINSUN-032326



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22885

(Jeeter) INFUSED PINK SUNSET LIVE RESIN 0.5G X 3, 1.3G CANNON PREROLL

Batch #: DFAZ-PINSUN-032326

Strain: Pink Sunset

Parent Batch #:

Production Method: Indoor

Harvest Date: 12/16/2025

Received: 03/24/2026

Sample ID: 2603SMAZ0641.2390

Amount Received: 12.8 g

Sample Type: Enhanced/Infused Flowers

Sample Collected: 03/24/2026 08:28:00

Manufacture Date: 03/23/2026

Published: 03/26/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

38.9550% Total THC
0.1161% Total CBD
0.1451% CBN
0.3215% CBG
43.7759% Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0641.2390
 Batch #: DFAZ-PINSUN-032326



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22885

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 03/24/2026
 SOP: 418.AZ
 Batch Number: 5603
 Test ID: 126522

Sample Analysis

Date: 03/25/2026
 SOP: 417.AZ - HPLC
 Sample Weight: 0.042 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3070	0.9300	1	0.1755	1.7550	M1
CBD	0.3070	0.9300	1	<LOQ	<LOQ	M1
CBDA	0.3070	0.9300	1	0.1324	1.3240	M1
CBDV	0.3070	0.9300	1	ND	ND	M1
CBG	0.3070	0.9300	1	0.3215	3.2150	M1
CBGA	0.3070	0.9300	1	0.7178	7.1780	M1
CBN	0.3070	0.9300	1	0.1451	1.4510	M1
d8-THC	0.3070	0.9300	1	ND	ND	M1
d9-THC	0.3070	0.9300	1	15.2222	152.2220	M1
THCA	0.3070	0.9300	1	27.0613	270.6130	M1
THCV	0.3070	0.9300	1	<LOQ	<LOQ	M1

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	38.9550	389.5500	
Total CBD	0.1161	1.1610	
Total Cannabinoids	43.7759	437.7590	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0641.2390
 Batch #: DFAZ-PINSUN-032326



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592


Certificate: 22885

Terpene Total
 GC-FID **Tested (3.0521%)**

Sample Prep
 Batch Date: 03/24/2026
 SOP: 419
 Batch Number: 5587

Sample Analysis
 Date: 03/25/2026
 SOP: 419 - GC-FID
 Sample Weight: 0.430 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0009 / 0.0028	1	ND	Q3	gamma-Terpinene	0.0009 / 0.0028	1	<LOQ	Q3
alpha-Cedrene	0.0009 / 0.0028	1	ND	Q3	Geraniol	0.0009 / 0.0028	1	0.0115	Q3
alpha-Humulene	0.0009 / 0.0028	1	0.2266	Q3	Geranyl acetate	0.0009 / 0.0028	1	ND	Q3
alpha-Phellandrene	0.0009 / 0.0028	1	ND	Q3	Guaiol	0.0009 / 0.0028	1	0.0353	Q3
alpha-Pinene	0.0009 / 0.0028	1	0.0404	Q3	Hexahydrothymol	0.0009 / 0.0028	1	ND	Q3
alpha-Terpinene	0.0009 / 0.0028	1	<LOQ	Q3	Isoborneol	0.0009 / 0.0028	1	ND	Q3
beta-Myrcene	0.0009 / 0.0028	1	0.3349	Q3	Isopulegol	0.0009 / 0.0028	1	ND	Q3
beta-Pinene	0.0009 / 0.0028	1	0.0528	Q3	Limonene	0.0009 / 0.0028	1	0.5431	Q3
Borneol	0.0009 / 0.0028	1	0.0111	Q3	Linalool	0.0009 / 0.0028	1	0.6581	Q3
Camphene	0.0009 / 0.0028	1	0.0194	Q3	Nerol	0.0009 / 0.0028	1	ND	Q3
Camphor	0.0009 / 0.0028	1	ND	Q3	Pulegone (+)	0.0009 / 0.0028	1	ND	Q3
3-Carene	0.0009 / 0.0028	1	ND	Q3	Sabinene Hydrate	0.0009 / 0.0028	1	ND	Q3
Caryophyllene oxide	0.0009 / 0.0028	1	0.0156	Q3	Terpineol	0.0009 / 0.0028	1	0.0592	Q3
Cedrol	0.0009 / 0.0028	1	0.0468	Q3	Terpinolene	0.0009 / 0.0028	1	0.0146	Q3
cis-Nerolidol	0.0009 / 0.0028	1	ND	Q3	trans-Caryophyllene	0.0009 / 0.0028	1	0.8600	Q3
cis-Ocimene	0.0009 / 0.0028	1	<LOQ	Q3	trans-Nerolidol	0.0009 / 0.0028	1	ND	Q3
Fenchyl alcohol	0.0009 / 0.0028	1	0.1144	Q3	trans-Ocimene	0.0009 / 0.0028	1	ND	Q3
Eucalyptol	0.0009 / 0.0028	1	0.0031	Q3	Valencene	0.0009 / 0.0028	1	ND	Q3
Fenchone	0.0009 / 0.0028	1	0.0053	Q3					



Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0641.2390
 Batch #: DFAZ-PINSUN-032326



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22885

Microbial Analysis
 Pass

Sample Prep

Batch Date: 03/24/2026
 SOP: 412.AZ
 Batch Number: 5601
 Test ID: 126540

Sample Analysis

Date: 03/25/2026
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.024 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 03/24/2026
 SOP: 406.AZ
 Batch Number: 5597
 Test ID: 126542

Sample Analysis

Date: 03/26/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.018 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 03/24/2026
 SOP: 406.AZ
 Batch Number: 5598
 Test ID: 126544

Sample Analysis

Date: 03/26/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.018 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0641.2390
 Batch #: DFAZ-PINSUN-032326



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22885

Residual Solvents

HS-GC-MS **Pass**

Sample Prep

Batch Date: 03/25/2026
 SOP: 405.AZ
 Batch Number: 5604
 Test ID: 126523

Sample Analysis

Date: 03/26/2026
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.052 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	128 / 385	1	1000	ND		Heptane	640 / 1923	1	5000	ND	
Acetonitrile	53 / 158	1	410	ND		Hexanes	37 / 112	1	290	ND	
Benzene	0.25 / 0.77	1	2	ND		Isopropyl acetate	640 / 1923	1	5000	ND	
Butanes	160 / 481	1	5000	ND		Methanol	385 / 1154	1	3000	ND	
Chloroform	8 / 23	1	60	ND		Pentanes	160 / 481	1	5000	ND	
Dichloromethane	77 / 231	1	600	ND		2-Propanol (IPA)	640 / 1923	1	5000	ND	
Ethanol	640 / 1923	1	5000	ND		Toluene	114 / 342	1	890	ND	
Ethyl acetate	640 / 1923	1	5000	ND		Xylenes	279 / 835	1	2170	ND	
Ethyl ether	640 / 1923	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0641.2390
 Batch #: DFAZ-PINSUN-032326



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22885

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 03/24/2026
 SOP: 428.AZ
 Batch Number: 5586
 Test ID: 126524

Sample Analysis
 Date: 03/24/2026
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.229 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.052	0.175	10	0.4	ND	
Cadmium	0.052	0.175	10	0.4	ND	
Lead	0.052	0.437	10	1	ND	
Mercury	0.052	0.087	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 03/20/2026
 SOP: 432.AZ
 Batch Number: 5563
 Test ID: 126528

Sample Analysis
 Date: 03/25/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.528 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.79	9.47	1	20	ND	R1
Aflatoxin B1	3.79	9.47	1		ND	
Aflatoxin B2	3.79	9.47	1		ND	I1, R1
Aflatoxin G1	3.79	9.47	1		ND	
Aflatoxin G2	3.79	4.73	1		ND	
Ochratoxin A	9.47	9.47	1	20	ND	I1, L1

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0641.2390
 Batch #: DFAZ-PINSUN-032326



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22885

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 03/20/2026
 SOP: 432.AZ
 Batch Number: 5563
 Test ID: 126527

Sample Analysis

Date: 03/25/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.528 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.079 / 0.237	1	0.5	ND		Hexythiazox	0.158 / 0.473	1	1	ND	
Acephate	0.063 / 0.189	1	0.4	ND		Imazalil	0.031 / 0.095	1	0.2	ND	
Acetamiprid	0.031 / 0.095	1	0.2	ND		Imidacloprid	0.063 / 0.189	1	0.4	ND	
Aldicarb	0.063 / 0.189	1	0.4	ND		Kresoxim-methyl	0.063 / 0.189	1	0.4	ND	
Azoxystrobin	0.031 / 0.095	1	0.2	ND		Malathion	0.031 / 0.095	1	0.2	ND	
Bifenazate	0.031 / 0.095	1	0.2	ND		Metaxyl	0.031 / 0.095	1	0.2	ND	
Bifenthrin	0.031 / 0.095	1	0.2	ND		Methiocarb	0.031 / 0.095	1	0.2	ND	
Boscalid	0.063 / 0.189	1	0.4	ND		Methomyl	0.063 / 0.189	1	0.4	ND	
Carbaryl	0.031 / 0.095	1	0.2	ND		Myclobutanil	0.031 / 0.095	1	0.2	ND	
Carbofuran	0.031 / 0.095	1	0.2	ND		Naled	0.079 / 0.237	1	0.5	ND	
Chlorantraniliprole	0.031 / 0.095	1	0.2	ND		Oxamyl	0.158 / 0.473	1	1	ND	
Chlorfenapyr	0.158 / 0.473	1	1	ND	I1	Pacllobutrazol	0.063 / 0.189	1	0.4	ND	
Chlorpyrifos	0.031 / 0.095	1	0.2	ND		Permethrins	0.031 / 0.095	1	0.2	ND	
Clofentezine	0.031 / 0.095	1	0.2	ND		Phosmet	0.031 / 0.095	1	0.2	ND	
Cyfluthrin	0.158 / 0.473	1	1	ND		Piperonyl Butoxide	0.315 / 0.947	1	2	ND	
Cypermethrin	0.158 / 0.473	1	1	ND		Prallethrin	0.031 / 0.095	1	0.2	ND	
Daminozide	0.158 / 0.473	1	1	ND		Propiconazole	0.063 / 0.189	1	0.4	ND	
Diazinon	0.031 / 0.095	1	0.2	ND		Propoxur	0.031 / 0.095	1	0.2	ND	
Dichlorvos	0.016 / 0.047	1	0.1	ND		Pyrethrins	0.132 / 0.397	1	1	ND	
Dimethoate	0.031 / 0.095	1	0.2	ND		Pyridaben	0.031 / 0.095	1	0.2	ND	
Ethoprophos	0.031 / 0.095	1	0.2	ND		Spinosad	0.031 / 0.095	1	0.2	ND	
Etofenprox	0.063 / 0.189	1	0.4	ND		Spiromesifen	0.031 / 0.095	1	0.2	ND	
Etoxazole	0.031 / 0.095	1	0.2	ND		Spirotetramat	0.031 / 0.095	1	0.2	ND	
Fenoxycarb	0.031 / 0.095	1	0.2	ND		Spiroxamine	0.063 / 0.189	1	0.4	ND	
Fenpyroximate	0.063 / 0.189	1	0.4	ND		Tebuconazole	0.063 / 0.189	1	0.4	ND	
Fipronil	0.063 / 0.189	1	0.4	ND		Thiacloprid	0.031 / 0.095	1	0.2	ND	
Fonicamid	0.158 / 0.473	1	1	ND		Thiamethoxam	0.031 / 0.095	1	0.2	ND	
Fludioxonil	0.063 / 0.189	1	0.4	ND		Trifloxystrobin	0.031 / 0.095	1	0.2	ND	

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0641.2390
 Batch #: DFAZ-PINSUN-032326



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22885

Moisture Analysis

Moisture: **8.83 %**
 Qualifier: Q3

Sample Prep and Analysis

Date: 03/24/2026
 SOP: 411 - Moisture Balance
 Sample Weight: 0.317 g



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0641.2390
 Batch #: DFAZ-PINSUN-032326



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22885

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0641.2390
 Batch #: DFAZ-PINSUN-032326



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22885

Notes: Method of Extraction: Butane



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>