



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2601SMAZ0157.0559  
Batch #: DFAZ-RS11-010526



SMITHERS

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 20645

**(Jeeter) INFUSED RS11 LIVE RESIN 0.5G X 3, 1.3G CANNON PREROLL**

Batch #: DFAZ-RS11-010526

Strain: RS11

Parent Batch #:

Production Method: Other

Harvest Date: 09/22/2025

Received: 01/23/2026

Sample ID: 2601SMAZ0157.0559

Amount Received: 12.2 g

Sample Type: Enhanced/Infused Flowers

Sample Collected: 01/23/2026 08:17:00

Manufacture Date: 01/05/2026

Published: 01/27/2026



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass	41.5691% Total THC
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass	0.0837% Total CBD

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Tested	Water Activity (Q3) Not Tested	0.1100% CBN
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested	0.1773% CBG

46.0722%  
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

*AHMunshi*

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2601SMAZ0157.0559  
Batch #: DFAZ-RS11-010526



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

**Certificate:** 20645

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 01/23/2026  
SOP: 418.AZ  
Batch Number: 5041  
Test ID: 112873

**Sample Analysis**

Date: 01/26/2026  
SOP: 417.AZ - HPLC  
Sample Weight: 0.043 g  
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3000	0.9090	1	0.1725	1.7250	
CBD	0.3000	0.9090	1	ND	ND	
CBDA	0.3000	0.9090	1	0.0954	0.9540	
CBDV	0.3000	0.9090	1	ND	ND	
CBG	0.3000	0.9090	1	0.1773	1.7730	
CBGA	0.3000	0.9090	1	0.8767	8.7670	
CBN	0.3000	0.9090	1	0.1100	1.1000	
d8-THC	0.3000	0.9090	1	ND	ND	
d9-THC	0.3000	0.9090	1	21.1813	211.8130	
THCA	0.3000	0.9090	1	23.2472	232.4720	
THCV	0.3000	0.9090	1	0.2118	2.1180	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	41.5691	415.6910	
Total CBD	0.0837	0.8370	
Total Cannabinoids	46.0722	460.7220	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.  
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2601SMAZ0157.0559  
Batch #: DFAZ-RS11-010526



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 20645

Terpene Total

GC-FID

Tested (3.5441%)

Sample Prep

Batch Date: 01/23/2026

SOP: 419

Batch Number: 5039

Sample Analysis


Date: 01/26/2026

SOP: 419 - GC-FID

Sample Weight: 0.407 g

Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.1950	Q3	gamma-Terpinene	0.0010 / 0.0029	1	0.0051	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	0.0029	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.3564	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	0.1360	Q3
alpha-Pinene	0.0010 / 0.0029	1	0.0272	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	<LOQ	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	0.3520	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	0.0288	Q3	Limonene	0.0010 / 0.0029	1	0.5164	Q3
Borneol	0.0010 / 0.0029	1	0.0151	Q3	Linalool	0.0010 / 0.0029	1	0.2568	Q3
Camphene	0.0010 / 0.0029	1	0.0124	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	0.0285	Q3	Terpineol	0.0010 / 0.0029	1	0.0824	Q3
Cedrol	0.0010 / 0.0029	1	0.1223	Q3	Terpinolene	0.0010 / 0.0029	1	0.0208	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	1.2004	Q3
cis-Ocimene	0.0010 / 0.0029	1	<LOQ	Q3	trans-Nerolidol	0.0010 / 0.0029	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	0.1185	Q3	trans-Ocimene	0.0010 / 0.0029	1	0.0672	Q3
Eucalyptol	0.0010 / 0.0029	1	ND	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	<LOQ	Q3					



Ahmed Munshi

Technical Laboratory Director

*AMunshi*

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2601SMAZ0157.0559  
Batch #: DFAZ-RS11-010526



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

**Certificate:** 20645

**Microbial Analysis**

**Pass**

**Sample Prep**

**Batch Date:** 01/26/2026  
**SOP:** 412.AZ  
**Batch Number:** 5052  
**Test ID:** 112884

**Sample Analysis**

**Date:** 01/27/2026  
**SOP:** 412.AZ - 3M Petrifilm  
**Sample Weight:** 1.031 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

**Sample Prep**

**Batch Date:** 01/26/2026  
**SOP:** 406.AZ  
**Batch Number:** 5047  
**Test ID:** 112886

**Sample Analysis**

**Date:** 01/27/2026  
**SOP:** 406.AZ - qPCR (MG)  
**Sample Weight:** 1.029 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Sample Prep**

**Batch Date:** 01/26/2026  
**SOP:** 406.AZ  
**Batch Number:** 5047  
**Test ID:** 112888

**Sample Analysis**

**Date:** 01/27/2026  
**SOP:** 406.AZ - qPCR (MG)  
**Sample Weight:** 1.029 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

*AH Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2601SMAZ0157.0559  
Batch #: DFAZ-RS11-010526



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 20645

**Residual Solvents**

HS-GC-MS

**Pass**

**Sample Prep**

Batch Date: 01/23/2026  
SOP: 405.AZ  
Batch Number: 5038  
Test ID: 112874

**Sample Analysis**

Date: 01/26/2026  
SOP: 405.AZ - HS-GC-MS  
Sample Weight: 0.054 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	61 / 185	1	1000	<LOQ		Heptane	309 / 926	1	5000	ND	
Acetonitrile	26 / 76	1	410	ND		Hexanes	44 / 134	1	290	ND	
Benzene	0.13 / 0.37	1	2	ND		Isopropyl acetate	309 / 926	1	5000	ND	
Butanes	154 / 463	1	5000	ND		Methanol	185 / 556	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	309 / 926	1	5000	ND	
Dichloromethane	37 / 111	1	600	ND		2-Propanol (IPA)	309 / 926	1	5000	ND	
Ethanol	309 / 926	1	5000	ND		Toluene	56 / 165	1	890	ND	
Ethyl acetate	309 / 926	1	5000	ND		Xylenes	269 / 804	1	2170	ND	
Ethyl ether	309 / 926	1	5000	ND							

**Ahmed Munshi**

Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2601SMAZ0157.0559  
Batch #: DFAZ-RS11-010526



SMITHERS

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 20645

**Heavy Metals**

ICP-MS

Pass

**Sample Prep**

Batch Date: 01/26/2026  
SOP: 428.AZ  
Batch Number: 5061  
Test ID: 112875

**Sample Analysis**

Date: 01/27/2026  
SOP: 428.AZ - ICP-MS  
Sample Weight: 0.200 g  
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.060	0.200	10	0.4	ND	L1
Cadmium	0.060	0.200	10	0.4	ND	L1
Lead	0.060	0.500	10	1	ND	L1
Mercury	0.060	0.100	10	0.2	ND	R1

**Mycotoxin Analysis**

LC-MS/MS

Pass

**Sample Prep**

Batch Date: 01/23/2026  
SOP: 432.AZ  
Batch Number: 5040  
Test ID: 112879

**Sample Analysis**

Date: 01/27/2026  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.533 g  
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.75	9.38	1	20	ND	R1
Aflatoxin B1	3.75	9.38	1		ND	I1, R1
Aflatoxin B2	3.75	9.38	1		ND	I1
Aflatoxin G1	3.75	9.38	1		ND	
Aflatoxin G2	3.75	4.69	1		ND	
Ochratoxin A	9.38	9.38	1	20	ND	I1, L1 V1

**Ahmed Munshi**

Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2601SMAZ0157.0559  
Batch #: DFAZ-RS11-010526



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 20645

**Pesticides, Fungicides, and  
Growth Regulators**

LC-MS/MS

Pass

**Sample Prep**

Batch Date: 01/23/2026  
SOP: 432.AZ  
Batch Number: 5040  
Test ID: 112878

**Sample Analysis**

Date: 01/27/2026  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.533 g  
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.078 / 0.235	1	0.5	ND	I1, L1	Hexythiazox	0.157 / 0.469	1	1	ND	
Acephate	0.063 / 0.188	1	0.4	ND	L1	Imazalil	0.031 / 0.094	1	0.2	ND	
Acetamiprid	0.031 / 0.094	1	0.2	ND	L1	Imidacloprid	0.063 / 0.188	1	0.4	ND	
Aldicarb	0.063 / 0.188	1	0.4	ND		Kresoxim-methyl	0.063 / 0.188	1	0.4	ND	
Azoxystrobin	0.031 / 0.094	1	0.2	ND		Malathion	0.031 / 0.094	1	0.2	ND	L1
Bifenazate	0.031 / 0.094	1	0.2	ND		Metalaxyl	0.031 / 0.094	1	0.2	ND	
Bifenthrin	0.031 / 0.094	1	0.2	ND		Methiocarb	0.031 / 0.094	1	0.2	ND	
Boscalid	0.063 / 0.188	1	0.4	ND		Methomyl	0.063 / 0.188	1	0.4	ND	V1
Carbaryl	0.031 / 0.094	1	0.2	ND	L1	Myclobutanil	0.031 / 0.094	1	0.2	ND	L1 V1
Carbofuran	0.031 / 0.094	1	0.2	ND		Naled	0.078 / 0.235	1	0.5	ND	
Chlorantraniliprole	0.031 / 0.094	1	0.2	ND		Oxamyl	0.157 / 0.469	1	1	ND	
Chlorfenapyr	0.157 / 0.469	1	1	ND	L1	Paclobutrazol	0.063 / 0.188	1	0.4	ND	L1 V1
Chlorpyrifos	0.031 / 0.094	1	0.2	ND		Permethrins	0.031 / 0.094	1	0.2	ND	
Clofentezine	0.031 / 0.094	1	0.2	ND	L1	Phosmet	0.031 / 0.094	1	0.2	ND	L1 V1
Cyfluthrin	0.157 / 0.469	1	1	ND		Piperonyl Butoxide	0.312 / 0.938	1	2	ND	
Cypermethrin	0.157 / 0.469	1	1	ND		Prallethrin	0.031 / 0.094	1	0.2	ND	
Daminozide	0.157 / 0.469	1	1	ND	L1	Propiconazole	0.063 / 0.188	1	0.4	ND	L1 V1
Diazinon	0.031 / 0.094	1	0.2	ND		Propoxur	0.031 / 0.094	1	0.2	ND	
Dichlorvos	0.016 / 0.047	1	0.1	ND		Pyrethrins	0.131 / 0.393	1	1	ND	
Dimethoate	0.031 / 0.094	1	0.2	ND		Pyridaben	0.031 / 0.094	1	0.2	ND	
Ethoprophos	0.031 / 0.094	1	0.2	ND		Spinosad	0.031 / 0.094	1	0.2	ND	
Etofenprox	0.063 / 0.188	1	0.4	ND	L1	Spiromesifen	0.031 / 0.094	1	0.2	ND	
Etoxazole	0.031 / 0.094	1	0.2	ND		Spirotetramat	0.031 / 0.094	1	0.2	ND	L1 V1
Fenoxy carb	0.031 / 0.094	1	0.2	ND		Spiroxamine	0.063 / 0.188	1	0.4	ND	
Fenpyroximate	0.063 / 0.188	1	0.4	ND		Tebuconazole	0.063 / 0.188	1	0.4	ND	L1 V1
Fipronil	0.063 / 0.188	1	0.4	ND	I1, L1	Thiacloprid	0.031 / 0.094	1	0.2	ND	
Flonicamid	0.157 / 0.469	1	1	ND	L1 V1	Thiamethoxam	0.031 / 0.094	1	0.2	ND	V1
Fludioxonil	0.063 / 0.188	1	0.4	ND		Trifloxystrobin	0.031 / 0.094	1	0.2	ND	

**Ahmed Munshi**

Technical Laboratory Director

*AH Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCB000410690  
Sample ID: 2601SMAZ0157.0559  
Batch #: DFAZ-RS11-010526



SMITHERS

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 20645

**Moisture Analysis**

**Moisture: 6.86 %**

**Qualifier: Q3**

**Sample Prep and Analysis**

**Date:** 01/23/2026  
**SOP:** 411 - Moisture Balance  
**Sample Weight:** 0.306 g

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2601SMAZ0157.0559  
Batch #: DFAZ-RS11-010526



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

**Certificate:** 20645

**Qualifier Legend**

**B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

**B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

**D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.

**I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

**L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

**M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

**M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

**M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

**M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

**M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

**M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

**Q1** Sample integrity was not maintained.

**Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

**Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

**R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

**R2** The relative percent difference for a sample and duplicate exceeded the limit.

**V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2601SMAZ0157.0559  
Batch #: DFAZ-RS11-010526



SMITHERS

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

**Certificate:** 20645

**Notes:** METHOD OF EXTRACTION: BUTANE



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.  
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>