



**Jeeter**  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2510SMAZ1898.5674  
Batch #: DFAZ-TIMWRE-102025



**SMITHERS**

## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 17689

### (Jeeter) INFUSED TIME WRECK LIVE RESIN 0.5G X 3, 1.3G CANNON PREROLL

Batch #: DFAZ-TIMWRE-102025

Strain: Time Wreck

Parent Batch #:

Production Method: Other

Harvest Date: 06/11/2025

Received: 10/28/2025

Sample ID: 2510SMAZ1898.5674

Amount Received: 12 g

Sample Type: Enhanced/Infused Flowers

Sample Collected: 10/28/2025 12:07:00

Manufacture Date: 10/20/2025

Published: 10/31/2025



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3)

**Tested**

Microbial Contaminants

**Pass**

Residual Solvents

**Pass**

**38.8049%**

Total THC

Pesticides, Fungicides,  
and Growth Regulators

**Pass**

Mycotoxins

**Pass**

Heavy Metals

**Pass**

**0.1139%**

Total CBD

### Additional Analytes (Not Regulated)

Terpenes Total (Q3)

**Tested**

Moisture Analysis (Q3)

**Tested**

Water Activity (Q3)

**Tested**

**1.6564%**

CBN

Filth & Foreign (Q3)

**Not Tested**

Homogeneity (Q3)

**Not Tested**

Additional Microbial  
Contaminants (Q3)

**Not Tested**

**0.6184%**

CBG

**44.8070%**


Total Cannabinoids (Q3)

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2510SMAZ1898.5674  
Batch #: DFAZ-TIMWRE-102025



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 17689

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 10/29/2025  
SOP: 418.AZ  
Batch Number: 4439  
Test ID: 98776

**Sample Analysis**

Date: 10/30/2025  
SOP: 417.AZ - HPLC  
Sample Weight: 0.042 g  
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3070	0.9300	1	0.1613	1.6130	
CBD	0.3070	0.9300	1	0.1139	1.1390	
CBDA	0.3070	0.9300	1	ND	ND	
CBDV	0.3070	0.9300	1	ND	ND	
CBG	0.3070	0.9300	1	0.6184	6.1840	
CBGA	0.3070	0.9300	1	0.7113	7.1130	
CBN	0.3070	0.9300	1	1.6564	16.5640	
d8-THC	0.3070	0.9300	1	ND	ND	
d9-THC	0.3070	0.9300	1	20.2442	202.4420	
THCA	0.3070	0.9300	1	21.1639	211.6390	
THCV	0.3070	0.9300	1	0.1376	1.3760	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	38.8049	388.0490	
Total CBD	0.1139	1.1390	
Total Cannabinoids	44.8070	448.0700	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2510SMAZ1898.5674  
Batch #: DFAZ-TIMWRE-102025



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 17689

**Terpene Total**

GC-FID

**Tested (2.5576%)**


**Sample Prep**

Batch Date: 10/30/2025  
SOP: 419  
Batch Number: 4441

**Sample Analysis**

Date: 10/31/2025  
SOP: 419 - GC-FID  
Sample Weight: 0.416 g  
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.0707	Q3	gamma-Terpinene	0.0010 / 0.0029	1	<LOQ	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	<LOQ	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.1842	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	0.0139	Q3
alpha-Pinene	0.0010 / 0.0029	1	0.0249	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	0.1247	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	0.0257	Q3	Limonene	0.0010 / 0.0029	1	0.3807	Q3
Borneol	0.0010 / 0.0029	1	0.0190	Q3	Linalool	0.0010 / 0.0029	1	0.6393	Q3
Camphene	0.0010 / 0.0029	1	0.0066	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	0.0132	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	0.0427	Q3	Terpineol	0.0010 / 0.0029	1	0.1107	Q3
Cedrol	0.0010 / 0.0029	1	0.0650	Q3	Terpinolene	0.0010 / 0.0029	1	0.0044	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	0.7238	Q3
cis-Ocimene	0.0010 / 0.0029	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0029	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	0.1007	Q3	trans-Ocimene	0.0010 / 0.0029	1	ND	Q3
Eucalyptol	0.0010 / 0.0029	1	ND	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	0.0075	Q3					



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2510SMAZ1898.5674  
Batch #: DFAZ-TIMWRE-102025



## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 17689

### Microbial Analysis

Pass

#### Sample Prep

Batch Date: 10/29/2025  
SOP: 412.AZ  
Batch Number: 4437  
Test ID: 98496

#### Sample Analysis

Date: 10/30/2025  
SOP: 412.AZ - 3M Petrifilm  
Sample Weight: 1.008 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

#### Sample Prep

Batch Date: 10/28/2025  
SOP: 406.AZ  
Batch Number: 4434  
Test ID: 98497

#### Sample Analysis

Date: 10/30/2025  
SOP: 406.AZ - qPCR (MG)  
Sample Weight: 1.010 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

#### Sample Prep

Batch Date: 10/28/2025  
SOP: 406.AZ  
Batch Number: 4434  
Test ID: 98498

#### Sample Analysis

Date: 10/30/2025  
SOP: 406.AZ - qPCR (MG)  
Sample Weight: 1.010 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2510SMAZ1898.5674  
Batch #: DFAZ-TIMWRE-102025



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 17689

**Residual Solvents**

HS-GC-MS

**Pass**

**Sample Prep**

Batch Date: 10/29/2025  
SOP: 405.AZ  
Batch Number: 4435  
Test ID: 98484

**Sample Analysis**

Date: 10/30/2025  
SOP: 405.AZ - HS-GC-MS  
Sample Weight: 0.052 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	63 / 192	1	1000	ND		Heptane	321 / 962	1	5000	ND	
Acetonitrile	27 / 79	1	410	ND		Hexanes	46 / 139	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	321 / 962	1	5000	ND	
Butanes	160 / 481	1	5000	ND		Methanol	192 / 577	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	321 / 962	1	5000	ND	
Dichloromethane	38 / 115	1	600	ND		2-Propanol (IPA)	321 / 962	1	5000	ND	
Ethanol	321 / 962	1	5000	ND		Toluene	58 / 171	1	890	ND	
Ethyl acetate	321 / 962	1	5000	ND		Xylenes	279 / 835	1	2170	ND	
Ethyl ether	321 / 962	1	5000	ND							

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2510SMAZ1898.5674  
Batch #: DFAZ-TIMWRE-102025



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 17689

**Heavy Metals**

ICP-MS

Pass

**Sample Prep**

Batch Date: 10/30/2025  
SOP: 428.AZ  
Batch Number: 4442  
Test ID: 98485

**Sample Analysis**

Date: 10/31/2025  
SOP: 428.AZ - ICP-MS  
Sample Weight: 0.206 g  
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.058	0.194	10	0.4	ND	
Cadmium	0.058	0.194	10	0.4	ND	
Lead	0.058	0.486	10	1	ND	
Mercury	0.058	0.097	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS

Pass

**Sample Prep**

Batch Date: 10/28/2025  
SOP: 432.AZ  
Batch Number: 4422  
Test ID: 98489

**Sample Analysis**

Date: 10/29/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.519 g  
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.85	9.63	1	20	ND	V1
Aflatoxin B1	3.85	9.63	1		ND	
Aflatoxin B2	3.85	9.63	1		ND	V1
Aflatoxin G1	3.85	9.63	1		ND	V1
Aflatoxin G2	3.85	4.82	1		ND	V1
Ochratoxin A	9.63	9.63	1	20	ND	I1 V1, R1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2510SMAZ1898.5674  
Batch #: DFAZ-TIMWRE-102025



## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 17689

### Pesticides, Fungicides, and Growth Regulators

LC-MS/MS **Pass**

#### Sample Prep

Batch Date: 10/28/2025  
SOP: 432.AZ  
Batch Number: 4422  
Test ID: 98488

#### Sample Analysis

Date: 10/29/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.519 g  
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.080 / 0.241	1	0.5	ND		Hexythiazox	0.161 / 0.482	1	1	ND	
Acephate	0.065 / 0.193	1	0.4	ND		Imazalil	0.032 / 0.096	1	0.2	ND	
Acetamiprid	0.032 / 0.096	1	0.2	ND		Imidacloprid	0.065 / 0.193	1	0.4	ND	L1 V1
Aldicarb	0.065 / 0.193	1	0.4	ND		Kresoxim-methyl	0.065 / 0.193	1	0.4	ND	
Azoxystrobin	0.032 / 0.096	1	0.2	ND		Malathion	0.032 / 0.096	1	0.2	ND	
Bifenazate	0.032 / 0.096	1	0.2	ND		Metaxyl	0.032 / 0.096	1	0.2	ND	
Bifenthrin	0.032 / 0.096	1	0.2	ND		Methiocarb	0.032 / 0.096	1	0.2	ND	
Boscalid	0.065 / 0.193	1	0.4	ND	V1	Methomyl	0.065 / 0.193	1	0.4	ND	
Carbaryl	0.032 / 0.096	1	0.2	ND		Myclobutanil	0.032 / 0.096	1	0.2	ND	L1 V1
Carbofuran	0.032 / 0.096	1	0.2	ND		Naled	0.080 / 0.241	1	0.5	ND	
Chlorantraniliprole	0.032 / 0.096	1	0.2	ND	L1 V1	Oxamyl	0.161 / 0.482	1	1	ND	
Chlorfenapyr	0.161 / 0.482	1	1	ND		Paclobutrazol	0.065 / 0.193	1	0.4	ND	L1 V1
Chlorpyrifos	0.032 / 0.096	1	0.2	ND		Permethrins	0.032 / 0.096	1	0.2	ND	V1
Clofentezine	0.032 / 0.096	1	0.2	ND		Phosmet	0.032 / 0.096	1	0.2	ND	
Cyfluthrin	0.161 / 0.482	1	1	ND	V1	Piperonyl Butoxide	0.321 / 0.963	1	2	ND	
Cypermethrin	0.161 / 0.482	1	1	ND		Prallethrin	0.032 / 0.096	1	0.2	ND	V1
Daminozide	0.161 / 0.482	1	1	ND		Propiconazole	0.065 / 0.193	1	0.4	ND	V1
Diazinon	0.032 / 0.096	1	0.2	ND		Propoxur	0.032 / 0.096	1	0.2	ND	
Dichlorvos	0.016 / 0.048	1	0.1	ND		Pyrethrins	0.135 / 0.404	1	1	ND	V1
Dimethoate	0.032 / 0.096	1	0.2	ND	L1	Pyridaben	0.032 / 0.096	1	0.2	ND	
Ethoprophos	0.032 / 0.096	1	0.2	ND		Spinosad	0.032 / 0.096	1	0.2	ND	
Etofenprox	0.065 / 0.193	1	0.4	ND		Spiromesifen	0.032 / 0.096	1	0.2	ND	
Etoxazole	0.032 / 0.096	1	0.2	ND		Spirotetramat	0.032 / 0.096	1	0.2	ND	L1 V1
Fenoxycarb	0.032 / 0.096	1	0.2	ND	V1	Spiroxamine	0.065 / 0.193	1	0.4	ND	
Fenpyroximate	0.065 / 0.193	1	0.4	ND	V1	Tebuconazole	0.065 / 0.193	1	0.4	ND	L1 V1
Fipronil	0.065 / 0.193	1	0.4	ND	L1 V1	Thiacloprid	0.032 / 0.096	1	0.2	ND	L1
Fonicamid	0.161 / 0.482	1	1	ND	L1 V1	Thiamethoxam	0.032 / 0.096	1	0.2	ND	
Fludioxonil	0.065 / 0.193	1	0.4	ND		Trifloxystrobin	0.032 / 0.096	1	0.2	ND	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2510SMAZ1898.5674  
Batch #: DFAZ-TIMWRE-102025



SMITHERS

## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 17689

### Moisture Analysis

Moisture: **8.07 %**  
Qualifier: Q3

### Sample Prep and Analysis

Date: 10/28/2025  
SOP: 411 - Moisture Balance  
Sample Weight: 0.322 g

### Water Activity

Water Activity: **0.3640 aw**  
Qualifier: Q3

### Sample Prep and Analysis

Date: 10/29/2025  
SOP: 433 - Water Activity Meter  
Sample Weight: 0.500 g

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>





Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2510SMAZ1898.5674  
Batch #: DFAZ-TIMWRE-102025



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 17689

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2510SMAZ1898.5674  
Batch #: DFAZ-TIMWRE-102025



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 17689

**Notes:** Method of Extraction: Butane & Pressed



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>