



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2606SMAZ1306.4652
Batch #: DFAZ-WEDGLT-061526



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 25790

(Jeeter) INFUSED WEDDING GLTO LIVE RESIN 0.5G X 3, 1.3G CANNON PREROLL

Batch #: DFAZ-WEDGLT-061526

Strain: WEDDING GLTO

Parent Batch #:

Production Method: Other

Harvest Date: 03/24/2026

Received: 06/18/2026

Sample ID: 2606SMAZ1306.4652

Amount Received: 14.3 g

Sample Type: Enhanced/Infused Flowers

Sample Collected: 06/18/2026 10:38:00

Manufacture Date: 06/15/2026

Published: 06/23/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)

Tested

Microbial Contaminants

Pass

Residual Solvents

Pass

42.0666%

Total THC

Pesticides, Fungicides,
and Growth Regulators

Pass

Mycotoxins

Pass

Heavy Metals

Pass

0.1000%

Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3)

Tested (2.7394%)

Moisture Analysis (Q3)

Tested (7.74%)

Water Activity (Q3)

Not Tested

0.2699%

CBN

Filth & Foreign (Q3)

Not Tested

Homogeneity (Q3)

Not Tested

Additional Microbial
Contaminants (Q3)

Not Tested

0.5794%

CBG

47.1527%

Total Cannabinoids (Q3)

42.0666%

July 1, 2026 Total THC (N1)

N1 - Until July 1st, 2026, the testing result is for informational purposes only and cannot be used to satisfy testing requirements. Starting July 1st, 2026, the testing result may be used to satisfy testing requirements.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2606SMAZ1306.4652
Batch #: DFAZ-WEDGLT-061526



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 25790

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 06/18/2026
SOP: 418.AZ
Batch Number: 6338
Test ID: 143955

Sample Analysis

Date: 06/19/2026
SOP: 417.AZ - HPLC
Sample Weight: 0.043 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3100	0.9300	1	ND	ND	
CBD	0.3100	0.9300	1	ND	ND	
CBDA	0.3100	0.9300	1	0.1140	1.1400	
CBDV	0.3100	0.9300	1	ND	ND	
CBG	0.3100	0.9300	1	0.5794	5.7940	
CBGA	0.3100	0.9300	1	1.1448	11.4480	
CBN	0.3100	0.9300	1	0.2699	2.6990	
d10-THC	0.3100	0.9300	1	ND	ND	
d8-THC	0.3100	0.9300	1	ND	ND	
d9-THC	0.3100	0.9300	1	21.6732	216.7320	
THCA	0.3100	0.9300	1	23.2536	232.5360	
THCV	0.3100	0.9300	1	0.1178	1.1780	


Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	42.0666	420.6660	
Total CBD	0.1000	1.0000	
Total Cannabinoids	47.1527	471.5270	Q3
July 1, 2026 Total THC	42.0666	420.6660	N1

July 1, 2026 Total THC = $\Delta 8\text{-THC} + \Delta 9\text{-THC} + \Delta 10\text{-THC} + (0.877 \times \text{THCA})$
Total THC = $\Delta 8\text{-THC} + \Delta 9\text{-THC} + (0.877 \times \text{THCA})$
Total CBD = $\text{CBD} + (0.877 \times \text{CBDA})$
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
N1 - Until July 1st, 2026, the testing result is for informational purposes only and cannot be used to satisfy testing requirements. Starting July 1st, 2026, the testing result may be used to satisfy testing requirements.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2606SMAZ1306.4652
Batch #: DFAZ-WEDGLT-061526



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 25790

Terpene Total

GC-FID

Tested (2.7394%)


Sample Prep

Batch Date: 06/18/2026
SOP: 419
Batch Number: 6330

Sample Analysis

Date: 06/19/2026
SOP: 419 - GC-FID
Sample Weight: 0.424 g
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0009 / 0.0028	1	0.0873	Q3	gamma-Terpinene	0.0009 / 0.0028	1	<LOQ	Q3
alpha-Cedrene	0.0009 / 0.0028	1	ND	Q3	Geraniol	0.0009 / 0.0028	1	0.0062	Q3
alpha-Humulene	0.0009 / 0.0028	1	0.2611	Q3	Geranyl acetate	0.0009 / 0.0028	1	ND	Q3
alpha-Phellandrene	0.0009 / 0.0028	1	ND	Q3	Guaiol	0.0009 / 0.0028	1	0.0394	Q3
alpha-Pinene	0.0009 / 0.0028	1	0.0369	Q3	Hexahydrothymol	0.0009 / 0.0028	1	ND	Q3
alpha-Terpinene	0.0009 / 0.0028	1	ND	Q3	Isoborneol	0.0009 / 0.0028	1	<LOQ	Q3
beta-Myrcene	0.0009 / 0.0028	1	0.0926	Q3	Isopulegol	0.0009 / 0.0028	1	ND	Q3
beta-Pinene	0.0009 / 0.0028	1	0.0261	Q3	Limonene	0.0009 / 0.0028	1	0.2873	Q3
Borneol	0.0009 / 0.0028	1	0.0280	Q3	Linalool	0.0009 / 0.0028	1	0.4395	Q3
Camphene	0.0009 / 0.0028	1	0.0070	Q3	Nerol	0.0009 / 0.0028	1	ND	Q3
Camphor	0.0009 / 0.0028	1	ND	Q3	Pulegone (+)	0.0009 / 0.0028	1	ND	Q3
3-Carene	0.0009 / 0.0028	1	ND	Q3	Sabinene Hydrate	0.0009 / 0.0028	1	<LOQ	Q3
Caryophyllene oxide	0.0009 / 0.0028	1	0.0293	Q3	Terpineol	0.0009 / 0.0028	1	0.1606	Q3
Cedrol	0.0009 / 0.0028	1	0.0573	Q3	Terpinolene	0.0009 / 0.0028	1	0.0406	Q3
cis-Nerolidol	0.0009 / 0.0028	1	ND	Q3	trans-Caryophyllene	0.0009 / 0.0028	1	0.9519	Q3
cis-Ocimene	0.0009 / 0.0028	1	ND	Q3	trans-Nerolidol	0.0009 / 0.0028	1	ND	Q3
Fenchyl alcohol	0.0009 / 0.0028	1	0.1359	Q3	trans-Ocimene	0.0009 / 0.0028	1	0.0421	Q3
Eucalyptol	0.0009 / 0.0028	1	<LOQ	Q3	Valencene	0.0009 / 0.0028	1	ND	Q3
Fenchone	0.0009 / 0.0028	1	0.0103	Q3					




Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2606SMAZ1306.4652
Batch #: DFAZ-WEDGLT-061526



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 25790

Microbial Analysis

Pass

Sample Prep

Batch Date: 06/22/2026
SOP: 412.AZ
Batch Number: 6350
Test ID: 143964

Sample Analysis

Date: 06/23/2026
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.003 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 06/22/2026
SOP: 406.AZ
Batch Number: 6349
Test ID: 143965

Sample Analysis

Date: 06/23/2026
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.022 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 06/22/2026
SOP: 406.AZ
Batch Number: 6349
Test ID: 143966

Sample Analysis

Date: 06/23/2026
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.022 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2606SMAZ1306.4652
Batch #: DFAZ-WEDGLT-061526



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 25790

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 06/18/2026
SOP: 405.AZ
Batch Number: 6329
Test ID: 143956

Sample Analysis

Date: 06/19/2026
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.054 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	124 / 370	1	1000	ND		Heptane	617 / 1852	1	5000	ND	
Acetonitrile	51 / 152	1	410	ND		Hexanes	36 / 107	1	290	ND	
Benzene	0.24 / 0.74	1	2	ND		Isopropyl acetate	617 / 1852	1	5000	ND	
Butanes	154 / 463	1	5000	ND		Methanol	370 / 1111	1	3000	ND	
Chloroform	7 / 22	1	60	ND		Pentanes	154 / 463	1	5000	ND	
Dichloromethane	74 / 222	1	600	ND		2-Propanol (IPA)	617 / 1852	1	5000	ND	
Ethanol	617 / 1852	1	5000	ND		Toluene	110 / 330	1	890	ND	
Ethyl acetate	617 / 1852	1	5000	ND		Xylenes	269 / 804	1	2170	ND	
Ethyl ether	617 / 1852	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2606SMAZ1306.4652
Batch #: DFAZ-WEDGLT-061526



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 25790

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 06/18/2026
SOP: 428.AZ
Batch Number: 6342
Test ID: 143957

Sample Analysis

Date: 06/19/2026
SOP: 428.AZ - ICP-MS
Sample Weight: 0.229 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.052	0.175	10	0.4	ND	
Cadmium	0.052	0.175	10	0.4	ND	
Lead	0.052	0.437	10	1	ND	
Mercury	0.052	0.087	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 06/18/2026
SOP: 432.AZ
Batch Number: 6328
Test ID: 143961

Sample Analysis


Date: 06/19/2026
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.511 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.91	9.78	1	20	ND	L1 V1
Aflatoxin B1	3.91	9.78	1		ND	L1 V1
Aflatoxin B2	3.91	9.78	1		ND	I1, V1
Aflatoxin G1	3.91	9.78	1		ND	I1, L1 V1
Aflatoxin G2	3.91	4.89	1		ND	L1
Ochratoxin A	9.78	9.78	1	20	ND	I1, L1 V1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2606SMAZ1306.4652
Batch #: DFAZ-WEDGLT-061526



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 25790

Pesticides, Fungicides, and Growth Regulators

LC-MS/MS **Pass**

Sample Prep

Batch Date: 06/18/2026
SOP: 432.AZ
Batch Number: 6328
Test ID: 143960

Sample Analysis

Date: 06/19/2026
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.511 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.081 / 0.245	1	0.5	ND	I1	Hexythiazox	0.163 / 0.489	1	1	ND	L1 V1
Acephate	0.066 / 0.196	1	0.4	ND		Imazalil	0.032 / 0.098	1	0.2	ND	V1
Acetamiprid	0.032 / 0.098	1	0.2	ND	V1	Imidacloprid	0.066 / 0.196	1	0.4	ND	
Aldicarb	0.066 / 0.196	1	0.4	ND		Kresoxim-methyl	0.066 / 0.196	1	0.4	ND	
Azoxystrobin	0.032 / 0.098	1	0.2	ND		Malathion	0.032 / 0.098	1	0.2	ND	V1
Bifenazate	0.032 / 0.098	1	0.2	ND	L1 V1	Metaxyl	0.032 / 0.098	1	0.2	ND	V1
Bifenthrin	0.032 / 0.098	1	0.2	ND		Methiocarb	0.032 / 0.098	1	0.2	ND	
Boscalid	0.066 / 0.196	1	0.4	ND		Methomyl	0.066 / 0.196	1	0.4	ND	L1 V1
Carbaryl	0.032 / 0.098	1	0.2	ND		Myclobutanil	0.032 / 0.098	1	0.2	ND	L1 V1
Carbofuran	0.032 / 0.098	1	0.2	ND	V1	Naled	0.081 / 0.245	1	0.5	ND	
Chlorantraniliprole	0.032 / 0.098	1	0.2	ND	L1 V1	Oxamyl	0.163 / 0.489	1	1	ND	V1
Chlorfenapyr	0.163 / 0.489	1	1	ND	I1, V1	Paclobutrazol	0.066 / 0.196	1	0.4	ND	
Chlorpyrifos	0.032 / 0.098	1	0.2	ND	L1	Permethrins	0.032 / 0.098	1	0.2	ND	
Clofentezine	0.032 / 0.098	1	0.2	ND	V1	Phosmet	0.032 / 0.098	1	0.2	ND	
Cyfluthrin	0.163 / 0.489	1	1	ND		Piperonyl Butoxide	0.326 / 0.978	1	2	ND	
Cypermethrin	0.163 / 0.489	1	1	ND		Prallethrin	0.032 / 0.098	1	0.2	ND	
Daminozide	0.163 / 0.489	1	1	ND	L1 V1	Propiconazole	0.066 / 0.196	1	0.4	ND	V1
Diazinon	0.032 / 0.098	1	0.2	ND		Propoxur	0.032 / 0.098	1	0.2	ND	L1
Dichlorvos	0.017 / 0.049	1	0.1	ND	L1 V1	Pyrethrins	0.137 / 0.410	1	1	ND	
Dimethoate	0.032 / 0.098	1	0.2	ND	V1	Pyridaben	0.032 / 0.098	1	0.2	ND	
Ethoprophos	0.032 / 0.098	1	0.2	ND		Spinosad	0.032 / 0.098	1	0.2	ND	
Etofenprox	0.066 / 0.196	1	0.4	ND		Spiromesifen	0.032 / 0.098	1	0.2	ND	
Etoxazole	0.032 / 0.098	1	0.2	ND		Spirotetramat	0.032 / 0.098	1	0.2	ND	
Fenoxycarb	0.032 / 0.098	1	0.2	ND	L1 V1	Spiroxamine	0.066 / 0.196	1	0.4	ND	
Fenpyroximate	0.066 / 0.196	1	0.4	ND		Tebuconazole	0.066 / 0.196	1	0.4	ND	
Fipronil	0.066 / 0.196	1	0.4	ND	L1 V1	Thiacloprid	0.032 / 0.098	1	0.2	ND	V1
Fonicamid	0.163 / 0.489	1	1	ND	L1 V1	Thiamethoxam	0.032 / 0.098	1	0.2	ND	V1
Fludioxonil	0.066 / 0.196	1	0.4	ND	L1 V1	Trifloxystrobin	0.032 / 0.098	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2606SMAZ1306.4652
Batch #: DFAZ-WEDGLT-061526



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 25790

Moisture Analysis

Moisture: **7.74 %**
Qualifier: Q3

Sample Prep and Analysis


Date: 06/18/2026
SOP: 411 - Moisture Balance
Sample Weight: 0.323 g



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2606SMAZ1306.4652
Batch #: DFAZ-WEDGLT-061526



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 25790

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- N1** Until July 1st, 2026, the testing result is for informational purposes only and cannot be used to satisfy testing requirements. Starting July 1st, 2026, the testing result may be used to satisfy testing requirements.
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:


Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2606SMAZ1306.4652
Batch #: DFAZ-WEDGLT-061526



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 25790


Notes: Method of Extraction: Butane



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>