



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2512SMAZ2159.6551
Batch #: DFAZ-APPFRI-120225



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18902

(Jeeter) INFUSED APPLE FRITTER PREROLL 0.5G X 5, 1G, 2G, 0.5G

Batch #: DFAZ-APPFRI-120225

Strain: Apple Fritter

Parent Batch #:

Production Method: Other

Harvest Date: 08/14/2025

Received: 12/08/2025

Sample ID: 2512SMAZ2159.6551

Amount Received: 12 g

Sample Type: Enhanced/Infused Flowers

Sample Collected: 12/08/2025 12:20:00

Manufacture Date: 12/02/2025

Published: 12/11/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass	52.5874% Total THC
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass	ND Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Tested	Water Activity (Q3) Tested	ND CBN
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested	0.2888% CBG

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2512SMAZ2159.6551
Batch #: DFAZ-APPFRI-120225



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18902

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 12/08/2025
SOP: 418.AZ
Batch Number: 4702
Test ID: 104439

Sample Analysis

Date: 12/10/2025
SOP: 417.AZ - HPLC
Sample Weight: 0.040 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3220	0.9770	1	ND	ND	
CBD	0.3220	0.9770	1	ND	ND	
CBDA	0.3220	0.9770	1	ND	ND	
CBDV	0.3220	0.9770	1	ND	ND	
CBG	0.3220	0.9770	1	0.2888	2.8880	
CBGA	0.3220	0.9770	1	0.3784	3.7840	
CBN	0.3220	0.9770	1	ND	ND	
d8-THC	0.3220	0.9770	1	ND	ND	
d9-THC	0.3220	0.9770	1	5.0305	50.3050	
THCA	0.3220	0.9770	1	54.2268	542.2680	
THCV	0.3220	0.9770	1	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	52.5874	525.8740	
Total CBD	ND	ND	
Total Cannabinoids	59.9245	599.2450	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

AMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2512SMAZ2159.6551
Batch #: DFAZ-APPFRI-120225



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18902

Terpene Total

GC-FID

Tested (4.1132%)

Sample Prep

Batch Date: 12/08/2025

SOP: 419

Batch Number: 4691

Sample Analysis


Date: 12/10/2025

SOP: 419 - GC-FID

Sample Weight: 0.410 g

Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.1861	Q3	gamma-Terpinene	0.0010 / 0.0029	1	0.0088	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	0.0362	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.2640	Q3	Geranyl acetate	0.0010 / 0.0029	1	0.1925	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	ND	Q3
alpha-Pinene	0.0010 / 0.0029	1	0.0393	Q3	Hexahydrothymol	0.0010 / 0.0029	1	0.0044	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	0.0274	Q3
beta-Myrcene	0.0010 / 0.0029	1	0.1906	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	0.0492	Q3	Limonene	0.0010 / 0.0029	1	0.3333	Q3
Borneol	0.0010 / 0.0029	1	0.0120	Q3	Linalool	0.0010 / 0.0029	1	0.7131	Q3
Camphephene	0.0010 / 0.0029	1	0.0059	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	0.0030	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	0.0472	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	0.1271	Q3	Terpineol	0.0010 / 0.0029	1	0.2210	Q3
Cedrol	0.0010 / 0.0029	1	0.0235	Q3	Terpinolene	0.0010 / 0.0029	1	0.0162	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	1.2419	Q3
cis-Ocimene	0.0010 / 0.0029	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0029	1	0.0783	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	0.1803	Q3	trans-Ocimene	0.0010 / 0.0029	1	0.0148	Q3
Eucalyptol	0.0010 / 0.0029	1	<LOQ	Q3	Valencene	0.0010 / 0.0029	1	0.0940	Q3
Fenchone	0.0010 / 0.0029	1	0.0030	Q3					



Weight %: 0.00% 0.14% 0.28% 0.41% 0.55% 0.69% 0.83% 0.97% 1.10% 1.24%

Ahmed Munshi

Technical Laboratory Director

AMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2512SMAZ2159.6551
Batch #: DFAZ-APPFRI-120225



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 18902

Microbial Analysis

Pass

Sample Prep

Batch Date: 12/09/2025
SOP: 412.AZ
Batch Number: 4710
Test ID: 104450

Sample Analysis

Date: 12/10/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.046 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 12/09/2025
SOP: 406.AZ
Batch Number: 4708
Test ID: 104456

Sample Analysis

Date: 12/10/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.017 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 12/09/2025
SOP: 406.AZ
Batch Number: 4708
Test ID: 104457

Sample Analysis

Date: 12/10/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.017 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2512SMAZ2159.6551
Batch #: DFAZ-APPFRI-120225



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 18902

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 12/08/2025
SOP: 405.AZ
Batch Number: 4699
Test ID: 104440

Sample Analysis

Date: 12/10/2025
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.0522 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	63 / 192	1	1000	ND		Heptane	320 / 958	1	5000	ND	
Acetonitrile	27 / 79	1	410	ND		Hexanes	46 / 139	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	320 / 958	1	5000	ND	
Butanes	159 / 479	1	5000	ND		Methanol	192 / 575	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	320 / 958	1	5000	ND	
Dichloromethane	38 / 115	1	600	ND		2-Propanol (IPA)	320 / 958	1	5000	ND	
Ethanol	320 / 958	1	5000	ND		Toluene	57 / 170	1	890	ND	
Ethyl acetate	320 / 958	1	5000	ND		Xylenes	278 / 831	1	2170	ND	
Ethyl ether	320 / 958	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2512SMAZ2159.6551
Batch #: DFAZ-APPFRI-120225



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18902

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 12/08/2025
SOP: 428.AZ
Batch Number: 4705
Test ID: 104441

Sample Analysis

Date: 12/09/2025
SOP: 428.AZ - ICP-MS
Sample Weight: 0.232 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.052	0.172	10	0.4	ND	
Cadmium	0.052	0.172	10	0.4	ND	
Lead	0.052	0.431	10	1	<LOQ	
Mercury	0.052	0.086	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 12/09/2025
SOP: 432.AZ
Batch Number: 4707
Test ID: 104445

Sample Analysis

Date: 12/11/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.524 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.82	9.54	1	20	ND	R1
Aflatoxin B1	3.82	9.54	1		ND	R1
Aflatoxin B2	3.82	9.54	1		ND	I1
Aflatoxin G1	3.82	9.54	1		ND	
Aflatoxin G2	3.82	4.77	1		ND	I1, R1
Ochratoxin A	9.54	9.54	1	20	ND	I1, R1 V1

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2512SMAZ2159.6551
Batch #: DFAZ-APPFRI-120225



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18902

**Pesticides, Fungicides, and
Growth Regulators**

LC-MS/MS

Pass

Sample Prep

Batch Date: 12/09/2025
SOP: 432.AZ
Batch Number: 4707
Test ID: 104444

Sample Analysis

Date: 12/11/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.524 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.079 / 0.239	1	0.5	ND		Hexythiazox	0.159 / 0.477	1	1	ND	
Acephate	0.064 / 0.191	1	0.4	ND		Imazalil	0.031 / 0.095	1	0.2	ND	R1
Acetamiprid	0.031 / 0.095	1	0.2	ND		Imidacloprid	0.064 / 0.191	1	0.4	ND	
Aldicarb	0.064 / 0.191	1	0.4	ND		Kresoxim-methyl	0.064 / 0.191	1	0.4	ND	
Azoxystrobin	0.031 / 0.095	1	0.2	ND		Malathion	0.031 / 0.095	1	0.2	ND	R1
Bifenazate	0.031 / 0.095	1	0.2	ND	L1	Metalaxyl	0.031 / 0.095	1	0.2	ND	
Bifenthrin	0.031 / 0.095	1	0.2	ND		Methiocarb	0.031 / 0.095	1	0.2	ND	
Boscalid	0.064 / 0.191	1	0.4	ND		Methomyl	0.064 / 0.191	1	0.4	ND	
Carbaryl	0.031 / 0.095	1	0.2	ND		Myclobutanil	0.031 / 0.095	1	0.2	ND	R1
Carbofuran	0.031 / 0.095	1	0.2	ND		Naled	0.079 / 0.239	1	0.5	ND	
Chlorantraniliprole	0.031 / 0.095	1	0.2	ND		Oxamyl	0.159 / 0.477	1	1	ND	
Chlorfenapyr	0.159 / 0.477	1	1	ND		Pacllobutrazol	0.064 / 0.191	1	0.4	ND	
Chlorpyrifos	0.031 / 0.095	1	0.2	ND		Permethrins	0.031 / 0.095	1	0.2	ND	
Clofentezine	0.031 / 0.095	1	0.2	ND		Phosmet	0.031 / 0.095	1	0.2	ND	
Cyfluthrin	0.159 / 0.477	1	1	ND		Piperonyl Butoxide	0.318 / 0.954	1	2	ND	
Cypermethrin	0.159 / 0.477	1	1	ND		Prallethrin	0.031 / 0.095	1	0.2	ND	
Daminozide	0.159 / 0.477	1	1	ND		Propiconazole	0.064 / 0.191	1	0.4	ND	
Diazinon	0.031 / 0.095	1	0.2	ND		Propoxur	0.031 / 0.095	1	0.2	ND	
Dichlorvos	0.016 / 0.048	1	0.1	ND		Pyrethrins	0.133 / 0.400	1	1	ND	
Dimethoate	0.031 / 0.095	1	0.2	ND		Pyridaben	0.031 / 0.095	1	0.2	ND	
Ethoprophos	0.031 / 0.095	1	0.2	ND		Spinosad	0.031 / 0.095	1	0.2	ND	
Etofenprox	0.064 / 0.191	1	0.4	ND		Spiromesifen	0.031 / 0.095	1	0.2	ND	
Etoxazole	0.031 / 0.095	1	0.2	ND		Spirotetramat	0.031 / 0.095	1	0.2	ND	
Fenoxy carb	0.031 / 0.095	1	0.2	ND		Spiroxamine	0.064 / 0.191	1	0.4	ND	R1
Fenpyroximate	0.064 / 0.191	1	0.4	ND	I1	Tebuconazole	0.064 / 0.191	1	0.4	ND	
Fipronil	0.064 / 0.191	1	0.4	ND	I1	Thiacloprid	0.031 / 0.095	1	0.2	ND	
Flonicamid	0.159 / 0.477	1	1	ND		Thiamethoxam	0.031 / 0.095	1	0.2	ND	
Fludioxonil	0.064 / 0.191	1	0.4	ND	R1	Trifloxystrobin	0.031 / 0.095	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

AH Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2512SMAZ2159.6551
Batch #: DFAZ-APPFRI-120225



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18902

Moisture Analysis

Moisture: 8.54 %

Qualifier: Q3

Sample Prep and Analysis

Date: 12/08/2025
SOP: 411 - Moisture Balance
Sample Weight: 0.316 g

Water Activity

Water Activity: 0.4393 aw

Qualifier: Q3

Sample Prep and Analysis

Date: 12/08/2025
SOP: 433 - Water Activity Meter
Sample Weight: 0.370 g

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2512SMAZ2159.6551
Batch #: DFAZ-APPFRI-120225



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 18902

Qualifier Legend

B1 The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

B2 The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.

I1 The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

L1 When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

M3 The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

M4 The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

M5 The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

M6 A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

Q1 Sample integrity was not maintained.

Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

R2 The relative percent difference for a sample and duplicate exceeded the limit.

V1 The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2512SMAZ2159.6551
Batch #: DFAZ-APPFRI-120225



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18902

Notes: Method of Extraction: Butane & Pressed



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>