



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0203.0719
 Batch #: DF-TS-BLUZKZ-012726



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20926

(Jeeter) INFUSED BLUE ZKZ PREROLL 0.5G X 5, 0.5G

Batch #: DF-TS-BLUZKZ-012726
 Strain: Blue Zkz
 Parent Batch #:
 Production Method: Other
 Harvest Date: 08/18/2025
 Received: 01/29/2026

Sample ID: 2601SMAZ0203.0719
 Amount Received: 12 g
 Sample Type: Enhanced/Infused Flowers
 Sample Collected: 01/29/2026 10:03:00
 Manufacture Date: 01/27/2026
 Published: 02/03/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Tested	Water Activity (Q3) Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

40.5565% Total THC
ND Total CBD
<LOQ CBN
0.2284% CBG
46.2339% Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0203.0719
 Batch #: DF-TS-BLUZKZ-012726



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20926

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 01/29/2026
 SOP: 418.AZ
 Batch Number: 5094
 Test ID: 114184

Sample Analysis

Date: 01/30/2026
 SOP: 417.AZ - HPLC
 Sample Weight: 0.043 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3000	0.9090	1	0.1160	1.1600	
CBD	0.3000	0.9090	1	ND	ND	
CBDA	0.3000	0.9090	1	ND	ND	
CBDV	0.3000	0.9090	1	ND	ND	
CBG	0.3000	0.9090	1	0.2284	2.2840	
CBGA	0.3000	0.9090	1	0.3684	3.6840	
CBN	0.3000	0.9090	1	<LOQ	<LOQ	
d8-THC	0.3000	0.9090	1	ND	ND	
d9-THC	0.3000	0.9090	1	5.1584	51.5840	
THCA	0.3000	0.9090	1	40.3627	403.6270	
THCV	0.3000	0.9090	1	<LOQ	<LOQ	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	40.5565	405.5650	
Total CBD	ND	ND	
Total Cannabinoids	46.2339	462.3390	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0203.0719
 Batch #: DF-TS-BLUZKZ-012726



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20926

Terpene Total

GC-FID **Tested (4.4845%)**


Sample Prep

Batch Date: 01/29/2026
 SOP: 419
 Batch Number: 5087

Sample Analysis

Date: 01/30/2026
 SOP: 419 - GC-FID
 Sample Weight: 0.433 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0009 / 0.0028	1	0.0398	Q3	gamma-Terpinene	0.0009 / 0.0028	1	<LOQ	Q3
alpha-Cedrene	0.0009 / 0.0028	1	ND	Q3	Geraniol	0.0009 / 0.0028	1	<LOQ	Q3
alpha-Humulene	0.0009 / 0.0028	1	0.1285	Q3	Geranyl acetate	0.0009 / 0.0028	1	ND	Q3
alpha-Phellandrene	0.0009 / 0.0028	1	ND	Q3	Guaiol	0.0009 / 0.0028	1	0.0137	Q3
alpha-Pinene	0.0009 / 0.0028	1	0.0389	Q3	Hexahydrothymol	0.0009 / 0.0028	1	ND	Q3
alpha-Terpinene	0.0009 / 0.0028	1	ND	Q3	Isoborneol	0.0009 / 0.0028	1	0.0119	Q3
beta-Myrcene	0.0009 / 0.0028	1	0.1435	Q3	Isopulegol	0.0009 / 0.0028	1	ND	Q3
beta-Pinene	0.0009 / 0.0028	1	0.0301	Q3	Limonene	0.0009 / 0.0028	1	3.0270	Q3
Borneol	0.0009 / 0.0028	1	0.0068	Q3	Linalool	0.0009 / 0.0028	1	0.2247	Q3
Camphene	0.0009 / 0.0028	1	0.0041	Q3	Nerol	0.0009 / 0.0028	1	ND	Q3
Camphor	0.0009 / 0.0028	1	ND	Q3	Pulegone (+)	0.0009 / 0.0028	1	ND	Q3
3-Carene	0.0009 / 0.0028	1	ND	Q3	Sabinene Hydrate	0.0009 / 0.0028	1	0.0033	Q3
Caryophyllene oxide	0.0009 / 0.0028	1	0.0985	Q3	Terpineol	0.0009 / 0.0028	1	0.0842	Q3
Cedrol	0.0009 / 0.0028	1	0.0357	Q3	Terpinolene	0.0009 / 0.0028	1	0.0179	Q3
cis-Nerolidol	0.0009 / 0.0028	1	ND	Q3	trans-Caryophyllene	0.0009 / 0.0028	1	0.5142	Q3
cis-Ocimene	0.0009 / 0.0028	1	ND	Q3	trans-Nerolidol	0.0009 / 0.0028	1	ND	Q3
Fenchyl alcohol	0.0009 / 0.0028	1	0.0342	Q3	trans-Ocimene	0.0009 / 0.0028	1	0.0275	Q3
Eucalyptol	0.0009 / 0.0028	1	<LOQ	Q3	Valencene	0.0009 / 0.0028	1	ND	Q3
Fenchone	0.0009 / 0.0028	1	<LOQ	Q3					



Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0203.0719
 Batch #: DF-TS-BLUZKZ-012726



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20926

Microbial Analysis
 Pass

Sample Prep

Batch Date: 02/02/2026
 SOP: 412.AZ
 Batch Number: 5106
 Test ID: 114193

Sample Analysis

Date: 02/03/2026
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.017 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 02/02/2026
 SOP: 406.AZ
 Batch Number: 5105
 Test ID: 114194

Sample Analysis

Date: 02/03/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.012 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 02/02/2026
 SOP: 406.AZ
 Batch Number: 5105
 Test ID: 114195

Sample Analysis

Date: 02/03/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.012 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0203.0719
 Batch #: DF-TS-BLUZKZ-012726



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20926

Residual Solvents
 HS-GC-MS **Pass**

Sample Prep
 Batch Date: 01/29/2026
 SOP: 405.AZ
 Batch Number: 5086
 Test ID: 114185

Sample Analysis
 Date: 01/30/2026
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.052 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	63 / 192	1	1000	ND		Heptane	321 / 962	1	5000	ND	
Acetonitrile	27 / 79	1	410	ND		Hexanes	46 / 139	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	321 / 962	1	5000	ND	
Butanes	160 / 481	1	5000	ND		Methanol	192 / 577	1	3000	<LOQ	
Chloroform	4 / 12	1	60	ND		Pentanes	321 / 962	1	5000	ND	
Dichloromethane	38 / 115	1	600	ND		2-Propanol (IPA)	321 / 962	1	5000	ND	
Ethanol	321 / 962	1	5000	ND		Toluene	58 / 171	1	890	ND	
Ethyl acetate	321 / 962	1	5000	ND		Xylenes	279 / 835	1	2170	ND	
Ethyl ether	321 / 962	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0203.0719
 Batch #: DF-TS-BLUZKZ-012726



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20926

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 01/30/2026
 SOP: 428.AZ
 Batch Number: 5099
 Test ID: 114186

Sample Analysis
 Date: 01/30/2026
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.218 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.055	0.184	10	0.4	ND	
Cadmium	0.055	0.184	10	0.4	ND	
Lead	0.055	0.459	10	1	ND	M1
Mercury	0.055	0.092	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 02/02/2026
 SOP: 432.AZ
 Batch Number: 5103
 Test ID: 114190

Sample Analysis
 Date: 02/03/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.584 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.42	8.56	1	20	ND	L1
Aflatoxin B1	3.42	8.56	1		ND	L1
Aflatoxin B2	3.42	8.56	1		ND	
Aflatoxin G1	3.42	8.56	1		ND	
Aflatoxin G2	3.42	4.28	1		ND	I1
Ochratoxin A	8.56	8.56	1	20	ND	I1, R1

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0203.0719
 Batch #: DF-TS-BLUZKZ-012726



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20926

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 02/02/2026
 SOP: 432.AZ
 Batch Number: 5103
 Test ID: 114189

Sample Analysis

Date: 02/03/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.584 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.071 / 0.214	1	0.5	ND		Hexythiazox	0.143 / 0.428	1	1	ND	
Acephate	0.057 / 0.171	1	0.4	ND		Imazalil	0.028 / 0.086	1	0.2	ND	
Acetamiprid	0.028 / 0.086	1	0.2	ND		Imidacloprid	0.057 / 0.171	1	0.4	ND	
Aldicarb	0.057 / 0.171	1	0.4	ND		Kresoxim-methyl	0.057 / 0.171	1	0.4	ND	
Azoxystrobin	0.028 / 0.086	1	0.2	ND		Malathion	0.028 / 0.086	1	0.2	ND	
Bifenazate	0.028 / 0.086	1	0.2	ND		Metaxyl	0.028 / 0.086	1	0.2	ND	
Bifenthrin	0.028 / 0.086	1	0.2	ND		Methiocarb	0.028 / 0.086	1	0.2	ND	
Boscalid	0.057 / 0.171	1	0.4	ND		Methomyl	0.057 / 0.171	1	0.4	ND	
Carbaryl	0.028 / 0.086	1	0.2	ND		Myclobutanil	0.028 / 0.086	1	0.2	ND	
Carbofuran	0.028 / 0.086	1	0.2	ND		Naled	0.071 / 0.214	1	0.5	ND	
Chlorantraniliprole	0.028 / 0.086	1	0.2	ND		Oxamyl	0.143 / 0.428	1	1	ND	
Chlorfenapyr	0.143 / 0.428	1	1	ND		Pacllobutrazol	0.057 / 0.171	1	0.4	ND	
Chlorpyrifos	0.028 / 0.086	1	0.2	ND		Permethrins	0.028 / 0.086	1	0.2	ND	
Clofentezine	0.028 / 0.086	1	0.2	ND		Phosmet	0.028 / 0.086	1	0.2	ND	
Cyfluthrin	0.143 / 0.428	1	1	ND		Piperonyl Butoxide	0.285 / 0.856	1	2	ND	
Cypermethrin	0.143 / 0.428	1	1	ND		Prallethrin	0.028 / 0.086	1	0.2	ND	
Daminozide	0.143 / 0.428	1	1	ND		Propiconazole	0.057 / 0.171	1	0.4	ND	
Diazinon	0.028 / 0.086	1	0.2	ND		Propoxur	0.028 / 0.086	1	0.2	ND	
Dichlorvos	0.015 / 0.043	1	0.1	ND		Pyrethrins	0.120 / 0.359	1	1	ND	
Dimethoate	0.028 / 0.086	1	0.2	ND		Pyridaben	0.028 / 0.086	1	0.2	ND	
Ethoprophos	0.028 / 0.086	1	0.2	ND		Spinosad	0.028 / 0.086	1	0.2	ND	
Etofenprox	0.057 / 0.171	1	0.4	ND		Spiromesifen	0.028 / 0.086	1	0.2	ND	
Etoxazole	0.028 / 0.086	1	0.2	ND		Spirotetramat	0.028 / 0.086	1	0.2	ND	
Fenoxycarb	0.028 / 0.086	1	0.2	ND		Spiroxamine	0.057 / 0.171	1	0.4	ND	
Fenpyroximate	0.057 / 0.171	1	0.4	ND	I1	Tebuconazole	0.057 / 0.171	1	0.4	ND	
Fipronil	0.057 / 0.171	1	0.4	ND	I1, L1 V1	Thiacloprid	0.028 / 0.086	1	0.2	ND	
Fonicamid	0.143 / 0.428	1	1	ND		Thiamethoxam	0.028 / 0.086	1	0.2	ND	
Fludioxonil	0.057 / 0.171	1	0.4	ND		Trifloxystrobin	0.028 / 0.086	1	0.2	ND	

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0203.0719
 Batch #: DF-TS-BLUZKZ-012726



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20926

Moisture Analysis

Moisture: **9.37 %**
 Qualifier: Q3

Sample Prep and Analysis

Date: 01/29/2026
 SOP: 411 - Moisture Balance
 Sample Weight: 0.320 g

Water Activity

Water Activity: **0.3845 aw**
 Qualifier: Q3

Sample Prep and Analysis

Date: 01/29/2026
 SOP: 433 - Water Activity Meter
 Sample Weight: 0.446 g

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0203.0719
 Batch #: DF-TS-BLUZKZ-012726



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20926

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2601SMAZ0203.0719
 Batch #: DF-TS-BLUZKZ-012726



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20926

Notes: Method of Extraction: Butane & Pressed



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>