



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2601SMAZ0126.0411
Batch #: DFAZ-HONDEW-010826



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 20497

(Jeeter) INFUSED HONEYDEW PREROLL 0.5G X 5, 1G, 2G, 0.5G

Batch #: DFAZ-HONDEW-010826

Strain: HONEYDEW

Parent Batch #:

Production Method: Other

Harvest Date: 08/18/2025

Received: 01/20/2026

Sample ID: 2601SMAZ0126.0411

Amount Received: 11.9 g

Sample Type: Enhanced/Infused Flowers

Sample Collected: 01/20/2026 08:13:00

Manufacture Date:

Published: 01/22/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass	39.9132% Total THC
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass	ND Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Tested	Water Activity (Q3) Tested	ND CBN
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested	0.2182% CBG

45.8633%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2601SMAZ0126.0411
Batch #: DFAZ-HONDEW-010826



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 20497

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 01/20/2026
SOP: 418.AZ
Batch Number: 5010
Test ID: 112025

Sample Analysis

Date: 01/21/2026
SOP: 417.AZ - HPLC
Sample Weight: 0.041 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3140	0.9530	1	0.1788	1.7880	
CBD	0.3140	0.9530	1	ND	ND	
CBDA	0.3140	0.9530	1	<LOQ	<LOQ	
CBDV	0.3140	0.9530	1	ND	ND	
CBG	0.3140	0.9530	1	0.2182	2.1820	
CBGA	0.3140	0.9530	1	0.5269	5.2690	
CBN	0.3140	0.9530	1	ND	ND	
d8-THC	0.3140	0.9530	1	ND	ND	
d9-THC	0.3140	0.9530	1	4.0762	40.7620	
THCA	0.3140	0.9530	1	40.8631	408.6310	
THCV	0.3140	0.9530	1	<LOQ	<LOQ	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	39.9132	399.1320	
Total CBD	ND	ND	
Total Cannabinoids	45.8633	458.6330	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2601SMAZ0126.0411
Batch #: DFAZ-HONDEW-010826



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 20497

Terpene Total

GC-FID

Tested (4.3347%)


Sample Prep

Batch Date: 01/21/2026
SOP: 419
Batch Number: 5016

Sample Analysis

Date: 01/22/2026
SOP: 419 - GC-FID
Sample Weight: 0.434 g
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0009 / 0.0028	1	0.1963	Q3	gamma-Terpinene	0.0009 / 0.0028	1	ND	Q3
alpha-Cedrene	0.0009 / 0.0028	1	ND	Q3	Geraniol	0.0009 / 0.0028	1	0.2235	Q3
alpha-Humulene	0.0009 / 0.0028	1	0.1510	Q3	Geranyl acetate	0.0009 / 0.0028	1	ND	Q3
alpha-Phellandrene	0.0009 / 0.0028	1	ND	Q3	Guaiol	0.0009 / 0.0028	1	ND	Q3
alpha-Pinene	0.0009 / 0.0028	1	0.0602	Q3	Hexahydrothymol	0.0009 / 0.0028	1	ND	Q3
alpha-Terpinene	0.0009 / 0.0028	1	ND	Q3	Isoborneol	0.0009 / 0.0028	1	ND	Q3
beta-Myrcene	0.0009 / 0.0028	1	0.3375	Q3	Isopulegol	0.0009 / 0.0028	1	ND	Q3
beta-Pinene	0.0009 / 0.0028	1	0.0878	Q3	Limonene	0.0009 / 0.0028	1	0.4965	Q3
Borneol	0.0009 / 0.0028	1	0.0105	Q3	Linalool	0.0009 / 0.0028	1	0.3931	Q3
Camphene	0.0009 / 0.0028	1	0.0100	Q3	Nerol	0.0009 / 0.0028	1	ND	Q3
Camphor	0.0009 / 0.0028	1	0.0130	Q3	Pulegone (+)	0.0009 / 0.0028	1	ND	Q3
3-Carene	0.0009 / 0.0028	1	ND	Q3	Sabinene Hydrate	0.0009 / 0.0028	1	<LOQ	Q3
Caryophyllene oxide	0.0009 / 0.0028	1	0.0874	Q3	Terpineol	0.0009 / 0.0028	1	0.1967	Q3
Cedrol	0.0009 / 0.0028	1	0.0287	Q3	Terpinolene	0.0009 / 0.0028	1	ND	Q3
cis-Nerolidol	0.0009 / 0.0028	1	ND	Q3	trans-Caryophyllene	0.0009 / 0.0028	1	1.3074	Q3
cis-Ocimene	0.0009 / 0.0028	1	ND	Q3	trans-Nerolidol	0.0009 / 0.0028	1	ND	Q3
Fenchyl alcohol	0.0009 / 0.0028	1	0.1575	Q3	trans-Ocimene	0.0009 / 0.0028	1	ND	Q3
Eucalyptol	0.0009 / 0.0028	1	ND	Q3	Valencene	0.0009 / 0.0028	1	0.5744	Q3
Fenchone	0.0009 / 0.0028	1	0.0034	Q3					



Ahmed Munshi

Technical Laboratory Director

AH Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2601SMAZ0126.0411
Batch #: DFAZ-HONDEW-010826



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 20497

Microbial Analysis

Pass

Sample Prep

Batch Date: 01/20/2026
SOP: 412.AZ
Batch Number: 5011
Test ID: 112054

Sample Analysis

Date: 01/21/2026
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.004 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 01/20/2026
SOP: 406.AZ
Batch Number: 5009
Test ID: 112055

Sample Analysis

Date: 01/21/2026
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.021 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 01/20/2026
SOP: 406.AZ
Batch Number: 5009
Test ID: 112058

Sample Analysis

Date: 01/21/2026
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.021 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2601SMAZ0126.0411
Batch #: DFAZ-HONDEW-010826



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 20497

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 01/20/2026
SOP: 405.AZ
Batch Number: 5004
Test ID: 112026

Sample Analysis

Date: 01/21/2026
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.051 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	65 / 196	1	1000	ND		Heptane	327 / 980	1	5000	ND	
Acetonitrile	27 / 80	1	410	ND		Hexanes	47 / 142	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	327 / 980	1	5000	ND	
Butanes	163 / 490	1	5000	ND		Methanol	196 / 588	1	3000	<LOQ	
Chloroform	4 / 12	1	60	ND		Pentanes	327 / 980	1	5000	ND	
Dichloromethane	39 / 118	1	600	ND		2-Propanol (IPA)	327 / 980	1	5000	ND	
Ethanol	327 / 980	1	5000	ND		Toluene	59 / 175	1	890	ND	
Ethyl acetate	327 / 980	1	5000	ND		Xylenes	284 / 851	1	2170	ND	
Ethyl ether	327 / 980	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

AH Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2601SMAZ0126.0411
Batch #: DFAZ-HONDEW-010826



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 20497

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 01/20/2026
SOP: 428.AZ
Batch Number: 5005
Test ID: 112027

Sample Analysis

Date: 01/20/2026
SOP: 428.AZ - ICP-MS
Sample Weight: 0.211 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.057	0.190	10	0.4	ND	
Cadmium	0.057	0.190	10	0.4	ND	
Lead	0.057	0.474	10	1	ND	
Mercury	0.057	0.095	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 01/20/2026
SOP: 432.AZ
Batch Number: 5007
Test ID: 112031

Sample Analysis

Date: 01/22/2026
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.519 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.85	9.63	1	20	ND	
Aflatoxin B1	3.85	9.63	1		ND	
Aflatoxin B2	3.85	9.63	1		ND	
Aflatoxin G1	3.85	9.63	1		ND	
Aflatoxin G2	3.85	4.82	1		ND	
Ochratoxin A	9.63	9.63	1	20	ND	I1, L1 V1

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2601SMAZ0126.0411
Batch #: DFAZ-HONDEW-010826



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 20497

**Pesticides, Fungicides, and
Growth Regulators**
LC-MS/MS **Pass**

Sample Prep

Batch Date: 01/20/2026
SOP: 432.AZ
Batch Number: 5007
Test ID: 112030

Sample Analysis

Date: 01/22/2026
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.519 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.080 / 0.241	1	0.5	ND		Hexythiazox	0.161 / 0.482	1	1	ND	
Acephate	0.065 / 0.193	1	0.4	ND		Imazalil	0.032 / 0.096	1	0.2	ND	
Acetamiprid	0.032 / 0.096	1	0.2	ND		Imidacloprid	0.065 / 0.193	1	0.4	ND	V1
Aldicarb	0.065 / 0.193	1	0.4	ND		Kresoxim-methyl	0.065 / 0.193	1	0.4	ND	
Azoxystrobin	0.032 / 0.096	1	0.2	ND		Malathion	0.032 / 0.096	1	0.2	ND	
Bifenazate	0.032 / 0.096	1	0.2	ND		Metalaxyl	0.032 / 0.096	1	0.2	ND	
Bifenthrin	0.032 / 0.096	1	0.2	ND		Methiocarb	0.032 / 0.096	1	0.2	ND	
Boscalid	0.065 / 0.193	1	0.4	ND		Methomyl	0.065 / 0.193	1	0.4	ND	
Carbaryl	0.032 / 0.096	1	0.2	ND		Myclobutanil	0.032 / 0.096	1	0.2	ND	V1
Carbofuran	0.032 / 0.096	1	0.2	ND		Naled	0.080 / 0.241	1	0.5	ND	
Chlorantraniliprole	0.032 / 0.096	1	0.2	ND		Oxamyl	0.161 / 0.482	1	1	ND	
Chlorfenapyr	0.161 / 0.482	1	1	ND	V1	Paclobutrazol	0.065 / 0.193	1	0.4	ND	
Chlorpyrifos	0.032 / 0.096	1	0.2	ND		Permethrins	0.032 / 0.096	1	0.2	ND	
Clofentezine	0.032 / 0.096	1	0.2	ND		Phosmet	0.032 / 0.096	1	0.2	ND	
Cyfluthrin	0.161 / 0.482	1	1	ND		Piperonyl Butoxide	0.321 / 0.963	1	2	ND	
Cypermethrin	0.161 / 0.482	1	1	ND		Prallethrin	0.032 / 0.096	1	0.2	ND	
Daminozide	0.161 / 0.482	1	1	ND		Propiconazole	0.065 / 0.193	1	0.4	ND	
Diazinon	0.032 / 0.096	1	0.2	ND		Propoxur	0.032 / 0.096	1	0.2	ND	
Dichlorvos	0.016 / 0.048	1	0.1	ND		Pyrethrins	0.135 / 0.404	1	1	ND	
Dimethoate	0.032 / 0.096	1	0.2	ND		Pyridaben	0.032 / 0.096	1	0.2	ND	
Ethoprophos	0.032 / 0.096	1	0.2	ND		Spinosad	0.032 / 0.096	1	0.2	ND	
Etofenprox	0.065 / 0.193	1	0.4	ND		Spiromesifen	0.032 / 0.096	1	0.2	ND	
Etoxazole	0.032 / 0.096	1	0.2	ND		Spirotetramat	0.032 / 0.096	1	0.2	ND	V1
Fenoxy carb	0.032 / 0.096	1	0.2	ND		Spiroxamine	0.065 / 0.193	1	0.4	ND	
Fenpyroximate	0.065 / 0.193	1	0.4	ND		Tebuconazole	0.065 / 0.193	1	0.4	ND	
Fipronil	0.065 / 0.193	1	0.4	ND	V1	Thiacloprid	0.032 / 0.096	1	0.2	ND	
Flonicamid	0.161 / 0.482	1	1	ND	V1	Thiamethoxam	0.032 / 0.096	1	0.2	ND	
Fludioxonil	0.065 / 0.193	1	0.4	ND		Trifloxystrobin	0.032 / 0.096	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

AH Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2601SMAZ0126.0411
Batch #: DFAZ-HONDEW-010826



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 20497

Moisture Analysis

Moisture: 7.94 %

Qualifier: Q3

Sample Prep and Analysis

Date: 01/20/2026
SOP: 411 - Moisture Balance
Sample Weight: 0.315 g

Water Activity

Water Activity: 0.3874AW aw

Qualifier: Q3

Sample Prep and Analysis

Date: 01/20/2026
SOP: 433 - Water Activity Meter
Sample Weight: 0.454 g

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2601SMAZ0126.0411
Batch #: DFAZ-HONDEW-010826



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 20497

Qualifier Legend

B1 The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

B2 The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.

I1 The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

L1 When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

M3 The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

M4 The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

M5 The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

M6 A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

Q1 Sample integrity was not maintained.

Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

R2 The relative percent difference for a sample and duplicate exceeded the limit.

V1 The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCB000410690
Sample ID: 2601SMAZ0126.0411
Batch #: DFAZ-HONDEW-010826



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 20497

Notes: METHOD OF EXTRACTION: PRESSED AND BUTANE



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>