



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2510SMAZ1864.5543
Batch #: DFAZ-ICEMAT-102025



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17554

(Jeeter) INFUSED ICED MATCHA PREROLL 0.5G X 5, 1G, 2G, 0.5G

Batch #: DFAZ-ICEMAT-102025
Strain: Iced Matcha
Parent Batch #:
Production Method: Other
Harvest Date: 06/17/2025
Received: 10/23/2025

Sample ID: 2510SMAZ1864.5543
Amount Received: 12 g
Sample Type: Enhanced/Infused Flowers
Sample Collected: 10/23/2025 11:40:00
Manufacture Date: 10/20/2025
Published: 10/28/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Tested	Water Activity (Q3) Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

42.9912%
Total THC

ND
Total CBD

ND
CBN

0.1951%
CBG

48.9591%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2510SMAZ1864.5543
Batch #: DFAZ-ICEMAT-102025



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17554

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 10/22/2025
SOP: 418.AZ
Batch Number: 4382
Test ID: 97352

Sample Analysis

Date: 10/24/2025
SOP: 417.AZ - HPLC
Sample Weight: 0.0418 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3080	0.9350	1	<LOQ	<LOQ	
CBD	0.3080	0.9350	1	ND	ND	
CBDA	0.3080	0.9350	1	ND	ND	
CBDV	0.3080	0.9350	1	ND	ND	
CBG	0.3080	0.9350	1	0.1951	1.9510	
CBGA	0.3080	0.9350	1	0.3013	3.0130	
CBN	0.3080	0.9350	1	ND	ND	
d8-THC	0.3080	0.9350	1	ND	ND	
d9-THC	0.3080	0.9350	1	4.6876	46.8760	
THCA	0.3080	0.9350	1	43.6758	436.7580	
THCV	0.3080	0.9350	1	0.0993	0.9930	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	42.9912	429.9120	
Total CBD	ND	ND	
Total Cannabinoids	48.9591	489.5910	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2510SMAZ1864.5543
Batch #: DFAZ-ICEMAT-102025



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17554

Terpene Total

GC-FID

Tested (2.1976%)


Sample Prep

Batch Date: 10/23/2025
SOP: 419
Batch Number: 4389

Sample Analysis

Date: 10/24/2025
SOP: 419 - GC-FID
Sample Weight: 0.424 g
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0009 / 0.0028	1	0.0811	Q3	gamma-Terpinene	0.0009 / 0.0028	1	0.0082	Q3
alpha-Cedrene	0.0009 / 0.0028	1	ND	Q3	Geraniol	0.0009 / 0.0028	1	0.0761	Q3
alpha-Humulene	0.0009 / 0.0028	1	0.0986	Q3	Geranyl acetate	0.0009 / 0.0028	1	ND	Q3
alpha-Phellandrene	0.0009 / 0.0028	1	ND	Q3	Guaiol	0.0009 / 0.0028	1	0.0511	Q3
alpha-Pinene	0.0009 / 0.0028	1	0.0568	Q3	Hexahydrothymol	0.0009 / 0.0028	1	ND	Q3
alpha-Terpinene	0.0009 / 0.0028	1	ND	Q3	Isoborneol	0.0009 / 0.0028	1	ND	Q3
beta-Myrcene	0.0009 / 0.0028	1	0.1183	Q3	Isopulegol	0.0009 / 0.0028	1	ND	Q3
beta-Pinene	0.0009 / 0.0028	1	0.0560	Q3	Limonene	0.0009 / 0.0028	1	0.1640	Q3
Borneol	0.0009 / 0.0028	1	0.0106	Q3	Linalool	0.0009 / 0.0028	1	0.6531	Q3
Camphene	0.0009 / 0.0028	1	0.0041	Q3	Nerol	0.0009 / 0.0028	1	0.0165	Q3
Camphor	0.0009 / 0.0028	1	ND	Q3	Pulegone (+)	0.0009 / 0.0028	1	0.0042	Q3
3-Carene	0.0009 / 0.0028	1	ND	Q3	Sabinene Hydrate	0.0009 / 0.0028	1	0.0092	Q3
Caryophyllene oxide	0.0009 / 0.0028	1	ND	Q3	Terpineol	0.0009 / 0.0028	1	0.0693	Q3
Cedrol	0.0009 / 0.0028	1	0.0596	Q3	Terpinolene	0.0009 / 0.0028	1	0.0902	Q3
cis-Nerolidol	0.0009 / 0.0028	1	ND	Q3	trans-Caryophyllene	0.0009 / 0.0028	1	0.4929	Q3
cis-Ocimene	0.0009 / 0.0028	1	ND	Q3	trans-Nerolidol	0.0009 / 0.0028	1	0.0363	Q3
Fenchyl alcohol	0.0009 / 0.0028	1	0.0382	Q3	trans-Ocimene	0.0009 / 0.0028	1	0.0162	Q3
Eucalyptol	0.0009 / 0.0028	1	<LOQ	Q3	Valencene	0.0009 / 0.0028	1	ND	Q3
Fenchone	0.0009 / 0.0028	1	0.0033	Q3					



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2510SMAZ1864.5543
Batch #: DFAZ-ICEMAT-102025



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 17554

Microbial Analysis

Pass

Sample Prep

Batch Date: 10/27/2025
SOP: 412.AZ
Batch Number: 4412
Test ID: 97374

Sample Analysis

Date: 10/28/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.041 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 10/27/2025
SOP: 406.AZ
Batch Number: 4410
Test ID: 97375

Sample Analysis

Date: 10/28/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.021 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 10/27/2025
SOP: 406.AZ
Batch Number: 4410
Test ID: 97376

Sample Analysis

Date: 10/28/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.021 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2510SMAZ1864.5543
Batch #: DFAZ-ICEMAT-102025



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17554

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 10/24/2025
SOP: 405.AZ
Batch Number: 4399
Test ID: 97353

Sample Analysis

Date: 10/27/2025
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.0533 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	62 / 188	1	1000	<LOQ		Heptane	313 / 938	1	5000	ND	
Acetonitrile	26 / 77	1	410	ND		Hexanes	45 / 136	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	313 / 938	1	5000	ND	
Butanes	156 / 469	1	5000	ND		Methanol	188 / 563	1	3000	<LOQ	
Chloroform	4 / 11	1	60	ND		Pentanes	313 / 938	1	5000	ND	
Dichloromethane	38 / 113	1	600	ND		2-Propanol (IPA)	313 / 938	1	5000	ND	
Ethanol	313 / 938	1	5000	ND		Toluene	56 / 167	1	890	ND	
Ethyl acetate	313 / 938	1	5000	ND		Xylenes	272 / 814	1	2170	ND	
Ethyl ether	313 / 938	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2510SMAZ1864.5543
Batch #: DFAZ-ICEMAT-102025



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17554

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 10/24/2025
SOP: 428.AZ
Batch Number: 4402
Test ID: 97354

Sample Analysis

Date: 10/24/2025
SOP: 428.AZ - ICP-MS
Sample Weight: 0.243 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.049	0.165	10	0.4	ND	
Cadmium	0.049	0.165	10	0.4	ND	
Lead	0.049	0.412	10	1	ND	
Mercury	0.049	0.082	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 10/24/2025
SOP: 432.AZ
Batch Number: 4403
Test ID: 97358

Sample Analysis

Date: 10/27/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.542 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.69	9.23	1	20	ND	R1
Aflatoxin B1	3.69	9.23	1		ND	R1
Aflatoxin B2	3.69	9.23	1		ND	I1
Aflatoxin G1	3.69	9.23	1		ND	
Aflatoxin G2	3.69	4.61	1		ND	I1
Ochratoxin A	9.23	9.23	1	20	ND	I1, R1 V1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2510SMAZ1864.5543
Batch #: DFAZ-ICEMAT-102025



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17554

**Pesticides, Fungicides, and
Growth Regulators**
LC-MS/MS **Pass**

Sample Prep

Batch Date: 10/24/2025
SOP: 432.AZ
Batch Number: 4403
Test ID: 97357

Sample Analysis

Date: 10/27/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.542 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.077 / 0.231	1	0.5	ND		Hexythiazox	0.154 / 0.461	1	1	ND	
Acephate	0.062 / 0.185	1	0.4	ND		Imazalil	0.030 / 0.092	1	0.2	ND	
Acetamiprid	0.030 / 0.092	1	0.2	ND		Imidacloprid	0.062 / 0.185	1	0.4	ND	
Aldicarb	0.062 / 0.185	1	0.4	ND		Kresoxim-methyl	0.062 / 0.185	1	0.4	ND	
Azoxystrobin	0.030 / 0.092	1	0.2	ND		Malathion	0.030 / 0.092	1	0.2	ND	
Bifenazate	0.030 / 0.092	1	0.2	ND		Metaxyl	0.030 / 0.092	1	0.2	ND	
Bifenthrin	0.030 / 0.092	1	0.2	ND		Methiocarb	0.030 / 0.092	1	0.2	ND	
Boscalid	0.062 / 0.185	1	0.4	ND		Methomyl	0.062 / 0.185	1	0.4	ND	
Carbaryl	0.030 / 0.092	1	0.2	ND		Myclobutanil	0.030 / 0.092	1	0.2	ND	
Carbofuran	0.030 / 0.092	1	0.2	ND		Naled	0.077 / 0.231	1	0.5	ND	
Chlorantraniliprole	0.030 / 0.092	1	0.2	ND		Oxamyl	0.154 / 0.461	1	1	ND	
Chlorfenapyr	0.154 / 0.461	1	1	ND		Paclobutrazol	0.062 / 0.185	1	0.4	ND	
Chlorpyrifos	0.030 / 0.092	1	0.2	ND		Permethrins	0.030 / 0.092	1	0.2	ND	
Clofentezine	0.030 / 0.092	1	0.2	ND		Phosmet	0.030 / 0.092	1	0.2	ND	
Cyfluthrin	0.154 / 0.461	1	1	ND		Piperonyl Butoxide	0.307 / 0.923	1	2	ND	
Cypermethrin	0.154 / 0.461	1	1	ND		Prallethrin	0.030 / 0.092	1	0.2	ND	
Daminozide	0.154 / 0.461	1	1	ND		Propiconazole	0.062 / 0.185	1	0.4	ND	
Diazinon	0.030 / 0.092	1	0.2	ND		Propoxur	0.030 / 0.092	1	0.2	ND	
Dichlorvos	0.016 / 0.046	1	0.1	ND		Pyrethrins	0.129 / 0.387	1	1	ND	
Dimethoate	0.030 / 0.092	1	0.2	ND		Pyridaben	0.030 / 0.092	1	0.2	ND	
Ethoprophos	0.030 / 0.092	1	0.2	ND		Spinosad	0.030 / 0.092	1	0.2	ND	
Etofenprox	0.062 / 0.185	1	0.4	ND		Spiromesifen	0.030 / 0.092	1	0.2	ND	
Etoxazole	0.030 / 0.092	1	0.2	ND		Spirotetramat	0.030 / 0.092	1	0.2	ND	
Fenoxycarb	0.030 / 0.092	1	0.2	ND		Spiroxamine	0.062 / 0.185	1	0.4	ND	
Fenpyroximate	0.062 / 0.185	1	0.4	ND	I1	Tebuconazole	0.062 / 0.185	1	0.4	ND	
Fipronil	0.062 / 0.185	1	0.4	ND	I1	Thiacloprid	0.030 / 0.092	1	0.2	ND	
Flonicamid	0.154 / 0.461	1	1	ND		Thiamethoxam	0.030 / 0.092	1	0.2	ND	
Fludioxonil	0.062 / 0.185	1	0.4	ND		Trifloxystrobin	0.030 / 0.092	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2510SMAZ1864.5543
Batch #: DFAZ-ICEMAT-102025



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 17554

Moisture Analysis

Moisture: **7.21 %**
Qualifier: Q3

Sample Prep and Analysis

Date: 10/24/2025
SOP: 411 - Moisture Balance
Sample Weight: 0.305 g

Water Activity

Water Activity: **0.4359AW aw**
Qualifier: Q3

Sample Prep and Analysis

Date: 10/24/2025
SOP: 433 - Water Activity Meter
Sample Weight: 0.498 g

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2510SMAZ1864.5543
Batch #: DFAZ-ICEMAT-102025



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17554

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2510SMAZ1864.5543
Batch #: DFAZ-ICEMAT-102025



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 17554

Notes: Method of Extraction: Butane & Pressed



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.
This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>