



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2601SMAZ0126.0412  
Batch #: DFAZ-ISLPAP-010926



SMITHERS

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 20498

**(Jeeter) INFUSED ISLAND PAPAYA PREROLL 0.5G X 5, 1G, 2G, 0.5G**

Batch #: DFAZ-ISLPAP-010926  
Strain: ISLAND PAPAYA  
Parent Batch #:  
Production Method: Other  
Harvest Date: 09/22/2025  
Received: 01/20/2026

Sample ID: 2601SMAZ0126.0412  
Amount Received: 11.5 g  
Sample Type: Enhanced/Infused Flowers  
Sample Collected: 01/20/2026 08:13:00  
Manufacture Date: 01/09/2026  
Published: 01/22/2026



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>	42.3028% Total THC
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>	ND Total CBD

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) <b>Tested</b>	Moisture Analysis (Q3) <b>Tested</b>	Water Activity (Q3) <b>Tested</b>	ND CBN
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>	0.2229% CBG

48.5576%  
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

*AMunshi*

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2601SMAZ0126.0412  
Batch #: DFAZ-ISLPAP-010926



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 20498

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 01/20/2026  
SOP: 418.AZ  
Batch Number: 5010  
Test ID: 112034

**Sample Analysis**

Date: 01/21/2026  
SOP: 417.AZ - HPLC  
Sample Weight: 0.042 g  
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3070	0.9300	1	0.1060	1.0600	
CBD	0.3070	0.9300	1	ND	ND	
CBDA	0.3070	0.9300	1	ND	ND	
CBDV	0.3070	0.9300	1	ND	ND	
CBG	0.3070	0.9300	1	0.2229	2.2290	
CBGA	0.3070	0.9300	1	0.5850	5.8500	
CBN	0.3070	0.9300	1	ND	ND	
d8-THC	0.3070	0.9300	1	ND	ND	
d9-THC	0.3070	0.9300	1	4.2211	42.2110	
THCA	0.3070	0.9300	1	43.4227	434.2270	
THCV	0.3070	0.9300	1	<LOQ	<LOQ	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	42.3028	423.0280	
Total CBD	ND	ND	
Total Cannabinoids	48.5576	485.5760	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2601SMAZ0126.0412  
Batch #: DFAZ-ISLPAP-010926



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 20498

Terpene Total

GC-FID

Tested (3.8836%)


Sample Prep

Batch Date: 01/21/2026  
SOP: 419  
Batch Number: 5016

Sample Analysis

Date: 01/22/2026  
SOP: 419 - GC-FID  
Sample Weight: 0.407 g  
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.0900	Q3	gamma-Terpinene	0.0010 / 0.0029	1	<LOQ	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	0.2579	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.0965	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	0.0269	Q3
alpha-Pinene	0.0010 / 0.0029	1	0.0765	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	0.2613	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	0.0586	Q3	Limonene	0.0010 / 0.0029	1	0.1890	Q3
Borneol	0.0010 / 0.0029	1	0.0084	Q3	Linalool	0.0010 / 0.0029	1	1.8372	Q3
Camphephene	0.0010 / 0.0029	1	0.0035	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	0.3205	Q3	Terpineol	0.0010 / 0.0029	1	0.0502	Q3
Cedrol	0.0010 / 0.0029	1	0.0570	Q3	Terpinolene	0.0010 / 0.0029	1	ND	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	0.4970	Q3
cis-Ocimene	0.0010 / 0.0029	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0029	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	0.0357	Q3	trans-Ocimene	0.0010 / 0.0029	1	0.0177	Q3
Eucalyptol	0.0010 / 0.0029	1	ND	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	ND	Q3					



Ahmed Munshi

Technical Laboratory Director

*AMunshi*

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2601SMAZ0126.0412  
Batch #: DFAZ-ISLPAP-010926



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 20498

**Microbial Analysis**

**Pass**

**Sample Prep**

**Batch Date:** 01/20/2026  
**SOP:** 412.AZ  
**Batch Number:** 5011  
**Test ID:** 112059

**Sample Analysis**

**Date:** 01/21/2026  
**SOP:** 412.AZ - 3M Petrifilm  
**Sample Weight:** 1.009 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

**Sample Prep**

**Batch Date:** 01/20/2026  
**SOP:** 406.AZ  
**Batch Number:** 5009  
**Test ID:** 112061

**Sample Analysis**

**Date:** 01/21/2026  
**SOP:** 406.AZ - qPCR (MG)  
**Sample Weight:** 1.025 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Sample Prep**

**Batch Date:** 01/20/2026  
**SOP:** 406.AZ  
**Batch Number:** 5009  
**Test ID:** 112063

**Sample Analysis**

**Date:** 01/21/2026  
**SOP:** 406.AZ - qPCR (MG)  
**Sample Weight:** 1.025 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.  
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2601SMAZ0126.0412  
Batch #: DFAZ-ISLPAP-010926



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 20498

**Residual Solvents**

HS-GC-MS

Pass

**Sample Prep**

Batch Date: 01/20/2026  
SOP: 405.AZ  
Batch Number: 5004  
Test ID: 112035

**Sample Analysis**

Date: 01/21/2026  
SOP: 405.AZ - HS-GC-MS  
Sample Weight: 0.052 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	63 / 192	1	1000	ND		Heptane	321 / 962	1	5000	ND	
Acetonitrile	27 / 79	1	410	ND		Hexanes	46 / 139	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	321 / 962	1	5000	ND	
Butanes	160 / 481	1	5000	ND		Methanol	192 / 577	1	3000	<LOQ	
Chloroform	4 / 12	1	60	ND		Pentanes	321 / 962	1	5000	ND	
Dichloromethane	38 / 115	1	600	ND		2-Propanol (IPA)	321 / 962	1	5000	ND	
Ethanol	321 / 962	1	5000	ND		Toluene	58 / 171	1	890	ND	
Ethyl acetate	321 / 962	1	5000	ND		Xylenes	279 / 835	1	2170	ND	
Ethyl ether	321 / 962	1	5000	ND							

**Ahmed Munshi**

Technical Laboratory Director

*AH Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2601SMAZ0126.0412  
Batch #: DFAZ-ISLPAP-010926



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 20498

**Heavy Metals**

ICP-MS

Pass

**Sample Prep**

Batch Date: 01/20/2026  
SOP: 428.AZ  
Batch Number: 5005  
Test ID: 112036

**Sample Analysis**

Date: 01/20/2026  
SOP: 428.AZ - ICP-MS  
Sample Weight: 0.238 g  
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.050	0.168	10	0.4	ND	
Cadmium	0.050	0.168	10	0.4	ND	
Lead	0.050	0.420	10	1	ND	
Mercury	0.050	0.084	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS

Pass

**Sample Prep**

Batch Date: 01/20/2026  
SOP: 432.AZ  
Batch Number: 5007  
Test ID: 112040

**Sample Analysis**

Date: 01/22/2026  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.509 g  
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.93	9.82	1	20	ND	
Aflatoxin B1	3.93	9.82	1		ND	
Aflatoxin B2	3.93	9.82	1		ND	
Aflatoxin G1	3.93	9.82	1		ND	
Aflatoxin G2	3.93	4.91	1		ND	
Ochratoxin A	9.82	9.82	1	20	ND	I1, L1 V1

**Ahmed Munshi**

Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2601SMAZ0126.0412  
Batch #: DFAZ-ISLPAP-010926



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

**Certificate:** 20498

**Pesticides, Fungicides, and  
Growth Regulators**  
LC-MS/MS      **Pass**

**Sample Prep**

Batch Date: 01/20/2026  
SOP: 432.AZ  
Batch Number: 5007  
Test ID: 112039

**Sample Analysis**

Date: 01/22/2026  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.509 g  
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.082 / 0.246	1	0.5	ND		Hexythiazox	0.164 / 0.491	1	1	ND	
Acephate	0.066 / 0.196	1	0.4	ND		Imazalil	0.032 / 0.098	1	0.2	ND	
Acetamiprid	0.032 / 0.098	1	0.2	ND		Imidacloprid	0.066 / 0.196	1	0.4	ND	V1
Aldicarb	0.066 / 0.196	1	0.4	ND		Kresoxim-methyl	0.066 / 0.196	1	0.4	ND	
Azoxystrobin	0.032 / 0.098	1	0.2	ND		Malathion	0.032 / 0.098	1	0.2	ND	
Bifenazate	0.032 / 0.098	1	0.2	ND		Metalaxyl	0.032 / 0.098	1	0.2	ND	
Bifenthrin	0.032 / 0.098	1	0.2	ND		Methiocarb	0.032 / 0.098	1	0.2	ND	
Boscalid	0.066 / 0.196	1	0.4	ND		Methomyl	0.066 / 0.196	1	0.4	ND	
Carbaryl	0.032 / 0.098	1	0.2	ND		Myclobutanil	0.032 / 0.098	1	0.2	ND	V1
Carbofuran	0.032 / 0.098	1	0.2	ND		Naled	0.082 / 0.246	1	0.5	ND	
Chlorantraniliprole	0.032 / 0.098	1	0.2	ND		Oxamyl	0.164 / 0.491	1	1	ND	
Chlorfenapyr	0.164 / 0.491	1	1	ND	V1	Paclobutrazol	0.066 / 0.196	1	0.4	ND	
Chlorpyrifos	0.032 / 0.098	1	0.2	ND		Permethrins	0.032 / 0.098	1	0.2	ND	
Clofentezine	0.032 / 0.098	1	0.2	ND		Phosmet	0.032 / 0.098	1	0.2	ND	
Cyfluthrin	0.164 / 0.491	1	1	ND		Piperonyl Butoxide	0.327 / 0.982	1	2	ND	
Cypermethrin	0.164 / 0.491	1	1	ND		Prallethrin	0.032 / 0.098	1	0.2	ND	
Daminozide	0.164 / 0.491	1	1	ND		Propiconazole	0.066 / 0.196	1	0.4	ND	
Diazinon	0.032 / 0.098	1	0.2	ND		Propoxur	0.032 / 0.098	1	0.2	ND	
Dichlorvos	0.017 / 0.049	1	0.1	ND		Pyrethrins	0.137 / 0.412	1	1	ND	
Dimethoate	0.032 / 0.098	1	0.2	ND		Pyridaben	0.032 / 0.098	1	0.2	ND	
Ethoprophos	0.032 / 0.098	1	0.2	ND		Spinosad	0.032 / 0.098	1	0.2	ND	
Etofenprox	0.066 / 0.196	1	0.4	ND		Spiromesifen	0.032 / 0.098	1	0.2	ND	
Etoxazole	0.032 / 0.098	1	0.2	ND		Spirotetramat	0.032 / 0.098	1	0.2	ND	V1
Fenoxy carb	0.032 / 0.098	1	0.2	ND		Spiroxamine	0.066 / 0.196	1	0.4	ND	
Fenpyroximate	0.066 / 0.196	1	0.4	ND		Tebuconazole	0.066 / 0.196	1	0.4	ND	
Fipronil	0.066 / 0.196	1	0.4	ND	V1	Thiacloprid	0.032 / 0.098	1	0.2	ND	
Flonicamid	0.164 / 0.491	1	1	ND	V1	Thiamethoxam	0.032 / 0.098	1	0.2	ND	
Fludioxonil	0.066 / 0.196	1	0.4	ND		Trifloxystrobin	0.032 / 0.098	1	0.2	ND	

**Ahmed Munshi**

Technical Laboratory Director

*AHMunshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2601SMAZ0126.0412  
Batch #: DFAZ-ISLPAP-010926



SMITHERS

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 20498

**Moisture Analysis**

**Moisture: 7.87 %**

**Qualifier: Q3**

**Sample Prep and Analysis**

**Date: 01/20/2026**  
**SOP: 411 - Moisture Balance**  
**Sample Weight: 0.305 g**

**Water Activity**

**Water Activity: 0.4036AW aw**

**Qualifier: Q3**

**Sample Prep and Analysis**

**Date: 01/20/2026**  
**SOP: 433 - Water Activity Meter**  
**Sample Weight: 0.423 g**

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2601SMAZ0126.0412  
Batch #: DFAZ-ISLPAP-010926



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

**Certificate:** 20498

**Qualifier Legend**

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2601SMAZ0126.0412  
Batch #: DFAZ-ISLPAP-010926



SMITHERS

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

**Certificate:** 20498

**Notes:** METHOD OF EXTRACTION: PRESSED AND BUTANE



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.  
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>