



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2511SMAZ2075.6219
Batch #: DFAZ-PRIPEA-112025



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18404

(Jeeter) INFUSED PRICKLY PEAR PREROLL 0.5G X 5, 1G, 2G, 0.5G

Batch #: DFAZ-PRIPEA-112025

Strain: Prickly Pear

Parent Batch #:

Production Method: Other

Harvest Date: 07/15/2025

Received: 11/21/2025

Sample ID: 2511SMAZ2075.6219

Amount Received: 12.5 g

Sample Type: Enhanced/Infused Flowers

Sample Collected: 11/21/2025 10:42:00

Manufacture Date: 11/20/2025

Published: 11/26/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass	40.4097% Total THC
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass	0.1440% Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Tested	Water Activity (Q3) Tested	<LOQ CBN
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested	0.2281% CBG

46.1220%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2511SMAZ2075.6219
Batch #: DFAZ-PRIPEA-112025



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18404

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 11/21/2025
SOP: 418.AZ
Batch Number: 4604
Test ID: 102269

Sample Analysis

Date: 11/24/2025
SOP: 417.AZ - HPLC
Sample Weight: 0.043 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3000	0.9090	1	0.0935	0.9350	
CBD	0.3000	0.9090	1	<LOQ	<LOQ	
CBDA	0.3000	0.9090	1	0.1642	1.6420	
CBDV	0.3000	0.9090	1	ND	ND	
CBG	0.3000	0.9090	1	0.2281	2.2810	
CBGA	0.3000	0.9090	1	0.3948	3.9480	
CBN	0.3000	0.9090	1	<LOQ	<LOQ	
d8-THC	0.3000	0.9090	1	ND	ND	
d9-THC	0.3000	0.9090	1	5.9587	59.5870	
THCA	0.3000	0.9090	1	39.2828	392.8280	
THCV	0.3000	0.9090	1	<LOQ	<LOQ	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	40.4097	404.0970	
Total CBD	0.1440	1.4400	
Total Cannabinoids	46.1220	461.2200	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2511SMAZ2075.6219
Batch #: DFAZ-PRIPEA-112025



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18404

Terpene Total

GC-FID

Tested (2.8462%)


Sample Prep

Batch Date: 11/25/2025
SOP: 419
Batch Number: 4622

Sample Analysis

Date: 11/26/2025
SOP: 419 - GC-FID
Sample Weight: 0.418 g
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.0899	Q3	gamma-Terpinene	0.0010 / 0.0029	1	0.0093	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	0.0641	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.1056	Q3	Geranyl acetate	0.0010 / 0.0029	1	0.6120	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	ND	Q3
alpha-Pinene	0.0010 / 0.0029	1	0.0142	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	0.0951	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	0.0246	Q3	Limonene	0.0010 / 0.0029	1	0.2151	Q3
Borneol	0.0010 / 0.0029	1	0.0118	Q3	Linalool	0.0010 / 0.0029	1	0.4370	Q3
Camphene	0.0010 / 0.0029	1	0.0035	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	0.1575	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	0.1116	Q3	Terpineol	0.0010 / 0.0029	1	0.0651	Q3
Cedrol	0.0010 / 0.0029	1	0.0623	Q3	Terpinolene	0.0010 / 0.0029	1	ND	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	0.4728	Q3
cis-Ocimene	0.0010 / 0.0029	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0029	1	0.0441	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	0.0494	Q3	trans-Ocimene	0.0010 / 0.0029	1	0.0078	Q3
Eucalyptol	0.0010 / 0.0029	1	<LOQ	Q3	Valencene	0.0010 / 0.0029	1	0.1935	Q3
Fenchone	0.0010 / 0.0029	1	ND	Q3					



Ahmed Munshi

Technical Laboratory Director

AH Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2511SMAZ2075.6219
Batch #: DFAZ-PRIPEA-112025



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 18404

Microbial Analysis

Pass

Sample Prep

Batch Date: 11/24/2025
SOP: 412.AZ
Batch Number: 4614
Test ID: 102290

Sample Analysis

Date: 11/25/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.012 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 11/24/2025
SOP: 406.AZ
Batch Number: 4609
Test ID: 102293

Sample Analysis

Date: 11/26/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.027 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 11/24/2025
SOP: 406.AZ
Batch Number: 4609
Test ID: 102295

Sample Analysis

Date: 11/26/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.027 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2511SMAZ2075.6219
Batch #: DFAZ-PRIPEA-112025



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 18404

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 11/21/2025
SOP: 405.AZ
Batch Number: 4600
Test ID: 102270

Sample Analysis

Date: 11/24/2025
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.052 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	63 / 192	1	1000	ND		Heptane	321 / 962	1	5000	ND	
Acetonitrile	27 / 79	1	410	ND		Hexanes	46 / 139	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	321 / 962	1	5000	ND	
Butanes	160 / 481	1	5000	ND		Methanol	192 / 577	1	3000	<LOQ	
Chloroform	4 / 12	1	60	ND		Pentanes	321 / 962	1	5000	ND	
Dichloromethane	38 / 115	1	600	ND		2-Propanol (IPA)	321 / 962	1	5000	ND	
Ethanol	321 / 962	1	5000	ND		Toluene	58 / 171	1	890	ND	
Ethyl acetate	321 / 962	1	5000	ND		Xylenes	279 / 835	1	2170	ND	
Ethyl ether	321 / 962	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

AMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2511SMAZ2075.6219
Batch #: DFAZ-PRIPEA-112025



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18404

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 11/24/2025
SOP: 428.AZ
Batch Number: 4617
Test ID: 102271

Sample Analysis

Date: 11/25/2025
SOP: 428.AZ - ICP-MS
Sample Weight: 0.203 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.059	0.197	10	0.4	ND	
Cadmium	0.059	0.197	10	0.4	ND	
Lead	0.059	0.493	10	1	ND	
Mercury	0.059	0.098	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 11/24/2025
SOP: 432.AZ
Batch Number: 4616
Test ID: 102275

Sample Analysis

Date: 11/26/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.503 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.98	9.94	1	20	ND	L1
Aflatoxin B1	3.98	9.94	1		ND	L1
Aflatoxin B2	3.98	9.94	1		ND	L1
Aflatoxin G1	3.98	9.94	1		ND	L1
Aflatoxin G2	3.98	4.97	1		ND	I1
Ochratoxin A	9.94	9.94	1	20	ND	I1, L1 V1

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2511SMAZ2075.6219
Batch #: DFAZ-PRIPEA-112025



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18404

**Pesticides, Fungicides, and
Growth Regulators**

LC-MS/MS

Pass

Sample Prep

Batch Date: 11/24/2025
SOP: 432.AZ
Batch Number: 4616
Test ID: 102274

Sample Analysis

Date: 11/26/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.503 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.083 / 0.249	1	0.5	ND	L1	Hexythiazox	0.166 / 0.497	1	1	ND	L1
Acephate	0.067 / 0.199	1	0.4	ND	L1	Imazalil	0.033 / 0.099	1	0.2	ND	
Acetamiprid	0.033 / 0.099	1	0.2	ND		Imidacloprid	0.067 / 0.199	1	0.4	ND	
Aldicarb	0.067 / 0.199	1	0.4	ND	L1	Kresoxim-methyl	0.067 / 0.199	1	0.4	ND	
Azoxystrobin	0.033 / 0.099	1	0.2	ND	L1	Malathion	0.033 / 0.099	1	0.2	ND	
Bifenazate	0.033 / 0.099	1	0.2	ND	L1	Metalaxyl	0.033 / 0.099	1	0.2	ND	
Bifenthrin	0.033 / 0.099	1	0.2	ND	L1	Methiocarb	0.033 / 0.099	1	0.2	ND	
Boscalid	0.067 / 0.199	1	0.4	ND	L1	Methomyl	0.067 / 0.199	1	0.4	ND	
Carbaryl	0.033 / 0.099	1	0.2	ND	L1	Myclobutanil	0.033 / 0.099	1	0.2	ND	L1
Carbofuran	0.033 / 0.099	1	0.2	ND		Naled	0.083 / 0.249	1	0.5	ND	L1
Chlorantraniliprole	0.033 / 0.099	1	0.2	ND		Oxamyl	0.166 / 0.497	1	1	ND	
Chlorfenapyr	0.166 / 0.497	1	1	ND		Paclbutrazol	0.067 / 0.199	1	0.4	ND	
Chlorpyrifos	0.033 / 0.099	1	0.2	ND		Permethrins	0.033 / 0.099	1	0.2	ND	
Clofentezine	0.033 / 0.099	1	0.2	ND		Phosmet	0.033 / 0.099	1	0.2	ND	L1
Cyfluthrin	0.166 / 0.497	1	1	ND		Piperonyl Butoxide	0.331 / 0.994	1	2	ND	L1
Cypermethrin	0.166 / 0.497	1	1	ND		Prallethrin	0.033 / 0.099	1	0.2	ND	
Daminozide	0.166 / 0.497	1	1	ND	L1	Propiconazole	0.067 / 0.199	1	0.4	ND	L1
Diazinon	0.033 / 0.099	1	0.2	ND		Propoxur	0.033 / 0.099	1	0.2	ND	
Dichlorvos	0.017 / 0.050	1	0.1	ND		Pyrethrins	0.139 / 0.417	1	1	ND	
Dimethoate	0.033 / 0.099	1	0.2	ND		Pyridaben	0.033 / 0.099	1	0.2	ND	L1
Ethoprophos	0.033 / 0.099	1	0.2	ND		Spinosad	0.033 / 0.099	1	0.2	ND	
Etofenprox	0.067 / 0.199	1	0.4	ND	L1	Spiromesifen	0.033 / 0.099	1	0.2	ND	
Etoxazole	0.033 / 0.099	1	0.2	ND		Spirotetramat	0.033 / 0.099	1	0.2	ND	
Fenoxy carb	0.033 / 0.099	1	0.2	ND	L1	Spiroxamine	0.067 / 0.199	1	0.4	ND	
Fenpyroximate	0.067 / 0.199	1	0.4	ND	I1, L1	Tebuconazole	0.067 / 0.199	1	0.4	ND	L1
Fipronil	0.067 / 0.199	1	0.4	ND	I1, R1	Thiacloprid	0.033 / 0.099	1	0.2	ND	
Flonicamid	0.166 / 0.497	1	1	ND	L1	Thiamethoxam	0.033 / 0.099	1	0.2	ND	
Fludioxonil	0.067 / 0.199	1	0.4	ND		Trifloxystrobin	0.033 / 0.099	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

AH Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2511SMAZ2075.6219
Batch #: DFAZ-PRIPEA-112025



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18404

Moisture Analysis

Moisture: 8.91 %

Qualifier: Q3

Sample Prep and Analysis

Date: 11/21/2025
SOP: 411 - Moisture Balance
Sample Weight: 0.303 g

Water Activity

Water Activity: 0.4756 aw

Qualifier: Q3

Sample Prep and Analysis

Date: 11/21/2025
SOP: 433 - Water Activity Meter
Sample Weight: 0.477 g

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2511SMAZ2075.6219
Batch #: DFAZ-PRIPEA-112025



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 18404

Qualifier Legend

B1 The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

B2 The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.

I1 The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

L1 When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

M3 The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

M4 The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

M5 The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

M6 A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

Q1 Sample integrity was not maintained.

Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

R2 The relative percent difference for a sample and duplicate exceeded the limit.

V1 The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2511SMAZ2075.6219
Batch #: DFAZ-PRIPEA-112025



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18404

Notes: Method of Extraction: Butane & Pressed



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>