



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0574.2160
 Batch #: DFAZ-STRCOU-030926



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22585

(Jeeter) INFUSED STRAWBERRY COUGH PREROLL 0.5G X 5, 1G, 2G, 0.5G

Batch #: DFAZ-STRCOU-030926
 Strain: Strawberry Cough
 Parent Batch #:
 Production Method: Other
 Harvest Date: 11/25/2025
 Received: 03/16/2026

Sample ID: 2603SMAZ0574.2160
 Amount Received: 12.3 g
 Sample Type: Enhanced/Infused Flowers
 Sample Collected: 03/16/2026 11:28:00
 Manufacture Date: 03/09/2026
 Published: 03/19/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

37.6361% Total THC
ND Total CBD
ND CBN
0.2178% CBG
42.7109% Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0574.2160
 Batch #: DFAZ-STRCOU-030926



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22585

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 03/16/2026
 SOP: 418.AZ
 Batch Number: 5517
 Test ID: 124709

Sample Analysis

Date: 03/18/2026
 SOP: 417.AZ - HPLC
 Sample Weight: 0.042 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3070	0.9300	1	<LOQ	<LOQ	
CBD	0.3070	0.9300	1	ND	ND	
CBDA	0.3070	0.9300	1	ND	ND	
CBDV	0.3070	0.9300	1	ND	ND	
CBG	0.3070	0.9300	1	0.2178	2.1780	
CBGA	0.3070	0.9300	1	0.3677	3.6770	
CBN	0.3070	0.9300	1	ND	ND	
d8-THC	0.3070	0.9300	1	ND	ND	
d9-THC	0.3070	0.9300	1	5.6276	56.2760	
THCA	0.3070	0.9300	1	36.4977	364.9770	
THCV	0.3070	0.9300	1	<LOQ	<LOQ	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	37.6361	376.3610	
Total CBD	ND	ND	
Total Cannabinoids	42.7109	427.1090	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603MAZ0574.2160
 Batch #: DFAZ-STRCOU-030926



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22585

Terpene Total

GC-FID **Tested (1.9766%)**


Sample Prep

Batch Date: 03/17/2026
 SOP: 419
 Batch Number: 5526

Sample Analysis

Date: 03/18/2026
 SOP: 419 - GC-FID
 Sample Weight: 0.412 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.0323	Q3	gamma-Terpinene	0.0010 / 0.0029	1	0.0035	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	0.0119	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.1058	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	0.0196	Q3
alpha-Pinene	0.0010 / 0.0029	1	0.0463	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	0.2154	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	0.0685	Q3	Limonene	0.0010 / 0.0029	1	0.4108	Q3
Borneol	0.0010 / 0.0029	1	0.0111	Q3	Linalool	0.0010 / 0.0029	1	0.2958	Q3
Camphene	0.0010 / 0.0029	1	0.0187	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	0.0282	Q3	Terpineol	0.0010 / 0.0029	1	0.1040	Q3
Cedrol	0.0010 / 0.0029	1	0.0321	Q3	Terpinolene	0.0010 / 0.0029	1	0.0281	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	0.4236	Q3
cis-Ocimene	0.0010 / 0.0029	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0029	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	0.0815	Q3	trans-Ocimene	0.0010 / 0.0029	1	0.0116	Q3
Eucalyptol	0.0010 / 0.0029	1	<LOQ	Q3	Valencene	0.0010 / 0.0029	1	0.0278	Q3
Fenchone	0.0010 / 0.0029	1	<LOQ	Q3					



Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0574.2160
 Batch #: DFAZ-STRCOU-030926



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22585

Microbial Analysis
Pass

Sample Prep

Batch Date: 03/17/2026
 SOP: 412.AZ
 Batch Number: 5528
 Test ID: 124721

Sample Analysis

Date: 03/18/2026
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.016 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 03/17/2026
 SOP: 406.AZ
 Batch Number: 5527
 Test ID: 124723

Sample Analysis

Date: 03/19/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.021 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 03/17/2026
 SOP: 406.AZ
 Batch Number: 5527
 Test ID: 124724

Sample Analysis

Date: 03/19/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.021 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0574.2160
 Batch #: DFAZ-STRCOU-030926



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22585

Residual Solvents

HS-GC-MS **Pass**

Sample Prep

Batch Date: 03/18/2026
 SOP: 405.AZ
 Batch Number: 5535
 Test ID: 124710

Sample Analysis

Date: 03/19/2026
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.054 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	124 / 370	1	1000	ND		Heptane	617 / 1852	1	5000	ND	
Acetonitrile	51 / 152	1	410	ND		Hexanes	36 / 107	1	290	ND	
Benzene	0.24 / 0.74	1	2	ND		Isopropyl acetate	617 / 1852	1	5000	ND	
Butanes	154 / 463	1	5000	ND		Methanol	370 / 1111	1	3000	ND	
Chloroform	7 / 22	1	60	ND		Pentanes	154 / 463	1	5000	ND	
Dichloromethane	74 / 222	1	600	ND		2-Propanol (IPA)	617 / 1852	1	5000	ND	
Ethanol	617 / 1852	1	5000	ND		Toluene	110 / 330	1	890	ND	
Ethyl acetate	617 / 1852	1	5000	ND		Xylenes	269 / 804	1	2170	ND	
Ethyl ether	617 / 1852	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0574.2160
 Batch #: DFAZ-STRCOU-030926



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22585

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 03/16/2026
 SOP: 428.AZ
 Batch Number: 5521
 Test ID: 124711

Sample Analysis
 Date: 03/17/2026
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.207 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.058	0.193	10	0.4	ND	
Cadmium	0.058	0.193	10	0.4	ND	
Lead	0.058	0.483	10	1	ND	
Mercury	0.058	0.097	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 03/17/2026
 SOP: 432.AZ
 Batch Number: 5534
 Test ID: 124715

Sample Analysis
 Date: 03/19/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.519 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.85	9.63	1	20	ND	R1
Aflatoxin B1	3.85	9.63	1		ND	R1
Aflatoxin B2	3.85	9.63	1		ND	I1, R1
Aflatoxin G1	3.85	9.63	1		ND	
Aflatoxin G2	3.85	4.82	1		ND	
Ochratoxin A	9.63	9.63	1	20	ND	I1, L1 V1

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0574.2160
 Batch #: DFAZ-STRCOU-030926



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22585

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 03/17/2026
 SOP: 432.AZ
 Batch Number: 5534
 Test ID: 124714

Sample Analysis

Date: 03/19/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.519 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.080 / 0.241	1	0.5	ND		Hexythiazox	0.161 / 0.482	1	1	ND	
Acephate	0.065 / 0.193	1	0.4	ND		Imazalil	0.032 / 0.096	1	0.2	ND	
Acetamiprid	0.032 / 0.096	1	0.2	ND		Imidacloprid	0.065 / 0.193	1	0.4	ND	
Aldicarb	0.065 / 0.193	1	0.4	ND		Kresoxim-methyl	0.065 / 0.193	1	0.4	ND	
Azoxystrobin	0.032 / 0.096	1	0.2	ND		Malathion	0.032 / 0.096	1	0.2	ND	
Bifenazate	0.032 / 0.096	1	0.2	ND	L1	Metaxyl	0.032 / 0.096	1	0.2	ND	
Bifenthrin	0.032 / 0.096	1	0.2	ND		Methiocarb	0.032 / 0.096	1	0.2	ND	
Boscalid	0.065 / 0.193	1	0.4	ND		Methomyl	0.065 / 0.193	1	0.4	ND	
Carbaryl	0.032 / 0.096	1	0.2	ND		Myclobutanil	0.032 / 0.096	1	0.2	ND	
Carbofuran	0.032 / 0.096	1	0.2	ND		Naled	0.080 / 0.241	1	0.5	ND	
Chlorantraniliprole	0.032 / 0.096	1	0.2	ND		Oxamyl	0.161 / 0.482	1	1	ND	
Chlorfenapyr	0.161 / 0.482	1	1	ND	I1	Pacllobutrazol	0.065 / 0.193	1	0.4	ND	
Chlorpyrifos	0.032 / 0.096	1	0.2	ND		Permethrins	0.032 / 0.096	1	0.2	ND	
Clofentezine	0.032 / 0.096	1	0.2	ND		Phosmet	0.032 / 0.096	1	0.2	ND	
Cyfluthrin	0.161 / 0.482	1	1	ND		Piperonyl Butoxide	0.321 / 0.963	1	2	ND	
Cypermethrin	0.161 / 0.482	1	1	ND		Prallethrin	0.032 / 0.096	1	0.2	ND	
Daminozide	0.161 / 0.482	1	1	ND		Propiconazole	0.065 / 0.193	1	0.4	ND	
Diazinon	0.032 / 0.096	1	0.2	ND		Propoxur	0.032 / 0.096	1	0.2	ND	
Dichlorvos	0.016 / 0.048	1	0.1	ND		Pyrethrins	0.135 / 0.404	1	1	ND	
Dimethoate	0.032 / 0.096	1	0.2	ND		Pyridaben	0.032 / 0.096	1	0.2	ND	
Ethoprophos	0.032 / 0.096	1	0.2	ND		Spinosad	0.032 / 0.096	1	0.2	ND	
Etofenprox	0.065 / 0.193	1	0.4	ND		Spiromesifen	0.032 / 0.096	1	0.2	ND	
Etoxazole	0.032 / 0.096	1	0.2	ND		Spirotetramat	0.032 / 0.096	1	0.2	ND	
Fenoxycarb	0.032 / 0.096	1	0.2	ND		Spiroxamine	0.065 / 0.193	1	0.4	ND	
Fenpyroximate	0.065 / 0.193	1	0.4	ND		Tebuconazole	0.065 / 0.193	1	0.4	ND	
Fipronil	0.065 / 0.193	1	0.4	ND		Thiacloprid	0.032 / 0.096	1	0.2	ND	
Fonicamid	0.161 / 0.482	1	1	ND		Thiamethoxam	0.032 / 0.096	1	0.2	ND	
Fludioxonil	0.065 / 0.193	1	0.4	ND		Trifloxystrobin	0.032 / 0.096	1	0.2	ND	

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0574.2160
 Batch #: DFAZ-STRCOU-030926



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22585

Moisture Analysis

Moisture: **7.67 %**
 Qualifier: Q3

Sample Prep and Analysis

Date: 03/16/2026
 SOP: 411 - Moisture Balance
 Sample Weight: 0.326 g



Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0574.2160
 Batch #: DFAZ-STRCOU-030926



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22585

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0574.2160
 Batch #: DFAZ-STRCOU-030926



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22585

Notes: Method of Extraction: Butane & Pressed



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>