



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0493.1867
 Batch #: DFAZ-STRASC-022526



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22240

(Jeeter) INFUSED STRAWBERRY SC PREROLL 0.5G X 5, 1G, 2G, 0.5G

Batch #: DFAZ-STRASC-022526

Strain: Strawberry Sc

Parent Batch #:

Production Method: Other

Harvest Date: 10/10/2025

Received: 03/05/2026

Sample ID: 2603SMAZ0493.1867

Amount Received: 12.2 g

Sample Type: Enhanced/Infused Flowers

Sample Collected: 03/05/2026 10:22:00

Manufacture Date: 02/25/2026

Published: 03/10/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

37.7301% Total THC
0.0947% Total CBD
ND CBN
0.2262% CBG
43.2073% Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0493.1867
 Batch #: DFAZ-STRASC-022526



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22240

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 03/05/2026
 SOP: 418.AZ
 Batch Number: 5420
 Test ID: 122522

Sample Analysis

Date: 03/06/2026
 SOP: 417.AZ - HPLC
 Sample Weight: 0.041 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3140	0.9530	1	ND	ND	
CBD	0.3140	0.9530	1	ND	ND	
CBDA	0.3140	0.9530	1	0.1080	1.0800	
CBDV	0.3140	0.9530	1	ND	ND	
CBG	0.3140	0.9530	1	0.2262	2.2620	
CBGA	0.3140	0.9530	1	0.4759	4.7590	
CBN	0.3140	0.9530	1	ND	ND	
d8-THC	0.3140	0.9530	1	ND	ND	
d9-THC	0.3140	0.9530	1	4.4536	44.5360	
THCA	0.3140	0.9530	1	37.9436	379.4360	
THCV	0.3140	0.9530	1	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	37.7301	377.3010	
Total CBD	0.0947	0.9470	
Total Cannabinoids	43.2073	432.0730	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0493.1867
 Batch #: DFAZ-STRASC-022526



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22240

Terpene Total

GC-FID **Tested (3.5280%)**


Sample Prep

Batch Date: 03/05/2026
 SOP: 419
 Batch Number: 5421

Sample Analysis

Date: 03/06/2026
 SOP: 419 - GC-FID
 Sample Weight: 0.413 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.1133	Q3	gamma-Terpinene	0.0010 / 0.0029	1	0.0171	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	0.0175	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.0782	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	0.0090	Q3
alpha-Pinene	0.0010 / 0.0029	1	0.0483	Q3	Hexahydrothymol	0.0010 / 0.0029	1	0.0102	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	<LOQ	Q3
beta-Myrcene	0.0010 / 0.0029	1	0.2250	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	0.0843	Q3	Limonene	0.0010 / 0.0029	1	0.5060	Q3
Borneol	0.0010 / 0.0029	1	0.0097	Q3	Linalool	0.0010 / 0.0029	1	0.5267	Q3
Camphene	0.0010 / 0.0029	1	0.0127	Q3	Nerol	0.0010 / 0.0029	1	<LOQ	Q3
Camphor	0.0010 / 0.0029	1	0.0160	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	0.0631	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	0.0562	Q3	Terpineol	0.0010 / 0.0029	1	0.2573	Q3
Cedrol	0.0010 / 0.0029	1	0.0157	Q3	Terpinolene	0.0010 / 0.0029	1	0.0294	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	1.2204	Q3
cis-Ocimene	0.0010 / 0.0029	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0029	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	0.1794	Q3	trans-Ocimene	0.0010 / 0.0029	1	0.0260	Q3
Eucalyptol	0.0010 / 0.0029	1	<LOQ	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	0.0065	Q3					



Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0493.1867
 Batch #: DFAZ-STRASC-022526



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22240

Microbial Analysis
Pass

Sample Prep

Batch Date: 03/09/2026
 SOP: 412.AZ
 Batch Number: 5449
 Test ID: 122531

Sample Analysis

Date: 03/10/2026
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.088 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 03/09/2026
 SOP: 406.AZ
 Batch Number: 5446
 Test ID: 122532

Sample Analysis

Date: 03/10/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.024 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 03/09/2026
 SOP: 406.AZ
 Batch Number: 5446
 Test ID: 122533

Sample Analysis

Date: 03/10/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.024 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0493.1867
 Batch #: DFAZ-STRASC-022526



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22240

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 03/05/2026
 SOP: 405.AZ
 Batch Number: 5422
 Test ID: 122523

Sample Analysis

Date: 03/06/2026
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.050 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	133 / 400	1	1000	ND		Heptane	666 / 2000	1	5000	ND	
Acetonitrile	55 / 164	1	410	ND		Hexanes	39 / 116	1	290	ND	
Benzene	0.26 / 0.80	1	2	ND		Isopropyl acetate	666 / 2000	1	5000	ND	
Butanes	167 / 500	1	5000	ND		Methanol	400 / 1200	1	3000	ND	
Chloroform	8 / 24	1	60	ND		Pentanes	167 / 500	1	5000	ND	
Dichloromethane	80 / 240	1	600	ND		2-Propanol (IPA)	666 / 2000	1	5000	ND	
Ethanol	666 / 2000	1	5000	ND		Toluene	119 / 356	1	890	ND	
Ethyl acetate	666 / 2000	1	5000	ND		Xylenes	290 / 868	1	2170	ND	
Ethyl ether	666 / 2000	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0493.1867
 Batch #: DFAZ-STRASC-022526



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22240

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 03/06/2026
 SOP: 428.AZ
 Batch Number: 5435
 Test ID: 122524

Sample Analysis
 Date: 03/06/2026
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.212 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.057	0.189	10	0.4	ND	
Cadmium	0.057	0.189	10	0.4	ND	
Lead	0.057	0.472	10	1	ND	
Mercury	0.057	0.094	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 03/05/2026
 SOP: 432.AZ
 Batch Number: 5431
 Test ID: 122528

Sample Analysis
 Date: 03/09/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.570 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.51	8.77	1	20	ND	R1
Aflatoxin B1	3.51	8.77	1		ND	
Aflatoxin B2	3.51	8.77	1		ND	V1, R1
Aflatoxin G1	3.51	8.77	1		ND	
Aflatoxin G2	3.51	4.39	1		ND	
Ochratoxin A	8.77	8.77	1	20	ND	I1, R1

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0493.1867
 Batch #: DFAZ-STRASC-022526



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22240

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 03/05/2026
 SOP: 432.AZ
 Batch Number: 5431
 Test ID: 122527

Sample Analysis

Date: 03/09/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.570 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.073 / 0.219	1	0.5	ND	I1	Hexythiazox	0.146 / 0.439	1	1	ND	
Acephate	0.059 / 0.175	1	0.4	ND		Imazalil	0.029 / 0.088	1	0.2	ND	
Acetamiprid	0.029 / 0.088	1	0.2	ND		Imidacloprid	0.059 / 0.175	1	0.4	ND	
Aldicarb	0.059 / 0.175	1	0.4	ND		Kresoxim-methyl	0.059 / 0.175	1	0.4	ND	
Azoxystrobin	0.029 / 0.088	1	0.2	ND		Malathion	0.029 / 0.088	1	0.2	ND	
Bifenazate	0.029 / 0.088	1	0.2	ND		Metaxyl	0.029 / 0.088	1	0.2	ND	
Bifenthrin	0.029 / 0.088	1	0.2	ND		Methiocarb	0.029 / 0.088	1	0.2	ND	
Boscalid	0.059 / 0.175	1	0.4	ND		Methomyl	0.059 / 0.175	1	0.4	ND	
Carbaryl	0.029 / 0.088	1	0.2	ND		Myclobutanil	0.029 / 0.088	1	0.2	ND	
Carbofuran	0.029 / 0.088	1	0.2	ND		Naled	0.073 / 0.219	1	0.5	ND	
Chlorantraniliprole	0.029 / 0.088	1	0.2	ND		Oxamyl	0.146 / 0.439	1	1	ND	
Chlorfenapyr	0.146 / 0.439	1	1	ND	I1, L1 V1	Paclobutrazol	0.059 / 0.175	1	0.4	ND	
Chlorpyrifos	0.029 / 0.088	1	0.2	ND		Permethrins	0.029 / 0.088	1	0.2	ND	
Clofentezine	0.029 / 0.088	1	0.2	ND		Phosmet	0.029 / 0.088	1	0.2	ND	
Cyfluthrin	0.146 / 0.439	1	1	ND		Piperonyl Butoxide	0.292 / 0.877	1	2	ND	
Cypermethrin	0.146 / 0.439	1	1	ND		Prallethrin	0.029 / 0.088	1	0.2	ND	
Daminozide	0.146 / 0.439	1	1	ND		Propiconazole	0.059 / 0.175	1	0.4	ND	
Diazinon	0.029 / 0.088	1	0.2	ND		Propoxur	0.029 / 0.088	1	0.2	ND	
Dichlorvos	0.015 / 0.044	1	0.1	ND		Pyrethrins	0.123 / 0.368	1	1	ND	
Dimethoate	0.029 / 0.088	1	0.2	ND		Pyridaben	0.029 / 0.088	1	0.2	ND	
Ethoprophos	0.029 / 0.088	1	0.2	ND		Spinosad	0.029 / 0.088	1	0.2	ND	I1
Etofenprox	0.059 / 0.175	1	0.4	ND		Spiromesifen	0.029 / 0.088	1	0.2	ND	
Etoxazole	0.029 / 0.088	1	0.2	ND		Spirotetramat	0.029 / 0.088	1	0.2	ND	
Fenoxycarb	0.029 / 0.088	1	0.2	ND		Spiroxamine	0.059 / 0.175	1	0.4	ND	
Fenpyroximate	0.059 / 0.175	1	0.4	ND		Tebuconazole	0.059 / 0.175	1	0.4	ND	
Fipronil	0.059 / 0.175	1	0.4	ND	I1, L1 V1	Thiacloprid	0.029 / 0.088	1	0.2	ND	
Fonicamid	0.146 / 0.439	1	1	ND		Thiamethoxam	0.029 / 0.088	1	0.2	ND	
Fludioxonil	0.059 / 0.175	1	0.4	ND		Trifloxystrobin	0.029 / 0.088	1	0.2	ND	

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0493.1867
 Batch #: DFAZ-STRASC-022526



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22240

Moisture Analysis

Moisture: **8.12 %**
 Qualifier: Q3

Sample Prep and Analysis

Date: 03/05/2026
 SOP: 411 - Moisture Balance
 Sample Weight: 0.308 g



Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0493.1867
 Batch #: DFAZ-STRASC-022526



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22240

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0493.1867
 Batch #: DFAZ-STRASC-022526



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22240

Notes: Method of Extraction: Butane & Pressed



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>