



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2511SMAZ2061.6178  
Batch #: DFAZ-SSD-111925



SMITHERS

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 18375

**(Jeeter) INFUSED STRAWBERRY SOUR DIESEL PREROLL 0.5G X 5, 1G, 2G, 0.5G**

Batch #: DFAZ-SSD-111925  
Strain: Strawberry Sour Diesel  
Parent Batch #:  
Production Method: Other  
Harvest Date: 07/28/2025  
Received: 11/20/2025

Sample ID: 2511SMAZ2061.6178  
Amount Received: 12 g  
Sample Type: Enhanced/Infused Flowers  
Sample Collected: 11/20/2025 11:16:00  
Manufacture Date: 11/19/2025  
Published: 11/25/2025



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>	<b>39.7588%</b> Total THC
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>	<b>ND</b> Total CBD

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) <b>Tested</b>	Moisture Analysis (Q3) <b>Tested</b>	Water Activity (Q3) <b>Tested</b>	<b>ND</b> CBN
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>	<b>0.2313%</b> CBG

**45.4117%**  
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

*AMunshi*

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2511SMAZ2061.6178  
Batch #: DFAZ-SSD-111925



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

**Certificate:** 18375

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 11/20/2025  
SOP: 418.AZ  
Batch Number: 4596  
Test ID: 102018

**Sample Analysis**

Date: 11/21/2025  
SOP: 417.AZ - HPLC  
Sample Weight: 0.0429 g  
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3000	0.9110	1	<LOQ	<LOQ	
CBD	0.3000	0.9110	1	ND	ND	
CBDA	0.3000	0.9110	1	ND	ND	
CBDV	0.3000	0.9110	1	ND	ND	
CBG	0.3000	0.9110	1	0.2313	2.3130	
CBGA	0.3000	0.9110	1	0.4752	4.7520	
CBN	0.3000	0.9110	1	ND	ND	
d8-THC	0.3000	0.9110	1	ND	ND	
d9-THC	0.3000	0.9110	1	4.4917	44.9170	
THCA	0.3000	0.9110	1	40.2134	402.1340	
THCV	0.3000	0.9110	1	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	39.7588	397.5880	
Total CBD	ND	ND	
Total Cannabinoids	45.4117	454.1170	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.  
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2511SMAZ2061.6178  
Batch #: DFAZ-SSD-111925



SMITHERS

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 18375

**Terpene Total**

GC-FID

**Tested (2.0466%)**


**Sample Prep**

Batch Date: 11/20/2025  
SOP: 419  
Batch Number: 4583

**Sample Analysis**

Date: 11/21/2025  
SOP: 419 - GC-FID  
Sample Weight: 0.421 g  
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	ND	Q3	gamma-Terpinene	0.0010 / 0.0029	1	ND	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	0.0041	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.1310	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	0.0705	Q3
alpha-Pinene	0.0010 / 0.0029	1	0.0206	Q3	Hexahydrothymol	0.0010 / 0.0029	1	<LOQ	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	0.1355	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	0.0339	Q3	Limonene	0.0010 / 0.0029	1	0.2829	Q3
Borneol	0.0010 / 0.0029	1	0.0085	Q3	Linalool	0.0010 / 0.0029	1	0.2639	Q3
Camphephene	0.0010 / 0.0029	1	0.0055	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	0.0036	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	ND	Q3	Terpineol	0.0010 / 0.0029	1	0.0979	Q3
Cedrol	0.0010 / 0.0029	1	0.0634	Q3	Terpinolene	0.0010 / 0.0029	1	0.0045	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	0.6861	Q3
cis-Ocimene	0.0010 / 0.0029	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0029	1	0.0919	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	0.0688	Q3	trans-Ocimene	0.0010 / 0.0029	1	0.0083	Q3
Eucalyptol	0.0010 / 0.0029	1	ND	Q3	Valencene	0.0010 / 0.0029	1	0.0623	Q3
Fenchone	0.0010 / 0.0029	1	0.0035	Q3					



Weight %: 0.0000% 0.0762% 0.1525% 0.2287% 0.3049% 0.3812% 0.4574% 0.5336% 0.6099% 0.6861%

**Ahmed Munshi**

Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2511SMAZ2061.6178  
Batch #: DFAZ-SSD-111925



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 18375

**Microbial Analysis**

**Pass**

**Sample Prep**

**Batch Date:** 11/24/2025  
**SOP:** 412.AZ  
**Batch Number:** 4612  
**Test ID:** 102027

**Sample Analysis**

**Date:** 11/25/2025  
**SOP:** 412.AZ - 3M Petrifilm  
**Sample Weight:** 1.015 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

**Sample Prep**

**Batch Date:** 11/24/2025  
**SOP:** 406.AZ  
**Batch Number:** 4608  
**Test ID:** 102028

**Sample Analysis**

**Date:** 11/25/2025  
**SOP:** 406.AZ - qPCR (MG)  
**Sample Weight:** 1.003 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Sample Prep**

**Batch Date:** 11/24/2025  
**SOP:** 406.AZ  
**Batch Number:** 4608  
**Test ID:** 102029

**Sample Analysis**

**Date:** 11/25/2025  
**SOP:** 406.AZ - qPCR (MG)  
**Sample Weight:** 1.003 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.  
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2511SMAZ2061.6178  
Batch #: DFAZ-SSD-111925



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

**Certificate:** 18375

**Residual Solvents**

HS-GC-MS

**Pass**

**Sample Prep**

**Batch Date:** 11/20/2025  
**SOP:** 405.AZ  
**Batch Number:** 4585  
**Test ID:** 102019

**Sample Analysis**

**Date:** 11/21/2025  
**SOP:** 405.AZ - HS-GC-MS  
**Sample Weight:** 0.0509 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	65 / 196	1	1000	<LOQ		Heptane	328 / 982	1	5000	ND	
Acetonitrile	28 / 81	1	410	ND		Hexanes	47 / 142	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	328 / 982	1	5000	ND	
Butanes	163 / 491	1	5000	ND		Methanol	196 / 589	1	3000	<LOQ	
Chloroform	4 / 12	1	60	ND		Pentanes	328 / 982	1	5000	ND	
Dichloromethane	39 / 118	1	600	ND		2-Propanol (IPA)	328 / 982	1	5000	ND	
Ethanol	328 / 982	1	5000	ND		Toluene	59 / 175	1	890	ND	
Ethyl acetate	328 / 982	1	5000	ND		Xylenes	285 / 853	1	2170	ND	
Ethyl ether	328 / 982	1	5000	ND							

**Ahmed Munshi**

Technical Laboratory Director

*AH Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2511SMAZ2061.6178  
Batch #: DFAZ-SSD-111925



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 18375

**Heavy Metals**

ICP-MS

Pass

**Sample Prep**

Batch Date: 11/20/2025  
SOP: 428.AZ  
Batch Number: 4592  
Test ID: 102020

**Sample Analysis**

Date: 11/21/2025  
SOP: 428.AZ - ICP-MS  
Sample Weight: 0.201 g  
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.060	0.199	10	0.4	ND	
Cadmium	0.060	0.199	10	0.4	ND	
Lead	0.060	0.498	10	1	ND	
Mercury	0.060	0.099	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS

Pass

**Sample Prep**

Batch Date: 11/20/2025  
SOP: 432.AZ  
Batch Number: 4584  
Test ID: 102024

**Sample Analysis**

Date: 11/21/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.518 g  
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.86	9.65	1	20	ND	R1,V1
Aflatoxin B1	3.86	9.65	1		ND	
Aflatoxin B2	3.86	9.65	1		ND	I1,V1
Aflatoxin G1	3.86	9.65	1		ND	
Aflatoxin G2	3.86	4.83	1		ND	I1,R1,V1
Ochratoxin A	9.65	9.65	1	20	ND	I1,V1

**Ahmed Munshi**

Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2511SMAZ2061.6178  
Batch #: DFAZ-SSD-111925



SMITHERS

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 18375

**Pesticides, Fungicides, and  
Growth Regulators**

LC-MS/MS

Pass

**Sample Prep**

Batch Date: 11/20/2025  
SOP: 432.AZ  
Batch Number: 4584  
Test ID: 102023

**Sample Analysis**

Date: 11/21/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.518 g  
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.080 / 0.241	1	0.5	ND	V1	Hexythiazox	0.161 / 0.483	1	1	ND	
Acephate	0.065 / 0.193	1	0.4	ND		Imazalil	0.032 / 0.097	1	0.2	ND	R1
Acetamiprid	0.032 / 0.097	1	0.2	ND	V1	Imidacloprid	0.065 / 0.193	1	0.4	ND	V1
Aldicarb	0.065 / 0.193	1	0.4	ND		Kresoxim-methyl	0.065 / 0.193	1	0.4	ND	
Azoxystrobin	0.032 / 0.097	1	0.2	ND	V1	Malathion	0.032 / 0.097	1	0.2	ND	V1
Bifenazate	0.032 / 0.097	1	0.2	ND		Metalaxyl	0.032 / 0.097	1	0.2	ND	
Bifenthrin	0.032 / 0.097	1	0.2	ND		Methiocarb	0.032 / 0.097	1	0.2	ND	V1
Boscalid	0.065 / 0.193	1	0.4	ND	V1	Methomyl	0.065 / 0.193	1	0.4	ND	
Carbaryl	0.032 / 0.097	1	0.2	ND		Myclobutanil	0.032 / 0.097	1	0.2	ND	V1
Carbofuran	0.032 / 0.097	1	0.2	ND		Naled	0.080 / 0.241	1	0.5	ND	V1
Chlorantraniliprole	0.032 / 0.097	1	0.2	ND	V1	Oxamyl	0.161 / 0.483	1	1	ND	
Chlorfenapyr	0.161 / 0.483	1	1	ND	I1, V1	Paclobutrazol	0.065 / 0.193	1	0.4	ND	V1
Chlorpyrifos	0.032 / 0.097	1	0.2	ND		Permethrins	0.032 / 0.097	1	0.2	ND	V1
Clofentezine	0.032 / 0.097	1	0.2	ND		Phosmet	0.032 / 0.097	1	0.2	ND	V1
Cyfluthrin	0.161 / 0.483	1	1	ND	V1	Piperonyl Butoxide	0.321 / 0.965	1	2	ND	
Cypermethrin	0.161 / 0.483	1	1	ND		Prallethrin	0.032 / 0.097	1	0.2	ND	V1
Daminozide	0.161 / 0.483	1	1	ND		Propiconazole	0.065 / 0.193	1	0.4	ND	V1
Diazinon	0.032 / 0.097	1	0.2	ND		Propoxur	0.032 / 0.097	1	0.2	ND	
Dichlorvos	0.016 / 0.048	1	0.1	ND		Pyrethrins	0.135 / 0.404	1	1	ND	V1
Dimethoate	0.032 / 0.097	1	0.2	ND		Pyridaben	0.032 / 0.097	1	0.2	ND	V1
Ethoprophos	0.032 / 0.097	1	0.2	ND		Spinosad	0.032 / 0.097	1	0.2	ND	
Etofenprox	0.065 / 0.193	1	0.4	ND		Spiromesifen	0.032 / 0.097	1	0.2	ND	
Etoxazole	0.032 / 0.097	1	0.2	ND		Spirotetramat	0.032 / 0.097	1	0.2	ND	V1
Fenoxy carb	0.032 / 0.097	1	0.2	ND	V1	Spiroxamine	0.065 / 0.193	1	0.4	ND	R1
Fenpyroximate	0.065 / 0.193	1	0.4	ND	V1	Tebuconazole	0.065 / 0.193	1	0.4	ND	V1
Fipronil	0.065 / 0.193	1	0.4	ND	I1, V1	Thiacloprid	0.032 / 0.097	1	0.2	ND	
Flonicamid	0.161 / 0.483	1	1	ND	V1	Thiamethoxam	0.032 / 0.097	1	0.2	ND	
Fludioxonil	0.065 / 0.193	1	0.4	ND		Trifloxystrobin	0.032 / 0.097	1	0.2	ND	

**Ahmed Munshi**

Technical Laboratory Director

*AHMunshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2511SMAZ2061.6178  
Batch #: DFAZ-SSD-111925



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 18375

### Moisture Analysis

**Moisture: 8.97 %**

Qualifier: Q3

### Sample Prep and Analysis

Date: 11/20/2025  
SOP: 411 - Moisture Balance  
Sample Weight: 0.312 g

### Water Activity

**Water Activity: 0.4623 aw**

Qualifier: Q3

### Sample Prep and Analysis

Date: 11/20/2025  
SOP: 433 - Water Activity Meter  
Sample Weight: 0.398 g

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2511SMAZ2061.6178  
Batch #: DFAZ-SSD-111925



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 18375

**Qualifier Legend**

**B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

**B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

**D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.

**I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

**L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

**M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

**M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

**M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

**M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

**M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

**M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

**Q1** Sample integrity was not maintained.

**Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

**Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

**R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

**R2** The relative percent difference for a sample and duplicate exceeded the limit.

**V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2511SMAZ2061.6178  
Batch #: DFAZ-SSD-111925



SMITHERS

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

**Certificate:** 18375

**Notes:** Method of Extraction: Pressed & Butane



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.  
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>