



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2602SMAZ0304.1101
 Batch #: DF-TS-WATZKZ-020226



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21403

(Jeeter) INFUSED WATERMELON ZKZ PREROLL 0.5G X 5, 0.5G

Batch #: DF-TS-WATZKZ-020226
 Strain: Watermelon Zkz
 Parent Batch #:
 Production Method: Other
 Harvest Date: 08/18/2025
 Received: 02/11/2026

Sample ID: 2602SMAZ0304.1101
 Amount Received: 12 g
 Sample Type: Enhanced/Infused Flowers
 Sample Collected: 02/11/2026 10:44:00
 Manufacture Date: 02/02/2026
 Published: 02/13/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

41.0541%
Total THC

0.0912%
Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

ND
CBN

0.2924%
CBG

47.3210%
Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2602SMAZ0304.1101
 Batch #: DF-TS-WATZKZ-020226



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21403

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 02/11/2026
 SOP: 418.AZ
 Batch Number: 5205
 Test ID: 117090

Sample Analysis

Date: 02/12/2026
 SOP: 417.AZ - HPLC
 Sample Weight: 0.0416 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3100	0.9390	1	0.1012	1.0120	
CBD	0.3100	0.9390	1	ND	ND	
CBDA	0.3100	0.9390	1	0.1039	1.0390	
CBDV	0.3100	0.9390	1	ND	ND	
CBG	0.3100	0.9390	1	0.2924	2.9240	
CBGA	0.3100	0.9390	1	0.6117	6.1170	
CBN	0.3100	0.9390	1	ND	ND	
d8-THC	0.3100	0.9390	1	ND	ND	
d9-THC	0.3100	0.9390	1	4.9725	49.7250	
THCA	0.3100	0.9390	1	41.1421	411.4210	
THCV	0.3100	0.9390	1	0.0970	0.9700	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	41.0541	410.5410	
Total CBD	0.0912	0.9120	
Total Cannabinoids	47.3210	473.2100	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2602SMAZ0304.1101
 Batch #: DF-TS-WATZKZ-020226



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21403

Terpene Total

GC-FID **Tested (5.1793%)**


Sample Prep

Batch Date: 02/11/2026
 SOP: 419
 Batch Number: 5201

Sample Analysis

Date: 02/12/2026
 SOP: 419 - GC-FID
 Sample Weight: 0.406 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0030	1	0.2642	Q3	gamma-Terpinene	0.0010 / 0.0030	1	ND	Q3
alpha-Cedrene	0.0010 / 0.0030	1	0.0081	Q3	Geraniol	0.0010 / 0.0030	1	0.0313	Q3
alpha-Humulene	0.0010 / 0.0030	1	0.1507	Q3	Geranyl acetate	0.0010 / 0.0030	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0030	1	ND	Q3	Guaiol	0.0010 / 0.0030	1	0.0519	Q3
alpha-Pinene	0.0010 / 0.0030	1	0.0773	Q3	Hexahydrothymol	0.0010 / 0.0030	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0030	1	ND	Q3	Isoborneol	0.0010 / 0.0030	1	0.0037	Q3
beta-Myrcene	0.0010 / 0.0030	1	0.4578	Q3	Isopulegol	0.0010 / 0.0030	1	ND	Q3
beta-Pinene	0.0010 / 0.0030	1	0.1387	Q3	Limonene	0.0010 / 0.0030	1	0.7819	Q3
Borneol	0.0010 / 0.0030	1	0.0110	Q3	Linalool	0.0010 / 0.0030	1	0.7055	Q3
Camphene	0.0010 / 0.0030	1	0.0248	Q3	Nerol	0.0010 / 0.0030	1	0.0453	Q3
Camphor	0.0010 / 0.0030	1	0.0109	Q3	Pulegone (+)	0.0010 / 0.0030	1	ND	Q3
3-Carene	0.0010 / 0.0030	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0030	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0030	1	0.0585	Q3	Terpineol	0.0010 / 0.0030	1	0.3154	Q3
Cedrol	0.0010 / 0.0030	1	0.0659	Q3	Terpinolene	0.0010 / 0.0030	1	0.0289	Q3
cis-Nerolidol	0.0010 / 0.0030	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0030	1	1.6911	Q3
cis-Ocimene	0.0010 / 0.0030	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0030	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0030	1	0.2691	Q3	trans-Ocimene	0.0010 / 0.0030	1	0.0291	Q3
Eucalyptol	0.0010 / 0.0030	1	ND	Q3	Valencene	0.0010 / 0.0030	1	ND	Q3
Fenchone	0.0010 / 0.0030	1	0.0037	Q3					



Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2602SMAZ0304.1101
 Batch #: DF-TS-WATZKZ-020226



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21403

Microbial Analysis
Pass

Sample Prep

Batch Date: 02/11/2026
 SOP: 412.AZ
 Batch Number: 5214
 Test ID: 117110

Sample Analysis

Date: 02/12/2026
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.029 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 02/11/2026
 SOP: 406.AZ
 Batch Number: 5209
 Test ID: 117112

Sample Analysis

Date: 02/12/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.012 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 02/11/2026
 SOP: 406.AZ
 Batch Number: 5209
 Test ID: 117114

Sample Analysis

Date: 02/12/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.012 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2602SMAZ0304.1101
 Batch #: DF-TS-WATZKZ-020226



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21403

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 02/11/2026
 SOP: 405.AZ
 Batch Number: 5199
 Test ID: 117091

Sample Analysis

Date: 02/12/2026
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.0510 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	65 / 196	1	1000	ND		Heptane	327 / 980	1	5000	ND	
Acetonitrile	27 / 80	1	410	ND		Hexanes	47 / 142	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	327 / 980	1	5000	ND	
Butanes	163 / 490	1	5000	ND		Methanol	196 / 588	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	327 / 980	1	5000	ND	
Dichloromethane	39 / 118	1	600	ND		2-Propanol (IPA)	327 / 980	1	5000	ND	
Ethanol	327 / 980	1	5000	ND		Toluene	59 / 175	1	890	ND	
Ethyl acetate	327 / 980	1	5000	ND		Xylenes	284 / 851	1	2170	ND	
Ethyl ether	327 / 980	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2602SMAZ0304.1101
 Batch #: DF-TS-WATZKZ-020226



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21403

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 02/12/2026
 SOP: 428.AZ
 Batch Number: 5218
 Test ID: 117092

Sample Analysis
 Date: 02/13/2026
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.201 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.060	0.199	10	0.4	ND	
Cadmium	0.060	0.199	10	0.4	ND	
Lead	0.060	0.498	10	1	ND	
Mercury	0.060	0.099	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 02/11/2026
 SOP: 432.AZ
 Batch Number: 5202
 Test ID: 117096

Sample Analysis
 Date: 02/12/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.502 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.98	9.96	1	20	ND	R1
Aflatoxin B1	3.98	9.96	1		ND	I1, R1
Aflatoxin B2	3.98	9.96	1		ND	I1
Aflatoxin G1	3.98	9.96	1		ND	
Aflatoxin G2	3.98	4.98	1		ND	
Ochratoxin A	9.96	9.96	1	20	ND	I1 V1, L1

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2602SMAZ0304.1101
 Batch #: DF-TS-WATZKZ-020226



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21403

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 02/11/2026
 SOP: 432.AZ
 Batch Number: 5202
 Test ID: 117095

Sample Analysis

Date: 02/12/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.502 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.083 / 0.249	1	0.5	ND		Hexythiazox	0.166 / 0.498	1	1	ND	
Acephate	0.067 / 0.199	1	0.4	ND	L1 V1	Imazalil	0.033 / 0.100	1	0.2	ND	
Acetamiprid	0.033 / 0.100	1	0.2	ND		Imidacloprid	0.067 / 0.199	1	0.4	ND	
Aldicarb	0.067 / 0.199	1	0.4	ND		Kresoxim-methyl	0.067 / 0.199	1	0.4	ND	
Azoxystrobin	0.033 / 0.100	1	0.2	ND		Malathion	0.033 / 0.100	1	0.2	ND	L1 V1
Bifenazate	0.033 / 0.100	1	0.2	ND		Metaxyl	0.033 / 0.100	1	0.2	ND	
Bifenthrin	0.033 / 0.100	1	0.2	ND		Methiocarb	0.033 / 0.100	1	0.2	ND	I1
Boscalid	0.067 / 0.199	1	0.4	ND		Methomyl	0.067 / 0.199	1	0.4	ND	V1
Carbaryl	0.033 / 0.100	1	0.2	ND	L1	Myclobutanil	0.033 / 0.100	1	0.2	ND	L1 V1
Carbofuran	0.033 / 0.100	1	0.2	ND		Naled	0.083 / 0.249	1	0.5	ND	
Chlorantraniliprole	0.033 / 0.100	1	0.2	ND		Oxamyl	0.166 / 0.498	1	1	ND	V1
Chlorfenapyr	0.166 / 0.498	1	1	ND	I1, L1	Paclobutrazol	0.067 / 0.199	1	0.4	ND	L1 V1
Chlorpyrifos	0.033 / 0.100	1	0.2	ND		Permethrins	0.033 / 0.100	1	0.2	ND	
Clofentezine	0.033 / 0.100	1	0.2	ND		Phosmet	0.033 / 0.100	1	0.2	ND	L1
Cyfluthrin	0.166 / 0.498	1	1	ND		Piperonyl Butoxide	0.332 / 0.996	1	2	ND	
Cypermethrin	0.166 / 0.498	1	1	ND		Prallethrin	0.033 / 0.100	1	0.2	ND	
Daminozide	0.166 / 0.498	1	1	ND		Propiconazole	0.067 / 0.199	1	0.4	ND	L1 V1
Diazinon	0.033 / 0.100	1	0.2	ND		Propoxur	0.033 / 0.100	1	0.2	ND	
Dichlorvos	0.017 / 0.050	1	0.1	ND	I1	Pyrethrins	0.139 / 0.417	1	1	ND	
Dimethoate	0.033 / 0.100	1	0.2	ND		Pyridaben	0.033 / 0.100	1	0.2	ND	
Ethoprophos	0.033 / 0.100	1	0.2	ND		Spinosad	0.033 / 0.100	1	0.2	ND	
Etofenprox	0.067 / 0.199	1	0.4	ND	L1	Spiromesifen	0.033 / 0.100	1	0.2	ND	
Etoxazole	0.033 / 0.100	1	0.2	ND		Spirotetramat	0.033 / 0.100	1	0.2	ND	
Fenoxycarb	0.033 / 0.100	1	0.2	ND		Spiroxamine	0.067 / 0.199	1	0.4	ND	
Fenpyroximate	0.067 / 0.199	1	0.4	ND		Tebuconazole	0.067 / 0.199	1	0.4	ND	L1 V1
Fipronil	0.067 / 0.199	1	0.4	ND	I1, L1 V1	Thiacloprid	0.033 / 0.100	1	0.2	ND	
Fonicamid	0.166 / 0.498	1	1	ND	L1 V1	Thiamethoxam	0.033 / 0.100	1	0.2	ND	V1
Fludioxonil	0.067 / 0.199	1	0.4	ND		Trifloxystrobin	0.033 / 0.100	1	0.2	ND	

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2602SMAZ0304.1101
 Batch #: DF-TS-WATZKZ-020226



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21403

Moisture Analysis

Moisture: **9.57 %**
 Qualifier: Q3

Sample Prep and Analysis

Date: 02/11/2026
 SOP: 411 - Moisture Balance
 Sample Weight: 0.302 g



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2602SMAZ0304.1101
 Batch #: DF-TS-WATZKZ-020226



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21403

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2602SMAZ0304.1101
 Batch #: DF-TS-WATZKZ-020226



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21403

Notes: Method of Extraction: Pressed & Butane



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>