



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0458.1731
 Batch #: DFAZ-BANPEL-021726



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22020

(Jeeter) INFUSED BANANA PEEL PREROLL 0.5G X 5, 1G, 2G, 0.5G

Batch #: DFAZ-BANPEL-021726
 Strain: Banana Peel
 Parent Batch #:
 Production Method: Other
 Harvest Date: 09/16/2025
 Received: 03/02/2026

Sample ID: 2603SMAZ0458.1731
 Amount Received: 12.1 g
 Sample Type: Enhanced/Infused Flowers
 Sample Collected: 03/02/2026 11:23:00
 Manufacture Date: 02/17/2026
 Published: 03/05/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

40.2242% Total THC
ND Total CBD
ND CBN
ND CBG
46.0525% Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0458.1731
 Batch #: DFAZ-BANPEL-021726



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22020

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 03/02/2026
 SOP: 418.AZ
 Batch Number: 5380
 Test ID: 121418

Sample Analysis

Date: 03/03/2026
 SOP: 417.AZ - HPLC
 Sample Weight: 0.041 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3140	0.9530	1	<LOQ	<LOQ	
CBD	0.3140	0.9530	1	ND	ND	
CBDA	0.3140	0.9530	1	ND	ND	
CBDV	0.3140	0.9530	1	ND	ND	
CBG	0.3140	0.9530	1	ND	ND	
CBGA	0.3140	0.9530	1	0.7577	7.5770	
CBN	0.3140	0.9530	1	ND	ND	
d8-THC	0.3140	0.9530	1	ND	ND	
d9-THC	0.3140	0.9530	1	4.0699	40.6990	
THCA	0.3140	0.9530	1	41.2250	412.2500	
THCV	0.3140	0.9530	1	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	40.2242	402.2420	
Total CBD	ND	ND	
Total Cannabinoids	46.0525	460.5250	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0458.1731
 Batch #: DFAZ-BANPEL-021726



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592


Certificate: 22020

Terpene Total
 GC-FID **Tested (4.6338%)**

Sample Prep
 Batch Date: 03/02/2026
 SOP: 419
 Batch Number: 5376

Sample Analysis
 Date: 03/03/2026
 SOP: 419 - GC-FID
 Sample Weight: 0.426 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0009 / 0.0028	1	0.1932	Q3	gamma-Terpinene	0.0009 / 0.0028	1	0.0034	Q3
alpha-Cedrene	0.0009 / 0.0028	1	ND	Q3	Geraniol	0.0009 / 0.0028	1	0.0062	Q3
alpha-Humulene	0.0009 / 0.0028	1	0.2490	Q3	Geranyl acetate	0.0009 / 0.0028	1	ND	Q3
alpha-Phellandrene	0.0009 / 0.0028	1	ND	Q3	Guaiol	0.0009 / 0.0028	1	0.0648	Q3
alpha-Pinene	0.0009 / 0.0028	1	0.0390	Q3	Hexahydrothymol	0.0009 / 0.0028	1	ND	Q3
alpha-Terpinene	0.0009 / 0.0028	1	ND	Q3	Isoborneol	0.0009 / 0.0028	1	0.0276	Q3
beta-Myrcene	0.0009 / 0.0028	1	0.1665	Q3	Isopulegol	0.0009 / 0.0028	1	ND	Q3
beta-Pinene	0.0009 / 0.0028	1	0.0568	Q3	Limonene	0.0009 / 0.0028	1	0.4340	Q3
Borneol	0.0009 / 0.0028	1	0.0095	Q3	Linalool	0.0009 / 0.0028	1	0.3173	Q3
Camphene	0.0009 / 0.0028	1	0.0110	Q3	Nerol	0.0009 / 0.0028	1	ND	Q3
Camphor	0.0009 / 0.0028	1	0.0047	Q3	Pulegone (+)	0.0009 / 0.0028	1	ND	Q3
3-Carene	0.0009 / 0.0028	1	ND	Q3	Sabinene Hydrate	0.0009 / 0.0028	1	<LOQ	Q3
Caryophyllene oxide	0.0009 / 0.0028	1	0.0738	Q3	Terpineol	0.0009 / 0.0028	1	0.2016	Q3
Cedrol	0.0009 / 0.0028	1	0.0827	Q3	Terpinolene	0.0009 / 0.0028	1	0.0066	Q3
cis-Nerolidol	0.0009 / 0.0028	1	ND	Q3	trans-Caryophyllene	0.0009 / 0.0028	1	1.3507	Q3
cis-Ocimene	0.0009 / 0.0028	1	<LOQ	Q3	trans-Nerolidol	0.0009 / 0.0028	1	0.0834	Q3
Fenchyl alcohol	0.0009 / 0.0028	1	0.1737	Q3	trans-Ocimene	0.0009 / 0.0028	1	0.0175	Q3
Eucalyptol	0.0009 / 0.0028	1	<LOQ	Q3	Valencene	0.0009 / 0.0028	1	1.0568	Q3
Fenchone	0.0009 / 0.0028	1	0.0040	Q3					



Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0458.1731
 Batch #: DFAZ-BANPEL-021726



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22020

Microbial Analysis
Pass

Sample Prep

Batch Date: 03/03/2026
 SOP: 412.AZ
 Batch Number: 5388
 Test ID: 121439

Sample Analysis

Date: 03/04/2026
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.038 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 03/03/2026
 SOP: 406.AZ
 Batch Number: 5387
 Test ID: 121440

Sample Analysis

Date: 03/04/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.021 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 03/03/2026
 SOP: 406.AZ
 Batch Number: 5387
 Test ID: 121441

Sample Analysis

Date: 03/04/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.021 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0458.1731
 Batch #: DFAZ-BANPEL-021726



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22020

Residual Solvents

HS-GC-MS **Pass**

Sample Prep

Batch Date: 03/03/2026
 SOP: 405.AZ
 Batch Number: 5382
 Test ID: 121419

Sample Analysis

Date: 03/04/2026
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.054 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	124 / 370	1	1000	ND		Heptane	617 / 1852	1	5000	ND	
Acetonitrile	51 / 152	1	410	ND		Hexanes	36 / 107	1	290	ND	
Benzene	0.24 / 0.74	1	2	ND		Isopropyl acetate	617 / 1852	1	5000	ND	
Butanes	154 / 463	1	5000	ND		Methanol	370 / 1111	1	3000	ND	
Chloroform	7 / 22	1	60	ND		Pentanes	154 / 463	1	5000	ND	
Dichloromethane	74 / 222	1	600	ND		2-Propanol (IPA)	617 / 1852	1	5000	ND	
Ethanol	617 / 1852	1	5000	ND		Toluene	110 / 330	1	890	ND	
Ethyl acetate	617 / 1852	1	5000	ND		Xylenes	269 / 804	1	2170	ND	
Ethyl ether	617 / 1852	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0458.1731
 Batch #: DFAZ-BANPEL-021726



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22020

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 03/03/2026
 SOP: 428.AZ
 Batch Number: 5383
 Test ID: 121420

Sample Analysis
 Date: 03/04/2026
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.210 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.057	0.191	10	0.4	ND	
Cadmium	0.057	0.191	10	0.4	ND	
Lead	0.057	0.476	10	1	ND	
Mercury	0.057	0.095	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 03/02/2026
 SOP: 432.AZ
 Batch Number: 5377
 Test ID: 121424

Sample Analysis
 Date: 03/04/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.508 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.94	9.84	1	20	ND	R1
Aflatoxin B1	3.94	9.84	1		ND	
Aflatoxin B2	3.94	9.84	1		ND	I1, R1
Aflatoxin G1	3.94	9.84	1		ND	
Aflatoxin G2	3.94	4.92	1		ND	I1
Ochratoxin A	9.84	9.84	1	20	ND	I1, R1 V1

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0458.1731
 Batch #: DFAZ-BANPEL-021726



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22020

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 03/02/2026
 SOP: 432.AZ
 Batch Number: 5377
 Test ID: 121423

Sample Analysis

Date: 03/04/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.508 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.082 / 0.246	1	0.5	ND		Hexythiazox	0.164 / 0.492	1	1	ND	
Acephate	0.066 / 0.197	1	0.4	ND	L1 V1	Imazalil	0.032 / 0.098	1	0.2	ND	
Acetamiprid	0.032 / 0.098	1	0.2	ND		Imidacloprid	0.066 / 0.197	1	0.4	ND	L1
Aldicarb	0.066 / 0.197	1	0.4	ND		Kresoxim-methyl	0.066 / 0.197	1	0.4	ND	
Azoxystrobin	0.032 / 0.098	1	0.2	ND		Malathion	0.032 / 0.098	1	0.2	ND	L1
Bifenazate	0.032 / 0.098	1	0.2	ND		Metaxyl	0.032 / 0.098	1	0.2	ND	
Bifenthrin	0.032 / 0.098	1	0.2	ND		Methiocarb	0.032 / 0.098	1	0.2	ND	L1 V1
Boscalid	0.066 / 0.197	1	0.4	ND		Methomyl	0.066 / 0.197	1	0.4	ND	
Carbaryl	0.032 / 0.098	1	0.2	ND	L1 V1	Myclobutanil	0.032 / 0.098	1	0.2	ND	V1
Carbofuran	0.032 / 0.098	1	0.2	ND		Naled	0.082 / 0.246	1	0.5	ND	L1 V1
Chlorantraniliprole	0.032 / 0.098	1	0.2	ND	L1	Oxamyl	0.164 / 0.492	1	1	ND	
Chlorfenapyr	0.164 / 0.492	1	1	ND	L1 V1	Paclobutrazol	0.066 / 0.197	1	0.4	ND	
Chlorpyrifos	0.032 / 0.098	1	0.2	ND		Permethrins	0.032 / 0.098	1	0.2	ND	
Clofentezine	0.032 / 0.098	1	0.2	ND		Phosmet	0.032 / 0.098	1	0.2	ND	L1 V1
Cyfluthrin	0.164 / 0.492	1	1	ND		Piperonyl Butoxide	0.328 / 0.984	1	2	ND	
Cypermethrin	0.164 / 0.492	1	1	ND		Prallethrin	0.032 / 0.098	1	0.2	ND	
Daminozide	0.164 / 0.492	1	1	ND		Propiconazole	0.066 / 0.197	1	0.4	ND	
Diazinon	0.032 / 0.098	1	0.2	ND		Propoxur	0.032 / 0.098	1	0.2	ND	
Dichlorvos	0.017 / 0.049	1	0.1	ND		Pyrethrins	0.138 / 0.412	1	1	ND	
Dimethoate	0.032 / 0.098	1	0.2	ND		Pyridaben	0.032 / 0.098	1	0.2	ND	
Ethoprophos	0.032 / 0.098	1	0.2	ND		Spinosad	0.032 / 0.098	1	0.2	ND	
Etofenprox	0.066 / 0.197	1	0.4	ND		Spiromesifen	0.032 / 0.098	1	0.2	ND	
Etoxazole	0.032 / 0.098	1	0.2	ND		Spirotetramat	0.032 / 0.098	1	0.2	ND	L1 V1
Fenoxycarb	0.032 / 0.098	1	0.2	ND		Spiroxamine	0.066 / 0.197	1	0.4	ND	
Fenpyroximate	0.066 / 0.197	1	0.4	ND	I1	Tebuconazole	0.066 / 0.197	1	0.4	ND	
Fipronil	0.066 / 0.197	1	0.4	ND	I1, L1 V1	Thiacloprid	0.032 / 0.098	1	0.2	ND	
Fonicamid	0.164 / 0.492	1	1	ND		Thiamethoxam	0.032 / 0.098	1	0.2	ND	
Fludioxonil	0.066 / 0.197	1	0.4	ND		Trifloxystrobin	0.032 / 0.098	1	0.2	ND	

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0458.1731
 Batch #: DFAZ-BANPEL-021726



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22020

Moisture Analysis

Moisture: **8.28 %**
 Qualifier: Q3

Sample Prep and Analysis

Date: 03/03/2026
 SOP: 411 - Moisture Balance
 Sample Weight: 0.326 g



Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0458.1731
 Batch #: DFAZ-BANPEL-021726



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22020

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0458.1731
 Batch #: DFAZ-BANPEL-021726



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22020

Notes: Method of Extraction: Butane & Pressed



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>