



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2606SMAZ1231.4372
 Batch #: DFAZ-GRAROM-060126



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 25241

(Jeeter) INFUSED GRAPEFRUIT ROMULAN PREROLL 0.5G X 5, 1G, 2G, 0.5G

Batch #: DFAZ-GRAROM-060126

Strain: Grapefruit Romulan

Parent Batch #:

Production Method: Other

Harvest Date: 04/15/2026

Received: 06/08/2026

Sample ID: 2606SMAZ1231.4372

Amount Received: 14.8 g

Sample Type: Enhanced/Infused Flowers

Sample Collected: 06/08/2026 11:21:00

Manufacture Date: 06/01/2026

Published: 06/11/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)
Tested

Microbial Contaminants
Pass

Residual Solvents
Pass

Pesticides, Fungicides,
 and Growth Regulators
Pass

Mycotoxins
Pass

Heavy Metals
Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3)
Tested

Moisture Analysis (Q3)
Tested

Water Activity (Q3)
Not Tested

Filth & Foreign (Q3)
Not Tested

Homogeneity (Q3)
Not Tested

Additional Microbial
 Contaminants (Q3)
Not Tested

39.6447%
 Total THC

ND
 Total CBD

ND
 CBN

ND
 CBG

45.3017%
 Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2606SMAZ1231.4372
 Batch #: DFAZ-GRAROM-060126



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 25241

Cannabinoid Profile

HPLC Tested

Sample Prep
 Batch Date: 06/08/2026
 SOP: 418.AZ
 Batch Number: 6242
 Test ID: 141940

Sample Analysis
 Date: 06/09/2026
 SOP: 417.AZ - HPLC
 Sample Weight: 0.041 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3140	0.9530	1	<LOQ	<LOQ	
CBD	0.3140	0.9530	1	ND	ND	
CBDA	0.3140	0.9530	1	ND	ND	
CBDV	0.3140	0.9530	1	ND	ND	
CBG	0.3140	0.9530	1	ND	ND	
CBGA	0.3140	0.9530	1	0.6749	6.7490	
CBN	0.3140	0.9530	1	ND	ND	
d8-THC	0.3140	0.9530	1	ND	ND	
d9-THC	0.3140	0.9530	1	4.1224	41.2240	
d10-THC						
THCA	0.3140	0.9530	1	40.5043	405.0430	
THCV	0.3140	0.9530	1	<LOQ	<LOQ	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	39.6447	396.4470	
Total CBD	ND	ND	
Total Cannabinoids	45.3017	453.0170	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2606SMAZ1231.4372
 Batch #: DFAZ-GRAROM-060126



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592


Certificate: 25241

Terpene Total
 GC-FID **Tested (5.5695%)**

Sample Prep
 Batch Date: 06/08/2026
 SOP: 419
 Batch Number: 6236

Sample Analysis
 Date: 06/09/2026
 SOP: 419 - GC-FID
 Sample Weight: 0.405 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0030	1	0.2580	Q3	gamma-Terpinene	0.0010 / 0.0030	1	<LOQ	Q3
alpha-Cedrene	0.0010 / 0.0030	1	0.0105	Q3	Geraniol	0.0010 / 0.0030	1	0.0279	Q3
alpha-Humulene	0.0010 / 0.0030	1	0.1301	Q3	Geranyl acetate	0.0010 / 0.0030	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0030	1	ND	Q3	Guaiol	0.0010 / 0.0030	1	0.0134	Q3
alpha-Pinene	0.0010 / 0.0030	1	0.0569	Q3	Hexahydrothymol	0.0010 / 0.0030	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0030	1	ND	Q3	Isoborneol	0.0010 / 0.0030	1	0.0041	Q3
beta-Myrcene	0.0010 / 0.0030	1	0.8109	Q3	Isopulegol	0.0010 / 0.0030	1	ND	Q3
beta-Pinene	0.0010 / 0.0030	1	0.1327	Q3	Limonene	0.0010 / 0.0030	1	1.1309	Q3
Borneol	0.0010 / 0.0030	1	0.0084	Q3	Linalool	0.0010 / 0.0030	1	0.5535	Q3
Camphene	0.0010 / 0.0030	1	0.0164	Q3	Nerol	0.0010 / 0.0030	1	0.0348	Q3
Camphor	0.0010 / 0.0030	1	0.0089	Q3	Pulegone (+)	0.0010 / 0.0030	1	ND	Q3
3-Carene	0.0010 / 0.0030	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0030	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0030	1	0.0542	Q3	Terpineol	0.0010 / 0.0030	1	0.2617	Q3
Cedrol	0.0010 / 0.0030	1	0.0313	Q3	Terpinolene	0.0010 / 0.0030	1	0.0348	Q3
cis-Nerolidol	0.0010 / 0.0030	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0030	1	1.7531	Q3
cis-Ocimene	0.0010 / 0.0030	1	<LOQ	Q3	trans-Nerolidol	0.0010 / 0.0030	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0030	1	0.2189	Q3	trans-Ocimene	0.0010 / 0.0030	1	0.0530	Q3
Eucalyptol	0.0010 / 0.0030	1	ND	Q3	Valencene	0.0010 / 0.0030	1	ND	Q3
Fenchone	0.0010 / 0.0030	1	<LOQ	Q3					



Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2606SMAZ1231.4372
 Batch #: DFAZ-GRAROM-060126



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 25241

Microbial Analysis
Pass

Sample Prep

Batch Date: 06/09/2026
 SOP: 412.AZ
 Batch Number: 6250
 Test ID: 141949

Sample Analysis

Date: 06/10/2026
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.007 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 06/09/2026
 SOP: 406.AZ
 Batch Number: 6249
 Test ID: 141950

Sample Analysis

Date: 06/11/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.006 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 06/09/2026
 SOP: 406.AZ
 Batch Number: 6249
 Test ID: 141951

Sample Analysis

Date: 06/11/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.006 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2606SMAZ1231.4372
 Batch #: DFAZ-GRAROM-060126



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 25241

Residual Solvents
 HS-GC-MS **Pass**

Sample Prep
 Batch Date: 06/08/2026
 SOP: 405.AZ
 Batch Number: 6235
 Test ID: 141941

Sample Analysis
 Date: 06/09/2026
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.053 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	126 / 377	1	1000	ND		Heptane	628 / 1887	1	5000	ND	
Acetonitrile	52 / 155	1	410	ND		Hexanes	36 / 109	1	290	ND	
Benzene	0.24 / 0.76	1	2	ND		Isopropyl acetate	628 / 1887	1	5000	ND	
Butanes	157 / 472	1	5000	ND		Methanol	377 / 1132	1	3000	ND	
Chloroform	8 / 23	1	60	ND		Pentanes	157 / 472	1	5000	ND	
Dichloromethane	75 / 226	1	600	ND		2-Propanol (IPA)	628 / 1887	1	5000	ND	
Ethanol	628 / 1887	1	5000	ND		Toluene	112 / 336	1	890	ND	
Ethyl acetate	628 / 1887	1	5000	ND		Xylenes	274 / 819	1	2170	ND	
Ethyl ether	628 / 1887	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2606SMAZ1231.4372
 Batch #: DFAZ-GRAROM-060126



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 25241

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 06/09/2026
 SOP: 428.AZ
 Batch Number: 6247
 Test ID: 141942

Sample Analysis
 Date: 06/09/2026
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.224 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.054	0.179	10	0.4	ND	
Cadmium	0.054	0.179	10	0.4	ND	
Lead	0.054	0.447	10	1	ND	
Mercury	0.054	0.089	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 06/05/2026
 SOP: 432.AZ
 Batch Number: 6232
 Test ID: 141946

Sample Analysis
 Date: 06/10/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.508 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.94	9.84	1	20	ND	L1 V1
Aflatoxin B1	3.94	9.84	1		ND	I1, L1 V1
Aflatoxin B2	3.94	9.84	1		ND	L1 V1
Aflatoxin G1	3.94	9.84	1		ND	L1 V1
Aflatoxin G2	3.94	4.92	1		ND	I1, L1 V1
Ochratoxin A	9.84	9.84	1	20	ND	I1, L1 V1

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2606SMAZ1231.4372
 Batch #: DFAZ-GRAROM-060126



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 25241

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 06/05/2026
 SOP: 432.AZ
 Batch Number: 6232
 Test ID: 141945

Sample Analysis

Date: 06/10/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.508 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.082 / 0.246	1	0.5	ND	I1, L1 V1	Hexythiazox	0.164 / 0.492	1	1	ND	L1 V1
Acephate	0.066 / 0.197	1	0.4	ND	L1 V1	Imazalil	0.032 / 0.098	1	0.2	ND	
Acetamiprid	0.032 / 0.098	1	0.2	ND		Imidacloprid	0.066 / 0.197	1	0.4	ND	
Aldicarb	0.066 / 0.197	1	0.4	ND	L1 V1	Kresoxim-methyl	0.066 / 0.197	1	0.4	ND	
Azoxystrobin	0.032 / 0.098	1	0.2	ND		Malathion	0.032 / 0.098	1	0.2	ND	L1 V1
Bifenazate	0.032 / 0.098	1	0.2	ND		Metaxyl	0.032 / 0.098	1	0.2	ND	
Bifenthrin	0.032 / 0.098	1	0.2	ND	V1	Methiocarb	0.032 / 0.098	1	0.2	ND	L1 V1
Boscalid	0.066 / 0.197	1	0.4	ND	L1	Methomyl	0.066 / 0.197	1	0.4	ND	L1 V1
Carbaryl	0.032 / 0.098	1	0.2	ND	L1 V1	Myclobutanil	0.032 / 0.098	1	0.2	ND	
Carbofuran	0.032 / 0.098	1	0.2	ND		Naled	0.082 / 0.246	1	0.5	ND	V1
Chlorantraniliprole	0.032 / 0.098	1	0.2	ND	L1 V1	Oxamyl	0.164 / 0.492	1	1	ND	V1
Chlorfenapyr	0.164 / 0.492	1	1	ND		Pacllobutrazol	0.066 / 0.197	1	0.4	ND	
Chlorpyrifos	0.032 / 0.098	1	0.2	ND		Permethrins	0.032 / 0.098	1	0.2	ND	L1 V1
Clofentezine	0.032 / 0.098	1	0.2	ND		Phosmet	0.032 / 0.098	1	0.2	ND	L1 V1
Cyfluthrin	0.164 / 0.492	1	1	ND	L1	Piperonyl Butoxide	0.328 / 0.984	1	2	ND	
Cypermethrin	0.164 / 0.492	1	1	ND		Prallethrin	0.032 / 0.098	1	0.2	ND	L1 V1
Daminozide	0.164 / 0.492	1	1	ND		Propiconazole	0.066 / 0.197	1	0.4	ND	
Diazinon	0.032 / 0.098	1	0.2	ND		Propoxur	0.032 / 0.098	1	0.2	ND	L1 V1
Dichlorvos	0.017 / 0.049	1	0.1	ND		Pyrethrins	0.138 / 0.412	1	1	ND	V1
Dimethoate	0.032 / 0.098	1	0.2	ND		Pyridaben	0.032 / 0.098	1	0.2	ND	
Ethoprophos	0.032 / 0.098	1	0.2	ND		Spinosad	0.032 / 0.098	1	0.2	ND	
Etofenprox	0.066 / 0.197	1	0.4	ND		Spiromesifen	0.032 / 0.098	1	0.2	ND	
Etoxazole	0.032 / 0.098	1	0.2	ND		Spirotetramat	0.032 / 0.098	1	0.2	ND	V1
Fenoxycarb	0.032 / 0.098	1	0.2	ND	L1 V1	Spiroxamine	0.066 / 0.197	1	0.4	ND	
Fenpyroximate	0.066 / 0.197	1	0.4	ND		Tebuconazole	0.066 / 0.197	1	0.4	ND	
Fipronil	0.066 / 0.197	1	0.4	ND	I1, V1	Thiacloprid	0.032 / 0.098	1	0.2	ND	
Fonicamid	0.164 / 0.492	1	1	ND	V1	Thiamethoxam	0.032 / 0.098	1	0.2	ND	
Fludioxonil	0.066 / 0.197	1	0.4	ND		Trifloxystrobin	0.032 / 0.098	1	0.2	ND	

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2606SMAZ1231.4372
 Batch #: DFAZ-GRAROM-060126



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 25241

Moisture Analysis

Moisture: **9.06 %**
 Qualifier: Q3

Sample Prep and Analysis

Date: 06/08/2026
 SOP: 411 - Moisture Balance
 Sample Weight: 0.320 g



Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2606SMAZ1231.4372
 Batch #: DFAZ-GRAROM-060126



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 25241

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2606SMAZ1231.4372
 Batch #: DFAZ-GRAROM-060126



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 25241

Notes: Method of Extraction: Butane & Pressed



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>