



**Jeeter**  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2604SMAZ0802.2997  
Batch #: DFAZ-ISLPAP-041326



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 23618

(Jeeter) INFUSED ISLAND PAPAYA PREROLL 0.5G X 5, 1G, 2G, 0.5G

Batch #: DFAZ-ISLPAP-041326

Strain: Island Papaya

Parent Batch #:

Production Method: Other

Harvest Date: 01/14/2026

Received: 04/13/2026

Sample ID: 2604SMAZ0802.2997

Amount Received: 12.9 g

Sample Type: Enhanced/Infused Flowers

Sample Collected: 04/13/2026 10:30:00

Manufacture Date: 04/13/2026

Published: 04/15/2026



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3)

**Tested**

Microbial Contaminants

**Pass**

Residual Solvents

**Pass**

**40.3808%**

Total THC

Pesticides, Fungicides,  
and Growth Regulators

**Pass**

Mycotoxins

**Pass**

Heavy Metals

**Pass**

**ND**

Total CBD

### Additional Analytes (Not Regulated)

Terpenes Total (Q3)

**Tested**

Moisture Analysis (Q3)

**Tested**

Water Activity (Q3)

**Not Tested**

**ND**

CBN

Filth & Foreign (Q3)

**Not Tested**

Homogeneity (Q3)

**Not Tested**

Additional Microbial  
Contaminants (Q3)

**Not Tested**

**ND**

CBG

**46.5726%**

Total Cannabinoids (Q3)

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2604SMAZ0802.2997  
Batch #: DFAZ-ISLPAP-041326



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 23618

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 04/13/2026  
SOP: 418.AZ  
Batch Number: 5788  
Test ID: 131345

**Sample Analysis**

Date: 04/14/2026  
SOP: 417.AZ - HPLC  
Sample Weight: 0.042 g  
Volume: 40 mL

| Analyte | LOD (mg/g) | LOQ (mg/g) | Dil. | Actual % (w/w) | mg/g     | Qualifier |
|---------|------------|------------|------|----------------|----------|-----------|
| CBC     | 0.3070     | 0.9300     | 1    | ND             | ND       |           |
| CBD     | 0.3070     | 0.9300     | 1    | ND             | ND       |           |
| CBDA    | 0.3070     | 0.9300     | 1    | ND             | ND       |           |
| CBDV    | 0.3070     | 0.9300     | 1    | ND             | ND       |           |
| CBG     | 0.3070     | 0.9300     | 1    | ND             | ND       |           |
| CBGA    | 0.3070     | 0.9300     | 1    | 1.0733         | 10.7330  |           |
| CBN     | 0.3070     | 0.9300     | 1    | ND             | ND       |           |
| d8-THC  | 0.3070     | 0.9300     | 1    | ND             | ND       |           |
| d9-THC  | 0.3070     | 0.9300     | 1    | 3.8857         | 38.8570  |           |
| THCA    | 0.3070     | 0.9300     | 1    | 41.6135        | 416.1350 |           |
| THCV    | 0.3070     | 0.9300     | 1    | ND             | ND       |           |

| Cannabinoid Totals | Actual % (w/w) | mg/g     | Qualifier |
|--------------------|----------------|----------|-----------|
| Total THC          | 40.3808        | 403.8080 |           |
| Total CBD          | ND             | ND       |           |
| Total Cannabinoids | 46.5726        | 465.7260 | Q3        |

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2604SMAZ0802.2997  
Batch #: DFAZ-ISLPAP-041326



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 23618

**Terpene Total**

GC-FID

**Tested (3.8977%)**


**Sample Prep**

Batch Date: 04/13/2026  
SOP: 419  
Batch Number: 5786

**Sample Analysis**

Date: 04/14/2026  
SOP: 419 - GC-FID  
Sample Weight: 0.406 g  
Volume: 10 mL

| Analyte             | LOD / LOQ (%)   | Dil. | Results (%) | Qualifier | Analyte             | LOD / LOQ (%)   | Dil. | Results (%) | Qualifier |
|---------------------|-----------------|------|-------------|-----------|---------------------|-----------------|------|-------------|-----------|
| alpha-Bisabolol     | 0.0010 / 0.0030 | 1    | 0.0624      | Q3        | gamma-Terpinene     | 0.0010 / 0.0030 | 1    | <LOQ        | Q3        |
| alpha-Cedrene       | 0.0010 / 0.0030 | 1    | ND          | Q3        | Geraniol            | 0.0010 / 0.0030 | 1    | 0.3152      | Q3        |
| alpha-Humulene      | 0.0010 / 0.0030 | 1    | 0.0873      | Q3        | Geranyl acetate     | 0.0010 / 0.0030 | 1    | ND          | Q3        |
| alpha-Phellandrene  | 0.0010 / 0.0030 | 1    | ND          | Q3        | Guaiol              | 0.0010 / 0.0030 | 1    | 0.0299      | Q3        |
| alpha-Pinene        | 0.0010 / 0.0030 | 1    | 0.0670      | Q3        | Hexahydrothymol     | 0.0010 / 0.0030 | 1    | ND          | Q3        |
| alpha-Terpinene     | 0.0010 / 0.0030 | 1    | ND          | Q3        | Isoborneol          | 0.0010 / 0.0030 | 1    | ND          | Q3        |
| beta-Myrcene        | 0.0010 / 0.0030 | 1    | 0.2393      | Q3        | Isopulegol          | 0.0010 / 0.0030 | 1    | ND          | Q3        |
| beta-Pinene         | 0.0010 / 0.0030 | 1    | 0.0566      | Q3        | Limonene            | 0.0010 / 0.0030 | 1    | 0.2588      | Q3        |
| Borneol             | 0.0010 / 0.0030 | 1    | 0.0084      | Q3        | Linalool            | 0.0010 / 0.0030 | 1    | 2.0845      | Q3        |
| Camphene            | 0.0010 / 0.0030 | 1    | 0.0043      | Q3        | Nerol               | 0.0010 / 0.0030 | 1    | 0.0034      | Q3        |
| Camphor             | 0.0010 / 0.0030 | 1    | 0.0048      | Q3        | Pulegone (+)        | 0.0010 / 0.0030 | 1    | ND          | Q3        |
| 3-Carene            | 0.0010 / 0.0030 | 1    | ND          | Q3        | Sabinene Hydrate    | 0.0010 / 0.0030 | 1    | ND          | Q3        |
| Caryophyllene oxide | 0.0010 / 0.0030 | 1    | 0.0206      | Q3        | Terpineol           | 0.0010 / 0.0030 | 1    | 0.0522      | Q3        |
| Cedrol              | 0.0010 / 0.0030 | 1    | 0.0345      | Q3        | Terpinolene         | 0.0010 / 0.0030 | 1    | 0.0216      | Q3        |
| cis-Nerolidol       | 0.0010 / 0.0030 | 1    | ND          | Q3        | trans-Caryophyllene | 0.0010 / 0.0030 | 1    | 0.4620      | Q3        |
| cis-Ocimene         | 0.0010 / 0.0030 | 1    | ND          | Q3        | trans-Nerolidol     | 0.0010 / 0.0030 | 1    | 0.0389      | Q3        |
| Fenchyl alcohol     | 0.0010 / 0.0030 | 1    | 0.0347      | Q3        | trans-Ocimene       | 0.0010 / 0.0030 | 1    | 0.0104      | Q3        |
| Eucalyptol          | 0.0010 / 0.0030 | 1    | <LOQ        | Q3        | Valencene           | 0.0010 / 0.0030 | 1    | ND          | Q3        |
| Fenchone            | 0.0010 / 0.0030 | 1    | 0.0044      | Q3        |                     |                 |      |             |           |



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2604SMAZ0802.2997  
Batch #: DFAZ-ISLPAP-041326



## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 23618

### Microbial Analysis

Pass

#### Sample Prep

Batch Date: 04/13/2026  
SOP: 412.AZ  
Batch Number: 5792  
Test ID: 131366

#### Sample Analysis

Date: 04/14/2026  
SOP: 412.AZ - 3M Petrifilm  
Sample Weight: 1.014 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|---------|--------------------|---------------|-----------|-----------|
| E. coli | < 100 CFU/g        | < 10 CFU/g    | Pass      |           |

#### Sample Prep

Batch Date: 04/13/2026  
SOP: 406.AZ  
Batch Number: 5791  
Test ID: 131367

#### Sample Analysis

Date: 04/14/2026  
SOP: 406.AZ - qPCR (MG)  
Sample Weight: 1.006 g

| Analyte    | Allowable Criteria       | Actual Result            | Pass/Fail | Qualifier |
|------------|--------------------------|--------------------------|-----------|-----------|
| Salmonella | Not Detected in One Gram | Not Detected in One Gram | Pass      |           |

#### Sample Prep

Batch Date: 04/13/2026  
SOP: 406.AZ  
Batch Number: 5791  
Test ID: 131368

#### Sample Analysis

Date: 04/14/2026  
SOP: 406.AZ - qPCR (MG)  
Sample Weight: 1.006 g

| Analyte               | Allowable Criteria       | Actual Result            | Pass/Fail | Qualifier |
|-----------------------|--------------------------|--------------------------|-----------|-----------|
| Aspergillus flavus    | Not Detected in One Gram | Not Detected in One Gram | Pass      |           |
| Aspergillus fumigatus | Not Detected in One Gram | Not Detected in One Gram | Pass      |           |
| Aspergillus niger     | Not Detected in One Gram | Not Detected in One Gram | Pass      |           |
| Aspergillus terreus   | Not Detected in One Gram | Not Detected in One Gram | Pass      |           |

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2604SMAZ0802.2997  
Batch #: DFAZ-ISLPAP-041326



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 23618

**Residual Solvents**

HS-GC-MS

**Pass**

**Sample Prep**

Batch Date: 04/13/2026  
SOP: 405.AZ  
Batch Number: 5784  
Test ID: 131346

**Sample Analysis**

Date: 04/14/2026  
SOP: 405.AZ - HS-GC-MS  
Sample Weight: 0.052 g

| Analyte         | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier | Analyte           | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|-----------------|-----------------|------|--------------------|---------------|-----------|-------------------|-----------------|------|--------------------|---------------|-----------|
| Acetone         | 128 / 385       | 1    | 1000               | ND            |           | Heptane           | 640 / 1923      | 1    | 5000               | ND            |           |
| Acetonitrile    | 53 / 158        | 1    | 410                | ND            |           | Hexanes           | 37 / 112        | 1    | 290                | ND            |           |
| Benzene         | 0.25 / 0.77     | 1    | 2                  | ND            |           | Isopropyl acetate | 640 / 1923      | 1    | 5000               | ND            |           |
| Butanes         | 160 / 481       | 1    | 5000               | ND            |           | Methanol          | 385 / 1154      | 1    | 3000               | ND            |           |
| Chloroform      | 8 / 23          | 1    | 60                 | ND            |           | Pentanes          | 160 / 481       | 1    | 5000               | ND            |           |
| Dichloromethane | 77 / 231        | 1    | 600                | ND            |           | 2-Propanol (IPA)  | 640 / 1923      | 1    | 5000               | ND            |           |
| Ethanol         | 640 / 1923      | 1    | 5000               | ND            |           | Toluene           | 114 / 342       | 1    | 890                | ND            |           |
| Ethyl acetate   | 640 / 1923      | 1    | 5000               | ND            |           | Xylenes           | 279 / 835       | 1    | 2170               | ND            |           |
| Ethyl ether     | 640 / 1923      | 1    | 5000               | ND            |           |                   |                 |      |                    |               |           |

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2604SMAZ0802.2997  
Batch #: DFAZ-ISLPAP-041326



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 23618

**Heavy Metals**

ICP-MS

Pass

**Sample Prep**

Batch Date: 04/14/2026  
SOP: 428.AZ  
Batch Number: 5795  
Test ID: 131347

**Sample Analysis**

Date: 04/14/2026  
SOP: 428.AZ - ICP-MS  
Sample Weight: 0.229 g  
Volume: 6 mL

| Analyte | LOD (ppm) | LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|---------|-----------|-----------|------|--------------------|---------------|-----------|
| Arsenic | 0.052     | 0.175     | 10   | 0.4                | ND            |           |
| Cadmium | 0.052     | 0.175     | 10   | 0.4                | ND            |           |
| Lead    | 0.052     | 0.437     | 10   | 1                  | ND            |           |
| Mercury | 0.052     | 0.087     | 10   | 0.2                | ND            |           |

**Mycotoxin Analysis**

LC-MS/MS

Pass

**Sample Prep**

Batch Date: 04/13/2026  
SOP: 432.AZ  
Batch Number: 5793  
Test ID: 131351

**Sample Analysis**

Date: 04/15/2026  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.536 g  
Volume: 12.5 mL

| Analyte          | LOD (ppb) | LOQ (ppb) | Dil. | Action Limit (ppb) | Results (ppb) | Qualifier |
|------------------|-----------|-----------|------|--------------------|---------------|-----------|
| Total Aflatoxins | 3.73      | 9.33      | 1    | 20                 | ND            | L1 V1     |
| Aflatoxin B1     | 3.73      | 9.33      | 1    |                    | ND            |           |
| Aflatoxin B2     | 3.73      | 9.33      | 1    |                    | ND            | I1, V1    |
| Aflatoxin G1     | 3.73      | 9.33      | 1    |                    | ND            | I1        |
| Aflatoxin G2     | 3.73      | 4.66      | 1    |                    | ND            | L1        |
| Ochratoxin A     | 9.33      | 9.33      | 1    | 20                 | ND            | I1, R1    |

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2604SMAZ0802.2997  
Batch #: DFAZ-ISLPAP-041326



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 23618

**Pesticides, Fungicides, and  
Growth Regulators**  
LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 04/13/2026  
SOP: 432.AZ  
Batch Number: 5793  
Test ID: 131350

**Sample Analysis**

Date: 04/15/2026  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.536 g  
Volume: 12.5 mL

| Analyte             | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier | Analyte            | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|---------------------|-----------------|------|--------------------|---------------|-----------|--------------------|-----------------|------|--------------------|---------------|-----------|
| Abamectin B1a       | 0.077 / 0.233   | 1    | 0.5                | ND            |           | Hexythiazox        | 0.156 / 0.466   | 1    | 1                  | ND            |           |
| Acephate            | 0.062 / 0.187   | 1    | 0.4                | ND            |           | Imazalil           | 0.031 / 0.093   | 1    | 0.2                | ND            |           |
| Acetamiprid         | 0.031 / 0.093   | 1    | 0.2                | ND            |           | Imidacloprid       | 0.062 / 0.187   | 1    | 0.4                | ND            |           |
| Aldicarb            | 0.062 / 0.187   | 1    | 0.4                | ND            |           | Kresoxim-methyl    | 0.062 / 0.187   | 1    | 0.4                | ND            |           |
| Azoxystrobin        | 0.031 / 0.093   | 1    | 0.2                | ND            |           | Malathion          | 0.031 / 0.093   | 1    | 0.2                | ND            |           |
| Bifenazate          | 0.031 / 0.093   | 1    | 0.2                | ND            |           | Metaxyl            | 0.031 / 0.093   | 1    | 0.2                | ND            |           |
| Bifenthrin          | 0.031 / 0.093   | 1    | 0.2                | ND            |           | Methiocarb         | 0.031 / 0.093   | 1    | 0.2                | ND            |           |
| Boscalid            | 0.062 / 0.187   | 1    | 0.4                | ND            | V1        | Methomyl           | 0.062 / 0.187   | 1    | 0.4                | ND            |           |
| Carbaryl            | 0.031 / 0.093   | 1    | 0.2                | ND            |           | Myclobutanil       | 0.031 / 0.093   | 1    | 0.2                | ND            |           |
| Carbofuran          | 0.031 / 0.093   | 1    | 0.2                | ND            |           | Naled              | 0.077 / 0.233   | 1    | 0.5                | ND            | V1        |
| Chlorantraniliprole | 0.031 / 0.093   | 1    | 0.2                | ND            | V1        | Oxamyl             | 0.156 / 0.466   | 1    | 1                  | ND            |           |
| Chlorfenapyr        | 0.156 / 0.466   | 1    | 1                  | ND            | I1, V1    | Paclobutrazol      | 0.062 / 0.187   | 1    | 0.4                | ND            |           |
| Chlorpyrifos        | 0.031 / 0.093   | 1    | 0.2                | ND            |           | Permethrins        | 0.031 / 0.093   | 1    | 0.2                | ND            | V1        |
| Clofentezine        | 0.031 / 0.093   | 1    | 0.2                | ND            |           | Phosmet            | 0.031 / 0.093   | 1    | 0.2                | ND            | V1        |
| Cyfluthrin          | 0.156 / 0.466   | 1    | 1                  | ND            |           | Piperonyl Butoxide | 0.311 / 0.933   | 1    | 2                  | ND            |           |
| Cypermethrin        | 0.156 / 0.466   | 1    | 1                  | ND            |           | Prallethrin        | 0.031 / 0.093   | 1    | 0.2                | ND            |           |
| Daminozide          | 0.156 / 0.466   | 1    | 1                  | ND            |           | Propiconazole      | 0.062 / 0.187   | 1    | 0.4                | ND            |           |
| Diazinon            | 0.031 / 0.093   | 1    | 0.2                | ND            |           | Propoxur           | 0.031 / 0.093   | 1    | 0.2                | ND            |           |
| Dichlorvos          | 0.016 / 0.047   | 1    | 0.1                | ND            | V1        | Pyrethrins         | 0.130 / 0.391   | 1    | 1                  | ND            |           |
| Dimethoate          | 0.031 / 0.093   | 1    | 0.2                | ND            |           | Pyridaben          | 0.031 / 0.093   | 1    | 0.2                | ND            |           |
| Ethoprophos         | 0.031 / 0.093   | 1    | 0.2                | ND            |           | Spinosad           | 0.031 / 0.093   | 1    | 0.2                | ND            |           |
| Etofenprox          | 0.062 / 0.187   | 1    | 0.4                | ND            |           | Spiromesifen       | 0.031 / 0.093   | 1    | 0.2                | ND            |           |
| Etoxazole           | 0.031 / 0.093   | 1    | 0.2                | ND            |           | Spirotetramat      | 0.031 / 0.093   | 1    | 0.2                | ND            | V1        |
| Fenoxycarb          | 0.031 / 0.093   | 1    | 0.2                | ND            |           | Spiroxamine        | 0.062 / 0.187   | 1    | 0.4                | ND            |           |
| Fenpyroximate       | 0.062 / 0.187   | 1    | 0.4                | ND            |           | Tebuconazole       | 0.062 / 0.187   | 1    | 0.4                | ND            |           |
| Fipronil            | 0.062 / 0.187   | 1    | 0.4                | ND            | I1, L1 V1 | Thiacloprid        | 0.031 / 0.093   | 1    | 0.2                | ND            |           |
| Flonicamid          | 0.156 / 0.466   | 1    | 1                  | ND            | V1        | Thiamethoxam       | 0.031 / 0.093   | 1    | 0.2                | ND            |           |
| Fludioxonil         | 0.062 / 0.187   | 1    | 0.4                | ND            |           | Trifloxystrobin    | 0.031 / 0.093   | 1    | 0.2                | ND            |           |

**Ahmed Munshi**

Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2604SMAZ0802.2997  
Batch #: DFAZ-ISLPAP-041326



SMITHERS

## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 23618

### Moisture Analysis

Moisture: **8.28 %**  
Qualifier: Q3

### Sample Prep and Analysis

Date: 04/13/2026  
SOP: 411 - Moisture Balance  
Sample Weight: 0.314 g



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2604SMAZ0802.2997  
Batch #: DFAZ-ISLPAP-041326



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 23618

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2604SMAZ0802.2997  
Batch #: DFAZ-ISLPAP-041326



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 23618

**Notes:** Method of Extraction: Butane & Pressed



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.  
This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>