



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2503SMAZ0302.0937
Batch #: DFAZ-IDC-030325



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 11348

(Jeeter) INFUSED IN DA COUCH LIVE RESIN 0.5G X 3, 1.3G CANNON PREROLL

Batch #: DFAZ-IDC-030325

Strain: In Da Couch

Parent Batch #:

Production Method: Indoor

Harvest Date: 12/13/2024

Received: 03/06/2025

Sample ID: 2503SMAZ0302.0937

Amount Received: 11.8 g

Sample Type: Enhanced/Infused Preroll

Sample Collected: 03/06/2025 12:15:00

Manufacture Date: 03/03/2025

Published: 03/11/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)

Tested

Microbial Contaminants

Pass

Residual Solvents

Pass

40.686%

Total THC

Pesticides, Fungicides,
and Growth Regulators

Pass

Mycotoxins

Pass

Heavy Metals

Pass

0.413%

Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3)

Tested

Moisture Analysis (Q3)

Tested

Water Activity (Q3)

Tested

0.263%

CBN

Filth & Foreign (Q3)

Not Tested

Homogeneity (Q3)

Not Tested

Additional Microbial
Contaminants (Q3)

Not Tested

0.575%

CBG

47.934%

Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.

Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2503SMAZ0302.0937
Batch #: DFAZ-IDC-030325



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 11348

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 03/07/2025
SOP: 418.AZ
Batch Number: 2818

Sample Analysis

Date: 03/07/2025
SOP: 417.AZ - HPLC
Sample Weight: 0.044 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.293	0.888	1	0.219	2.195	
CBD	0.293	0.888	1	<LOQ	<LOQ	
CBDA	0.293	0.888	1	0.471	4.709	
CBDV	0.293	0.888	1	ND	ND	
CBG	0.293	0.888	1	0.575	5.749	
CBGA	0.293	0.888	1	2.097	20.967	
CBN	0.293	0.888	1	0.263	2.633	
d8-THC	0.293	0.888	1	ND	ND	
d9-THC	0.293	0.888	1	15.712	157.119	
THCA	0.293	0.888	1	28.477	284.769	
THCV	0.293	0.888	1	0.120	1.195	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	40.686	406.862	
Total CBD	0.413	4.130	
Total Cannabinoids	47.934	479.336	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 25035MAZ0302.0937
Batch #: DFAZ-IDC-030325



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 11348

Terpene Total

GC-FID

Tested (3.3336%)


Sample Prep

Batch Date: 03/07/2025
SOP: 419
Batch Number: 2816

Sample Analysis

Date: 03/08/2025
SOP: 419 - GC-FID
Sample Weight: 0.409 g
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.1493	Q3	gamma-Terpinene	0.0010 / 0.0029	1	ND	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	0.0048	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.3500	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	0.0752	Q3
alpha-Pinene	0.0010 / 0.0029	1	0.0426	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	0.3280	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	0.0450	Q3	Limonene	0.0010 / 0.0029	1	0.3943	Q3
Borneol	0.0010 / 0.0029	1	0.0183	Q3	Linalool	0.0010 / 0.0029	1	0.3787	Q3
Camphene	0.0010 / 0.0029	1	0.0140	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	0.0419	Q3	Terpineol	0.0010 / 0.0029	1	0.0959	Q3
Cedrol	0.0010 / 0.0029	1	0.0868	Q3	Terpinolene	0.0010 / 0.0029	1	0.0135	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	1.1806	Q3
cis-Ocimene	0.0010 / 0.0029	1	<LOQ	Q3	trans-Nerolidol	0.0010 / 0.0029	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	0.1028	Q3	trans-Ocimene	0.0010 / 0.0029	1	ND	Q3
Eucalyptol	0.0010 / 0.0029	1	0.0041	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	0.0077	Q3					



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2503SMAZ0302.0937
Batch #: DFAZ-IDC-030325



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 11348

Microbial Analysis

Pass

Sample Prep

Batch Date: 03/10/2025
SOP: 412.AZ
Batch Number: 2830

Sample Analysis

Date: 03/11/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.088 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

Sample Prep

Batch Date: 03/10/2025
SOP: 406.AZ
Batch Number: 2828

Sample Analysis

Date: 03/11/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.025 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 03/10/2025
SOP: 406.AZ
Batch Number: 2828

Sample Analysis

Date: 03/11/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.025 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2503SMAZ0302.0937
Batch #: DFAZ-IDC-030325



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 11348

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 03/06/2025
SOP: 405.AZ
Batch Number: 2809

Sample Analysis

Date: 03/07/2025
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.052 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	63 / 192	1	1000	ND		Heptane	321 / 962	1	5000	ND	
Acetonitrile	27 / 79	1	410	ND		Hexanes	46 / 139	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	321 / 962	1	5000	ND	
Butanes	160 / 481	1	5000	ND		Methanol	192 / 577	1	3000	<LOQ	
Chloroform	4 / 12	1	60	ND		Pentanes	321 / 962	1	5000	ND	
Dichloromethane	38 / 115	1	600	ND		2-Propanol (IPA)	321 / 962	1	5000	<LOQ	
Ethanol	321 / 962	1	5000	ND		Toluene	58 / 171	1	890	ND	
Ethyl acetate	321 / 962	1	5000	ND		Xylenes	279 / 835	1	2170	ND	
Ethyl ether	321 / 962	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2503SMAZ0302.0937
Batch #: DFAZ-IDC-030325



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 11348

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 03/10/2025
SOP: 428.AZ
Batch Number: 2831

Sample Analysis

Date: 03/10/2025
SOP: 428.AZ - ICP-MS
Sample Weight: 0.226 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.053	0.177	10	0.4	ND	
Cadmium	0.053	0.177	10	0.4	ND	
Lead	0.053	0.443	10	1	ND	
Mercury	0.053	0.088	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 03/07/2025
SOP: 432.AZ
Batch Number: 2817

Sample Analysis

Date: 03/10/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.589 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.40	8.49	1	20	ND	V1
Aflatoxin B1	3.40	8.49	1		ND	I1
Aflatoxin B2	3.40	8.49	1		ND	I1, V1
Aflatoxin G1	3.40	8.49	1		ND	
Aflatoxin G2	3.40	4.24	1		ND	I1
Ochratoxin A	8.49	8.49	1	20	ND	I1, R1 V1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 25035MAZ0302.0937
Batch #: DFAZ-IDC-030325



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 11348

Pesticides, Fungicides, and Growth Regulators

LC-MS/MS **Pass**

Sample Prep

Batch Date: 03/07/2025
SOP: 432.AZ
Batch Number: 2817

Sample Analysis

Date: 03/10/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.589 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.070 / 0.212	1	0.5	ND		Hexythiazox	0.142 / 0.424	1	1	ND	
Acephate	0.057 / 0.170	1	0.4	ND		Imazalil	0.028 / 0.085	1	0.2	ND	
Acetamiprid	0.028 / 0.085	1	0.2	ND		Imidacloprid	0.057 / 0.170	1	0.4	ND	
Aldicarb	0.057 / 0.170	1	0.4	ND		Kresoxim-methyl	0.057 / 0.170	1	0.4	ND	
Azoxystrobin	0.028 / 0.085	1	0.2	ND		Malathion	0.028 / 0.085	1	0.2	ND	
Bifenazate	0.028 / 0.085	1	0.2	ND		Metaxyl	0.028 / 0.085	1	0.2	ND	
Bifenthrin	0.028 / 0.085	1	0.2	ND		Methiocarb	0.028 / 0.085	1	0.2	ND	
Boscalid	0.057 / 0.170	1	0.4	ND		Methomyl	0.057 / 0.170	1	0.4	ND	
Carbaryl	0.028 / 0.085	1	0.2	ND		Myclobutanil	0.028 / 0.085	1	0.2	ND	
Carbofuran	0.028 / 0.085	1	0.2	ND		Naled	0.070 / 0.212	1	0.5	ND	
Chlorantraniliprole	0.028 / 0.085	1	0.2	ND		Oxamyl	0.142 / 0.424	1	1	ND	
Chlorfenapyr	0.142 / 0.424	1	1	ND		Paclobutrazol	0.057 / 0.170	1	0.4	ND	
Chlorpyrifos	0.028 / 0.085	1	0.2	ND		Permethrins	0.028 / 0.085	1	0.2	ND	
Clofentezine	0.028 / 0.085	1	0.2	ND		Phosmet	0.028 / 0.085	1	0.2	ND	
Cyfluthrin	0.142 / 0.424	1	1	ND	R1	Piperonyl Butoxide	0.283 / 0.849	1	2	ND	
Cypermethrin	0.142 / 0.424	1	1	ND		Prallethrin	0.028 / 0.085	1	0.2	ND	
Daminozide	0.142 / 0.424	1	1	ND		Propiconazole	0.057 / 0.170	1	0.4	ND	
Diazinon	0.028 / 0.085	1	0.2	ND		Propoxur	0.028 / 0.085	1	0.2	ND	
Dichlorvos	0.014 / 0.042	1	0.1	ND		Pyrethrins	0.119 / 0.356	1	1	ND	
Dimethoate	0.028 / 0.085	1	0.2	ND		Pyridaben	0.028 / 0.085	1	0.2	ND	
Ethoprophos	0.028 / 0.085	1	0.2	ND		Spinosad	0.028 / 0.085	1	0.2	ND	
Etofenprox	0.057 / 0.170	1	0.4	ND		Spiromesifen	0.028 / 0.085	1	0.2	ND	
Etoxazole	0.028 / 0.085	1	0.2	ND		Spirotetramat	0.028 / 0.085	1	0.2	ND	
Fenoxycarb	0.028 / 0.085	1	0.2	ND		Spiroxamine	0.057 / 0.170	1	0.4	ND	
Fenpyroximate	0.057 / 0.170	1	0.4	ND		Tebuconazole	0.057 / 0.170	1	0.4	ND	
Fipronil	0.057 / 0.170	1	0.4	ND		Thiacloprid	0.028 / 0.085	1	0.2	ND	
Fonicamid	0.142 / 0.424	1	1	ND		Thiamethoxam	0.028 / 0.085	1	0.2	ND	
Fludioxonil	0.057 / 0.170	1	0.4	ND		Trifloxystrobin	0.028 / 0.085	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2503SMAZ0302.0937
Batch #: DFAZ-IDC-030325



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 11348

Moisture Analysis

Moisture: **8.95 %**
Qualifier: Q3

Sample Prep and Analysis

Date: 03/06/2025
SOP: 411 - Moisture Balance
Sample Weight: 0.324 g

Water Activity

Water Activity: **0.3045AW aw**
Qualifier: Q3

Sample Prep and Analysis

Date: 03/06/2025
SOP: 433 - Water Activity Meter
Sample Weight: 1.005 g

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2503SMAZ0302.0937
Batch #: DFAZ-IDC-030325



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 11348

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
2626 South Roosevelt Street
Tempe, AZ 85282
License #: 00000066DCBO00410690
Sample ID: 2503SMAZ0302.0937
Batch #: DFAZ-IDC-030325



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 11348

Notes: Method of Extraction: Butane



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.
This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>