



**Jeeter**  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2506SMAZ0867.2483  
Batch #: DFAZ-ACAGOL-052125



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 13593

**(Jeeter) INFUSED ACAPULCO GOLD PREROLL 2G**

Batch #: DFAZ-ACAGOL-052125

Strain: ACAPULCO GOLD

Parent Batch #:

Production Method: Indoor

Harvest Date: 03/04/2025

Received: 06/02/2025

Sample ID: 2506SMAZ0867.2483

Amount Received: 12.2 g

Sample Type: Enhanced/Infused Flowers

Sample Collected: 06/02/2025 10:56:00

Manufacture Date: 05/21/2025

Published: 06/05/2025



**COMPLIANCE FOR RETAIL**

**Regulated Analytes**

Cannabinoid Profile (Q3)

**Tested**

Microbial Contaminants

**Pass**

Residual Solvents

**Pass**

**43.298%**

Total THC

Pesticides, Fungicides,  
and Growth Regulators

**Pass**

Mycotoxins

**Pass**

Heavy Metals

**Pass**

**ND**

Total CBD

**Additional Analytes (Not Regulated)**

Terpenes Total (Q3)

**Tested**

Moisture Analysis (Q3)

**Tested**

Water Activity (Q3)

**Tested**

**ND**

CBN

Filth & Foreign (Q3)

**Not Tested**

Homogeneity (Q3)

**Not Tested**

Additional Microbial  
Contaminants (Q3)

**Not Tested**

**0.223%**

CBG

**49.438%**

Total Cannabinoids (Q3)


**Ahmed Munshi**

Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.

Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2506SMAZ0867.2483  
Batch #: DFAZ-ACAGOL-052125



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 13593

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 06/02/2025  
SOP: 418.AZ  
Batch Number: 3399  
Test ID: 68605

**Sample Analysis**

Date: 06/03/2025  
SOP: 417.AZ - HPLC  
Sample Weight: 0.0412 g  
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.313	0.949	1	<LOQ	<LOQ	
CBD	0.313	0.949	1	ND	ND	
CBDA	0.313	0.949	1	ND	ND	
CBDV	0.313	0.949	1	ND	ND	
CBG	0.313	0.949	1	0.223	2.227	
CBGA	0.313	0.949	1	0.428	4.284	
CBN	0.313	0.949	1	ND	ND	
d8-THC	0.313	0.949	1	ND	ND	
d9-THC	0.313	0.949	1	4.162	41.624	
THCA	0.313	0.949	1	44.624	446.240	
THCV	0.313	0.949	1	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	43.298	432.977	
Total CBD	ND	ND	
Total Cannabinoids	49.438	494.376	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 25065MAZ0867.2483  
Batch #: DFAZ-ACAGOL-052125



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 13593

**Terpene Total**

GC-FID

**Tested (1.4290%)**


**Sample Prep**

Batch Date: 06/03/2025  
SOP: 419  
Batch Number: 3404

**Sample Analysis**

Date: 06/04/2025  
SOP: 419 - GC-FID  
Sample Weight: 0.414 g  
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.0950	Q3	gamma-Terpinene	0.0010 / 0.0029	1	ND	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	ND	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.0889	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	0.0204	Q3	Guaiol	0.0010 / 0.0029	1	ND	Q3
alpha-Pinene	0.0010 / 0.0029	1	<LOQ	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	0.0086	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	<LOQ	Q3	Limonene	0.0010 / 0.0029	1	0.0862	Q3
Borneol	0.0010 / 0.0029	1	0.0197	Q3	Linalool	0.0010 / 0.0029	1	0.3942	Q3
Camphene	0.0010 / 0.0029	1	ND	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	0.0187	Q3
3-Carene	0.0010 / 0.0029	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	0.0029	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	0.0318	Q3	Terpineol	0.0010 / 0.0029	1	0.1607	Q3
Cedrol	0.0010 / 0.0029	1	0.0396	Q3	Terpinolene	0.0010 / 0.0029	1	<LOQ	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	0.3476	Q3
cis-Ocimene	0.0010 / 0.0029	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0029	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	0.1066	Q3	trans-Ocimene	0.0010 / 0.0029	1	0.0031	Q3
Eucalyptol	0.0010 / 0.0029	1	<LOQ	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	0.0049	Q3					



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2506SMAZ0867.2483  
Batch #: DFAZ-ACAGOL-052125



## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 13593

### Microbial Analysis

Pass

#### Sample Prep

Batch Date: 06/03/2025  
SOP: 412.AZ  
Batch Number: 3408  
Test ID: 68634

#### Sample Analysis

Date: 06/04/2025  
SOP: 412.AZ - 3M Petrifilm  
Sample Weight: 1.004 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

#### Sample Prep

Batch Date: 06/03/2025  
SOP: 406.AZ  
Batch Number: 3407  
Test ID: 68636

#### Sample Analysis

Date: 06/04/2025  
SOP: 406.AZ - qPCR (MG)  
Sample Weight: 1.019 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

#### Sample Prep

Batch Date: 06/03/2025  
SOP: 406.AZ  
Batch Number: 3407  
Test ID: 68639

#### Sample Analysis

Date: 06/04/2025  
SOP: 406.AZ - qPCR (MG)  
Sample Weight: 1.019 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2506SMAZ0867.2483  
Batch #: DFAZ-ACAGOL-052125



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 13593

**Residual Solvents**

HS-GC-MS

**Pass**

**Sample Prep**

Batch Date: 06/02/2025  
SOP: 405.AZ  
Batch Number: 3394  
Test ID: 68606

**Sample Analysis**

Date: 06/03/2025  
SOP: 405.AZ - HS-GC-MS  
Sample Weight: 0.0543 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	61 / 184	1	1000	ND		Heptane	308 / 921	1	5000	ND	
Acetonitrile	26 / 76	1	410	ND		Hexanes	44 / 134	1	290	ND	
Benzene	0.13 / 0.37	1	2	ND		Isopropyl acetate	308 / 921	1	5000	ND	
Butanes	153 / 460	1	5000	ND		Methanol	184 / 552	1	3000	<LOQ	
Chloroform	4 / 11	1	60	ND		Pentanes	308 / 921	1	5000	ND	
Dichloromethane	37 / 110	1	600	ND		2-Propanol (IPA)	308 / 921	1	5000	ND	
Ethanol	308 / 921	1	5000	ND		Toluene	55 / 164	1	890	ND	
Ethyl acetate	308 / 921	1	5000	ND		Xylenes	267 / 799	1	2170	ND	
Ethyl ether	308 / 921	1	5000	ND							

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2506SMAZ0867.2483  
Batch #: DFAZ-ACAGOL-052125



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 13593

**Heavy Metals**

ICP-MS

Pass

**Sample Prep**

Batch Date: 06/03/2025  
SOP: 428.AZ  
Batch Number: 3403  
Test ID: 68607

**Sample Analysis**

Date: 06/04/2025  
SOP: 428.AZ - ICP-MS  
Sample Weight: 0.233 g  
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.052	0.172	10	0.4	ND	
Cadmium	0.052	0.172	10	0.4	ND	
Lead	0.052	0.429	10	1	ND	
Mercury	0.052	0.086	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS

Pass

**Sample Prep**

Batch Date: 06/03/2025  
SOP: 432.AZ  
Batch Number: 3392  
Test ID: 68611

**Sample Analysis**

Date: 06/03/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.514 g  
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.89	9.73	1	20	ND	R1
Aflatoxin B1	3.89	9.73	1		ND	
Aflatoxin B2	3.89	9.73	1		ND	R1
Aflatoxin G1	3.89	9.73	1		ND	R1
Aflatoxin G2	3.89	4.86	1		ND	R1
Ochratoxin A	9.73	9.73	1	20	ND	I1, L1 V1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 25065MAZ0867.2483  
Batch #: DFAZ-ACAGOL-052125



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 13593

**Pesticides, Fungicides, and  
Growth Regulators**  
LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 06/02/2025  
SOP: 432.AZ  
Batch Number: 3392  
Test ID: 68610

**Sample Analysis**

Date: 06/03/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.514 g  
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.081 / 0.243	1	0.5	ND		Hexythiazox	0.162 / 0.486	1	1	ND	
Acephate	0.065 / 0.195	1	0.4	ND		Imazalil	0.032 / 0.097	1	0.2	ND	
Acetamiprid	0.032 / 0.097	1	0.2	ND		Imidacloprid	0.065 / 0.195	1	0.4	ND	
Aldicarb	0.065 / 0.195	1	0.4	ND		Kresoxim-methyl	0.065 / 0.195	1	0.4	ND	
Azoxystrobin	0.032 / 0.097	1	0.2	ND		Malathion	0.032 / 0.097	1	0.2	ND	
Bifenazate	0.032 / 0.097	1	0.2	ND		Metaxyl	0.032 / 0.097	1	0.2	ND	
Bifenthrin	0.032 / 0.097	1	0.2	ND		Methiocarb	0.032 / 0.097	1	0.2	ND	
Boscalid	0.065 / 0.195	1	0.4	ND		Methomyl	0.065 / 0.195	1	0.4	ND	
Carbaryl	0.032 / 0.097	1	0.2	ND		Myclobutanil	0.032 / 0.097	1	0.2	ND	I1
Carbofuran	0.032 / 0.097	1	0.2	ND		Naled	0.081 / 0.243	1	0.5	ND	
Chlorantraniliprole	0.032 / 0.097	1	0.2	ND		Oxamyl	0.162 / 0.486	1	1	ND	
Chlorfenapyr	0.162 / 0.486	1	1	ND		Paclobutrazol	0.065 / 0.195	1	0.4	ND	
Chlorpyrifos	0.032 / 0.097	1	0.2	ND		Permethrins	0.032 / 0.097	1	0.2	ND	
Clofentezine	0.032 / 0.097	1	0.2	ND		Phosmet	0.032 / 0.097	1	0.2	ND	
Cyfluthrin	0.162 / 0.486	1	1	ND		Piperonyl Butoxide	0.324 / 0.973	1	2	ND	
Cypermethrin	0.162 / 0.486	1	1	ND		Prallethrin	0.032 / 0.097	1	0.2	ND	
Daminozide	0.162 / 0.486	1	1	ND		Propiconazole	0.065 / 0.195	1	0.4	ND	
Diazinon	0.032 / 0.097	1	0.2	ND		Propoxur	0.032 / 0.097	1	0.2	ND	
Dichlorvos	0.017 / 0.049	1	0.1	ND	I1	Pyrethrins	0.136 / 0.408	1	1	ND	
Dimethoate	0.032 / 0.097	1	0.2	ND		Pyridaben	0.032 / 0.097	1	0.2	ND	
Ethoprophos	0.032 / 0.097	1	0.2	ND		Spinosad	0.032 / 0.097	1	0.2	ND	
Etofenprox	0.065 / 0.195	1	0.4	ND		Spiromesifen	0.032 / 0.097	1	0.2	ND	
Etoxazole	0.032 / 0.097	1	0.2	ND		Spirotetramat	0.032 / 0.097	1	0.2	ND	
Fenoxycarb	0.032 / 0.097	1	0.2	ND		Spiroxamine	0.065 / 0.195	1	0.4	ND	
Fenpyroximate	0.065 / 0.195	1	0.4	ND		Tebuconazole	0.065 / 0.195	1	0.4	ND	
Fipronil	0.065 / 0.195	1	0.4	ND	V1	Thiacloprid	0.032 / 0.097	1	0.2	ND	
Fonicamid	0.162 / 0.486	1	1	ND		Thiamethoxam	0.032 / 0.097	1	0.2	ND	
Fludioxonil	0.065 / 0.195	1	0.4	ND		Trifloxystrobin	0.032 / 0.097	1	0.2	ND	

**Ahmed Munshi**

Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2506SMAZ0867.2483  
Batch #: DFAZ-ACAGOL-052125



SMITHERS

## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 13593

### Moisture Analysis

Moisture: **14.46 %**  
Qualifier: Q3

### Sample Prep and Analysis

Date: 06/02/2025  
SOP: 411 - Moisture Balance  
Sample Weight: 0.311 g

### Water Activity

Water Activity: **0.4446AW aw**  
Qualifier: Q3

### Sample Prep and Analysis

Date: 06/02/2025  
SOP: 433 - Water Activity Meter  
Sample Weight: 0.573 g

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>





Jeeter  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2506SMAZ0867.2483  
Batch #: DFAZ-ACAGOL-052125



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 13593

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Jeeter**  
2626 South Roosevelt Street  
Tempe, AZ 85282  
License #: 00000066DCBO00410690  
Sample ID: 2506SMAZ0867.2483  
Batch #: DFAZ-ACAGOL-052125



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 13593

**Notes:** METHOD OF EXTRACTION: HYDROCARBON & PRESSED



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.  
This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>