



High Mountain Health, LLC • 1250 S Plaza Wy Ste A Flagstaff AZ 86001 • AZDHS Lic #00000050DCBO00239922

**Product & Strain:** Flower/Pre-Rolls, U M o

**Batch ID:** 19

**Date of Harvest:**

**Date of Manufacture (if applicable):** N/A

**Method of Extraction (if applicable):** N/A

Distribution Chain - This marijuana or marijuana product was manufactured and distributed by High Mountain Health, LLC, AZDHS Registration Certificate ID Number: 00000050DCBO00239922. Our products are sold to High Mountain Cannabis Dispensary in Flagstaff and various other AZDHS licensed medical marijuana dispensaries and marijuana establishments in Arizona to then be dispensed to medical marijuana patients or sold to adult-use consumers. [Find Your KAYA](#)

All KAYA products produced by High Mountain Health, LLC are fully tested for your safety in compliance with guidelines for laboratory certification, product sampling, and testing requirements established by Senate Bill 1494.

Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



# Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/18/2023

2307OPT2474.9665

## SAMPLE NAME: 1959MIK1B5TS-FP

Matrix: Plant | Type: Flower - Cured  
Strain Name: Mickey's OG | Classification: Sativa

## CULTIVATOR/MANUFACTURER:

**Business Name:** High Mountain Health, LLC  
**License:** 00000050DCBO00239922

**Address:** 3850 E Huntington Dr, Flagstaff, AZ 86004

## SAMPLE DETAIL:

**Batch Number:**  
1959

**Date Received:**  
07/14/2023

**Batch Size:**

**External Lot ID:**

**Sample Size:**

**Other Information:**

**Unit Mass:**  
g



Scan QR code to verify authenticity of results.

## CANNABINOID ANALYSIS SUMMARY

**Total THC:** 18.0849%  
 $\Delta 9$ -THC + (THCa \* 0.877)

**Total Cannabinoids:** 20.9839%  
CBD + CBDa + CBG + CBGa + CBN +  $\Delta 8$ -THC +  $\Delta 9$ -THC + THCa + THCV

**Total CBD:** ND  
CBD + (CBDa \* 0.877)

## SAFETY ANALYSIS SUMMARY

**Pesticides:**  Pass

**Heavy Metals:**  Pass

**Moisture:** Not Tested

**Mycotoxins:** Not Tested

**Residual Solvents:** Not Tested

**Water Activity:** Not Tested

**Microbials:**  Pass

**Foreign Material:** Not Tested

## TERPENE ANALYSIS SUMMARY

NOT TESTED

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589  
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S., Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



# Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/18/2023

2307OPT2474.9665

## CANNABINOID TEST RESULTS: 07/14/2023

Method: HPLC

<p><b>18.0849%</b></p> <p>18.0849%</p> <p>Total THC</p>	<p><b>20.9839%</b></p> <p>20.9839%</p> <p>Total Cannabinoids</p>
<p><b>ND</b></p> <p>ND</p> <p>Total CBD</p>	<p><b>NT</b></p> <p>Moisture (Q3)</p>

Analyte	Qualifier	LOQ	Result	Result
		%	%	mg/g
THCa		0.0300	20.3530	203.530
Δ9-THC		0.0300	0.2353	2.353
Δ8-THC		0.0300	ND	ND
CBDa		0.0200	ND	ND
CBD		0.0200	ND	ND
CBN		0.0040	ND	ND
CBG		0.0040	0.1222	1.222
CBGa		0.0040	0.2734	2.734
THCV		0.0040	ND	ND
<b>Total THC</b>			<b>18.0849</b>	<b>180.8488</b>
<b>Total CBD</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>				

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589  
 The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1, Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 – Q3.



# Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/18/2023

2307OPT2474.9665

## MICROBIALS TEST RESULTS: 07/14/2023

Pass

Method:: BioRad qPCR

Analyte	Qualifier	Limits/Units	Result	Final Result
		CFU/g	CFU/g	
E. Coli		100	<40.0000	Pass
Yeast & Mold	Q3		NR	NT

Analyte	Qualifier	Limits/Units	Result	Final Result
Salmonella		1g	Not Detected	Pass
Aspergillus fumigatus		1g	Not Detected	Pass
Aspergillus niger		1g	Not Detected	Pass
Aspergillus flavus		1g	Not Detected	Pass
Aspergillus terreus		1g	Not Detected	Pass



Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589  
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1, Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 – Q3.



**OnPoint**  
LABORATORIES

# Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/18/2023

2307OPT2474.9665

## PESTICIDES TEST RESULTS: 07/14/2023

Pass

Method:: Agilent Ultivo LC/MS

Pesticides	Qualifier	LOO	Limit	Result	Final Result	Pesticides	Qualifier	LOO	Limit	Result	Final Result
		PPM	PPM	PPM				PPM	PPM	PPM	
Abamectin		0.2500	0.5000	ND	Pass	Hexythiazox	M2	0.5000	1.0000	ND	Pass
Acephate		0.2000	0.4000	ND	Pass	Imazalil	V1M3	0.1000	0.2000	ND	Pass
Acequinocyl		1.0000	2.0000	ND	Pass	Imidacloprid		0.2000	0.4000	ND	Pass
Acetamiprid		0.1000	0.2000	ND	Pass	Kresoxim Methyl		0.2000	0.4000	ND	Pass
Aldicarb		0.2000	0.4000	ND	Pass	Malathion		0.1000	0.2000	ND	Pass
Azoxystrobin		0.1000	0.2000	ND	Pass	Metalaxyl		0.1000	0.2000	ND	Pass
Bifenazate	L1	0.1000	0.2000	ND	Pass	Methiocarb		0.1000	0.2000	ND	Pass
Bifenthrin		0.1000	0.2000	ND	Pass	Methomyl		0.2000	0.4000	ND	Pass
Boscalid		0.2000	0.4000	ND	Pass	Myclobutanil		0.1000	0.2000	ND	Pass
Carbaryl		0.1000	0.2000	ND	Pass	Naled	V1	0.2500	0.5000	ND	Pass
Carbofuran		0.1000	0.2000	ND	Pass	Oxamyl		0.5000	1.0000	ND	Pass
Chlorantraniliprole		0.1000	0.2000	ND	Pass	Paclobutrazol		0.2000	0.4000	ND	Pass
Chlorfenapyr	V1	0.5000	1.0000	ND	Pass	Permethrins	M2	0.1000	0.2000	ND	Pass
Chlorpyrifos	M2	0.1000	0.2000	ND	Pass	Phosmet		0.1000	0.2000	ND	Pass
Clofentezine		0.1000	0.2000	ND	Pass	Piperonyl Butoxide		1.0000	2.0000	ND	Pass
Cyfluthrin		0.5000	1.0000	ND	Pass	Prallethrin		0.1000	0.2000	ND	Pass
Cypermethrin		0.5000	1.0000	ND	Pass	Propoxur		0.1000	0.2000	ND	Pass
Daminozide	V1	0.5000	1.0000	ND	Pass	Pyrethrins	M2	0.5000	1.0000	ND	Pass
DDVP	V1	0.0500	0.1000	ND	Pass	Propiconazole		0.2000	0.4000	ND	Pass
Diazinon		0.1000	0.2000	ND	Pass	Pyridaben		0.1000	0.2000	ND	Pass
Dimethoate		0.1000	0.2000	ND	Pass	Spinosad	V1	0.1000	0.2000	ND	Pass
Ethoprophos		0.1000	0.2000	ND	Pass	Spiromesifen		0.1000	0.2000	ND	Pass
Etofenprox		0.2000	0.4000	ND	Pass	Spirotetramat		0.1000	0.2000	ND	Pass
Etoxazole		0.1000	0.2000	ND	Pass	Spiroxamine		0.2000	0.4000	ND	Pass
Fenoxycarb		0.1000	0.2000	ND	Pass	Tebuconazole	V1	0.2000	0.4000	ND	Pass
Fenpyroximate		0.2000	0.4000	ND	Pass	Thiacloprid		0.1000	0.2000	ND	Pass
Fipronil	V1	0.2000	0.4000	ND	Pass	Thiamethoxam		0.1000	0.2000	ND	Pass
Fonicamid	V1	0.5000	1.0000	ND	Pass	Trifloxystrobin	M2	0.1000	0.2000	ND	Pass
Fludioxonil		0.2000	0.4000	ND	Pass						

LABORATORIES

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589  
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1, Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



# Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/18/2023

2307OPT2474.9665

## HEAVY METALS TEST RESULTS: 07/14/2023

Pass

Method:: Agilent 7800 ICP MS

Analyte	Qualifier	LOQ	Limit	Result	Final Result
		PPB	PPB	PPB	
Arsenic		200.00	400.00	ND	Pass
Cadmium		200.00	400.00	<LOQ	Pass
Lead		500.00	1000.00	<LOQ	Pass
Mercury		600.00	1200.00	<LOQ	Pass



Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589  
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 – Q3.