



High Mountain Health, LLC • 1250 S Plaza Wy Ste A Flagstaff AZ 86001 • AZDHS Lic #00000050DCBO00239922

Product & Strain: KAYA Cured Resin, Mickey's Kush - Sativa

Batch ID: MIKCMB04BHO

Date of Harvest: 1/31/2023

Date of Manufacture (if applicable): 7/31/2023

Method of Extraction (if applicable): Butane

Distribution Chain - This marijuana or marijuana product was manufactured and distributed by High Mountain Health, LLC, AZDHS Registration Certificate ID Number: 00000050DCBO00239922. Our products are sold to High Mountain Cannabis Dispensary in Flagstaff and various other AZDHS licensed medical marijuana dispensaries and marijuana establishments in Arizona to then be dispensed to medical marijuana patients or sold to adult-use consumers. [Find Your KAYA](#)

All KAYA products produced by High Mountain Health, LLC are fully tested for your safety in compliance with guidelines for laboratory certification, product sampling, and testing requirements established by Senate Bill 1494.

Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

SAMPLE NAME: MIKCMB04BHO T

SAMPLE ID: A23G0033-01

CCB ID: 2307OPT2603.10192

CULTIVATOR/MANUFACTURER

Business Name: High Mountain Health, LLC

License: 00000050DCBO00239922

Address: 3850 E Huntington Dr. Flagstaff, AZ 86004



SAMPLE DETAIL

Date Collected: 7/20/2023 12:59:26PM

Matrix: Sugar Wax

Strain: Mickey's Kush

Ex. Lot ID: MIKCMB04BHO

Batch#: MIKCMB04BHO

Batch Size: 9g

Other Information:

CANNABINOID ANALYSIS SUMMARY

Total THC: 77.81%

d9-THC + (THCa * 0.877)

Total CBD: ND

CBD + (CBDa * 0.877)

Total Cannabinoids: 89.84%

CBD + CBG + CBN + CBDa + CBGa
+ THCa + THCv + d8THC + d9THC

SAFETY ANALYSIS SUMMARY

Microbials: PASS

Mycotoxins: PASS

Metals: PASS

Solvents: PASS

Pesticides: PASS

Data Reviewed by Symone Whalin, Technical Laboratory Director



| | |
|------------------|--|
| 77.81% | 89.84% |
| Total THC | Total Cannabinoids <small>*Q3 Informational use only</small> |
| ND | N/A |
| Total CBD | Moisture <small>*Q3 Informational use only</small> |

CANNABINOID TEST RESULTS

Date Analyzed: 07/22/23 08:49; Method: Agilent 1260 LC

| Analyte | Qualifier | LOQ | Result | Result |
|--------------|-----------|----------|--------------|---------------|
| | | % | % | mg/g |
| delta 9-THC | | 0.03000 | 2.587 | 25.87 |
| THCA | | 0.03000 | 85.77 | 857.70 |
| CBD | | 0.02000 | ND | ND |
| CBDA | | 0.02000 | ND | ND |
| CBN | Q3M2 | 0.004000 | ND | ND |
| delta 8-THC | Q3 | 0.03000 | ND | ND |
| CBG | Q3 | 0.004000 | ND | ND |
| CBGA | Q3 | 0.004000 | 1.476 | 14.76 |
| THCV | Q3 | 0.004000 | ND | ND |
| Total CBD | | 0.03000 | ND | ND |
| Total THC | | 0.03000 | 77.81 | 778.10 |
| Total | | 0.004000 | 89.84 | 898.40 |

HEAVY METALS TEST RESULTS

Pass

Date Analyzed: 07/22/23 07:44; Method: Agilent 7800 ICP MS

| Analyte | Qualifier | LOQ | Limit | Result | Status |
|---------|-----------|-----|-------|--------|--------|
| | | ppb | ppb | ppb | |
| Arsenic | | 200 | 400 | ND | Pass |
| Cadmium | | 200 | 400 | ND | Pass |
| Lead | | 500 | 1000 | ND | Pass |
| Mercury | | 600 | 1200 | ND | Pass |

Data Reviewed by Symone Whalin, Technical Laboratory Director




PESTICIDES TEST RESULTS

Pass

Date Analyzed: 07/22/23 15:59; Method: Agilent 1260 LC 6470BMS

| Analyte | Qualifier | LOQ | Limit | Result | Status | Analyte | Qualifier | LOQ | Limit | Result | Status |
|---------------------|-----------|--------|-------|--------|--------|--------------------|-----------|-------|-------|--------|--------|
| | | ppm | ppm | ppm | | | | ppm | ppm | ppm | |
| Avermectin B1a | M1, V1 | 0.250 | 0.5 | ND | Pass | Hexythiazox | | 0.500 | 1 | ND | Pass |
| Acephate | | 0.200 | 0.4 | ND | Pass | Imazalil | V1 | 0.100 | 0.2 | ND | Pass |
| Acequinocyl | | 1.00 | 2 | ND | Pass | Imidacloprid | | 0.200 | 0.4 | ND | Pass |
| Acetamiprid | | 0.100 | 0.2 | ND | Pass | Kresoxim-methyl | | 0.200 | 0.4 | ND | Pass |
| Aldicarb | V1 | 0.200 | 0.4 | ND | Pass | Malathion | | 0.100 | 0.2 | ND | Pass |
| Azoxystrobin | | 0.100 | 0.2 | ND | Pass | Metalaxyl | | 0.100 | 0.2 | ND | Pass |
| Bifenazate | M1 | 0.100 | 0.2 | ND | Pass | Methiocarb | | 0.100 | 0.2 | ND | Pass |
| Bifenthrin | | 0.100 | 0.2 | ND | Pass | Methomyl | | 0.200 | 0.4 | ND | Pass |
| Boscalid | | 0.200 | 0.4 | ND | Pass | Myclobutanil | V1 | 0.100 | 0.2 | ND | Pass |
| Carbaryl | | 0.100 | 0.2 | ND | Pass | Naled | | 0.250 | 0.5 | ND | Pass |
| Carbofuran | | 0.100 | 0.2 | ND | Pass | Oxamyl | | 0.500 | 1 | ND | Pass |
| Chlorantraniliprole | | 0.100 | 0.2 | ND | Pass | Paclobutrazol | V1 | 0.200 | 0.4 | ND | Pass |
| Chlorfenapyr | M2, V1 | 0.500 | 1 | ND | Pass | Permethrins | | 0.100 | 0.2 | ND | Pass |
| Chlorpyrifos | M2 | 0.100 | 0.2 | ND | Pass | Phosmet | | 0.100 | 0.2 | ND | Pass |
| Clofentezine | | 0.100 | 0.2 | ND | Pass | Piperonyl Butoxide | | 1.00 | 2 | ND | Pass |
| Cyfluthrin | M1 | 0.500 | 1 | ND | Pass | Prallethrin | M1 | 0.100 | 0.2 | ND | Pass |
| Cypermethrin | | 0.500 | 1 | ND | Pass | Propiconazole | | 0.200 | 0.4 | ND | Pass |
| Daminozide | V1 | 0.500 | 1 | ND | Pass | Propoxur | | 0.100 | 0.2 | ND | Pass |
| DDVP (Dichlorvos) | M1, V1 | 0.0500 | 0.1 | ND | Pass | Pyrethrins | | 0.500 | 1 | ND | Pass |
| Diazinon | | 0.100 | 0.2 | ND | Pass | Pyridaben | | 0.100 | 0.2 | ND | Pass |
| Dimethoate | | 0.100 | 0.2 | ND | Pass | Spinosad | | 0.100 | 0.2 | ND | Pass |
| Ethoprop(hos) | | 0.100 | 0.2 | ND | Pass | Spiromesifen | | 0.100 | 0.2 | ND | Pass |
| Etofenprox | | 0.200 | 0.4 | ND | Pass | Spirotetramat | | 0.100 | 0.2 | ND | Pass |
| Etoxazole | | 0.100 | 0.2 | ND | Pass | Spiroxamine | | 0.200 | 0.4 | ND | Pass |
| Fenoxycarb | | 0.100 | 0.2 | ND | Pass | Tebuconazole | V1 | 0.200 | 0.4 | ND | Pass |
| Fenpyroximate | | 0.200 | 0.4 | ND | Pass | Thiacloprid | | 0.100 | 0.2 | ND | Pass |
| Fipronil | | 0.200 | 0.4 | ND | Pass | Thiamethoxam | | 0.100 | 0.2 | ND | Pass |
| Flonicamid | | 0.500 | 1 | ND | Pass | Trifloxystrobin | M2 | 0.100 | 0.2 | ND | Pass |
| Fludioxonil | | 0.200 | 0.4 | ND | Pass | | | | | | |

MYCOTOXINS TEST RESULTS

Pass

Date Analyzed: 07/22/23 15:59; Method: Agilent 1260 LC 6470BMS

| Analyte | Qualifier | LOQ | Limit | Result | Status |
|------------------|-----------|------|-------|--------|--------|
| | | ppb | ppb | ppb | |
| Aflatoxin B1 | | 10.0 | | ND | |
| Aflatoxin B2 | | 10.0 | | ND | |
| Aflatoxin G1 | | 10.0 | | ND | |
| Aflatoxin G2 | | 10.0 | | ND | |
| Ochratoxin A | V1 | 10.0 | 20 | ND | Pass |
| Total Aflatoxins | | 10.0 | 20 | ND | Pass |

Data Reviewed by Symone Whalin, Technical Laboratory Director




RESIDUAL SOLVENTS TEST RESULTS

Pass

Date Analyzed: 07/21/23 13:41; Method: Agilent Intuvo 9000 GC 5977BMS

| Analyte | Qualifier | LOQ | Limit | Result | Status |
|-------------------|-----------|-------|-------|--------|--------|
| | | ppm | ppm | ppm | |
| Acetone | | 500.0 | 1000 | ND | Pass |
| Acetonitrile | | 205.0 | 410 | ND | Pass |
| Benzene | | 1.000 | 2 | ND | Pass |
| Butanes | | 2,500 | 5000 | ND | Pass |
| Chloroform | | 30.00 | 60 | ND | Pass |
| Dichloromethane | | 300.0 | 600 | ND | Pass |
| Ethanol | | 2,500 | 5000 | ND | Pass |
| Ethyl acetate | | 2,500 | 5000 | ND | Pass |
| Ethyl ether | | 2,500 | 5000 | ND | Pass |
| Heptane | | 2,500 | 5000 | ND | Pass |
| Hexanes | | 145.0 | 290 | ND | Pass |
| Isopropyl acetate | | 2,500 | 5000 | ND | Pass |
| Methanol | | 1,500 | 3000 | ND | Pass |
| Pentanes | | 2,500 | 5000 | ND | Pass |
| 2-Propanol (IPA) | | 2,500 | 5000 | ND | Pass |
| Propane | | 2,500 | 5000 | ND | Pass |
| Toluene | | 445.0 | 890 | ND | Pass |
| Xylenes | | 1,085 | 2170 | ND | Pass |

MICROBIALS TEST RESULTS

Pass

Date Analyzed: 07/22/23 12:42; Method: 3M Petrifilm

| Analyte | Qualifier | Limit | Result | Status |
|-----------------------|-----------|----------------------|------------------------|--------|
| | | cfu/g | cfu/g | |
| Escherichia coli | | 100 | <40 CFU/g | Pass |
| Salmonella spp. | | Detectable in 1 gram | Not detected in 1 gram | Pass |
| Aspergillus terreus | | Detectable in 1 gram | Not detected in 1 gram | Pass |
| Aspergillus niger | | Detectable in 1 gram | Not detected in 1 gram | Pass |
| Aspergillus fumigatus | | Detectable in 1 gram | Not detected in 1 gram | Pass |
| Aspergillus flavus | | Detectable in 1 gram | Not detected in 1 gram | Pass |

Data Reviewed by Symone Whalin, Technical Laboratory Director


