



Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 06/01/2023

2305OPT2031.7933

SAMPLE NAME: MOBYCMB4BHO FPT

Matrix: Concentrates & Extracts | Type: Sauce
Strain Name: Moby Dick | Classification: Sativa

CULTIVATOR/MANUFACTURER:

Business Name: High Mountain Health, LLC
License: 00000050DCBO00239922

Address: 3850 E Huntington Dr, Flagstaff, AZ 86004

SAMPLE DETAIL:

Batch Number:
MOBYCMB4BHO

Date Received:
05/26/2023


Batch Size:
9 g

External Lot ID:
MOBYCMB4BHO

Sample Size:

Other Information:

Unit Mass:
g



Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS SUMMARY

Total THC: 69.0347%
 $\Delta 9$ -THC + (THCa * 0.877)

Total Cannabinoids: 82.3191%
CBD + CBDa + CBG + CBGa + CBN + $\Delta 8$ -THC + $\Delta 9$ -THC + THCa + THCv

Total CBD: ND
CBD + (CBDa * 0.877)

SAFETY ANALYSIS SUMMARY

Pesticides: Pass

Heavy Metals: Pass

Moisture: Not Tested

Mycotoxins: Pass

Residual Solvents: Pass

Water Activity: Not Tested

Microbials: Pass

Foreign Material: Not Tested

TERPENE ANALYSIS SUMMARY

NOT TESTED



Data Reviewed by Symone Whalin, Laboratory Technical Director Designee

OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 06/01/2023

2305OPT2031.7933

CANNABINOID TEST RESULTS: 05/26/2023

Method: HPLC

<p>69.0347%</p> <p>69.0347%</p> <p>Total THC</p>	<p>82.3191%</p> <p>ND</p> <p>Total Cannabinoids</p>
<p>ND</p> <p>82.3191%</p> <p>Total CBD</p>	<p>NT</p> <p>Moisture (Q3)</p>

Analyte	Qualifier	LOQ	Result	Result
		%	%	mg/g
THCa		0.0300	64.4308	644.308
Δ9-THC		0.0300	12.5289	125.289
Δ8-THC		0.0300	ND	ND
CBDa		0.0200	ND	ND
CBD		0.0200	ND	ND
CBN		0.0040	ND	ND
CBG		0.0040	0.6634	6.634
CBGa		0.0040	4.6960	46.960
THCV		0.0040	ND	ND
Total THC			69.0347	690.3471
Total CBD			ND	ND
Total				

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
 The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 06/01/2023

2305OPT2031.7933

MICROBIALS TEST RESULTS: 05/26/2023

Pass

Method: BioRad qPCR

Analyte	Qualifier	Limits/Units	Result	Final Result
		CFU/g	CFU/g	
E. Coli		100	<40.0000	Pass
Yeast & Mold	Q3		NR	NT

Analyte	Qualifier	Limits/Units	Result	Final Result
Salmonella		1g	Not Detected	Pass
Aspergillus fumigatus		1g	Not Detected	Pass
Aspergillus niger		1g	Not Detected	Pass
Aspergillus flavus		1g	Not Detected	Pass
Aspergillus terreus		1g	Not Detected	Pass



Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



OnPoint
LABORATORIES

Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 06/01/2023

2305OPT2031.7933

PESTICIDES TEST RESULTS: 05/26/2023

Pass

Method: Agilent Ultivo LC/MS

Pesticides	Qualifier	LOQ	Limit	Result	Final Result	Pesticides	Qualifier	LOQ	Limit	Result	Final Result
		PPM	PPM	PPM				PPM	PPM	PPM	
Abamectin	V1L1	0.2500	0.5000	ND	Pass	Hexythiazox	V1	0.5000	1.0000	ND	Pass
Acephate		0.2000	0.4000	ND	Pass	Imazalil		0.1000	0.2000	ND	Pass
Acequinocyl	V1M2	1.0000	2.0000	ND	Pass	Imidacloprid	V1	0.2000	0.4000	ND	Pass
Acetamiprid		0.1000	0.2000	ND	Pass	Kresoxim Methyl		0.2000	0.4000	ND	Pass
Aldicarb		0.2000	0.4000	ND	Pass	Malathion		0.1000	0.2000	ND	Pass
Azoxystrobin		0.1000	0.2000	ND	Pass	Metalaxyl		0.1000	0.2000	ND	Pass
Bifenazate		0.1000	0.2000	ND	Pass	Methiocarb		0.1000	0.2000	ND	Pass
Bifenthrin	V1M2	0.1000	0.2000	ND	Pass	Methomyl		0.2000	0.4000	ND	Pass
Boscalid		0.2000	0.4000	ND	Pass	Myclobutanil	V1	0.1000	0.2000	ND	Pass
Carbaryl		0.1000	0.2000	ND	Pass	Naled		0.2500	0.5000	ND	Pass
Carbofuran		0.1000	0.2000	ND	Pass	Oxamyl		0.5000	1.0000	ND	Pass
Chlorantraniliprole	V1	0.1000	0.2000	ND	Pass	Paclbutrazol	V1	0.2000	0.4000	ND	Pass
Chlorfenapyr	V1L1	0.5000	1.0000	ND	Pass	Permethrins	V1M2	0.1000	0.2000	ND	Pass
Chlorpyrifos	V1	0.1000	0.2000	ND	Pass	Phosmet		0.1000	0.2000	ND	Pass
Clofentezine	V1	0.1000	0.2000	ND	Pass	Piperonyl Butoxide	M2	1.0000	2.0000	ND	Pass
Cyfluthrin	V1L1	0.5000	1.0000	ND	Pass	Prallethrin	V1	0.1000	0.2000	ND	Pass
Cypermethrin	V1	0.5000	1.0000	ND	Pass	Propoxur		0.1000	0.2000	ND	Pass
Daminozide	V1L1	0.5000	1.0000	ND	Pass	Pyrethrins	V1M1	0.5000	1.0000	ND	Pass
DDVP		0.0500	0.1000	ND	Pass	Propiconazole		0.2000	0.4000	ND	Pass
Diazinon		0.1000	0.2000	ND	Pass	Pyridaben	M2	0.1000	0.2000	ND	Pass
Dimethoate		0.1000	0.2000	ND	Pass	Spinosad	M2	0.1000	0.2000	ND	Pass
Ethoprophos		0.1000	0.2000	ND	Pass	Spiromesifen		0.1000	0.2000	ND	Pass
Etofenprox	M2	0.2000	0.4000	ND	Pass	Spirotetramat	V1R1	0.1000	0.2000	ND	Pass
Etoxazole		0.1000	0.2000	ND	Pass	Spiroxamine		0.2000	0.4000	ND	Pass
Fenoxycarb	V1	0.1000	0.2000	ND	Pass	Tebuconazole	V1	0.2000	0.4000	ND	Pass
Fenpyroximate	V1	0.2000	0.4000	ND	Pass	Thiacloprid	V1	0.1000	0.2000	ND	Pass
Fipronil		0.2000	0.4000	ND	Pass	Thiamethoxam	V1	0.1000	0.2000	ND	Pass
Flonicamid		0.5000	1.0000	ND	Pass	Trifloxystrobin		0.1000	0.2000	ND	Pass
Fludioxonil	V1	0.2000	0.4000	ND	Pass						

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



OnPoint
LABORATORIES

Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 06/01/2023

2305OPT2031.7933

MYCOTOXINS TEST RESULTS: 05/26/2023

Pass

Method: Agilent Ultivo LC/MS

Analyte	Qualifier	LOQ PPB	Limit PPB	Result PPB	Final Result
Ochratoxin A	V1R1	10.0000	20.0000	ND	Pass
Total Aflatoxins	V1B2	10.0000	20.0000	ND	Pass



OnPoint

LABORATORIES

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 06/01/2023

2305OPT2031.7933

HEAVY METALS TEST RESULTS: 05/26/2023

Pass

Method: Agilent 7800 ICP MS

Analyte	Qualifier	LOQ	Limit	Result	Final Result
		PPB	PPB	PPB	
Arsenic		200.00	400.00	ND	Pass
Cadmium		200.00	400.00	<LOQ	Pass
Lead		500.00	1000.00	<LOQ	Pass
Mercury		600.00	1200.00	<LOQ	Pass



Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



OnPoint
LABORATORIES

Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 06/01/2023

2305OPT2031.7933

SOLVENTS TEST RESULTS: 05/31/2023

Pass

Method: Agilent Intuvo 9000 gas chromatography

Analyte	Qualifier	LOQ	Limit	Result	Final Result
		PPM	PPM	PPM	
Acetone		500.0000	1000.0000	ND	Pass
Acetonitrile	L1	205.0000	410.0000	ND	Pass
Benzene		1.0000	2.0000	ND	Pass
Butanes		2500.0000	5000.0000	ND	Pass
Chloroform		30.0000	60.0000	ND	Pass
Dichloromethane		300.0000	600.0000	ND	Pass
Ethanol		2500.0000	5000.0000	ND	Pass
Ethyl-Acetate		2500.0000	5000.0000	ND	Pass
Ethyl-Ether		2500.0000	5000.0000	ND	Pass
Heptane		2500.0000	5000.0000	ND	Pass
Hexanes		145.0000	290.0000	ND	Pass
Isopropanol		2500.0000	5000.0000	ND	Pass
Isopropyl-Acetate		2500.0000	5000.0000	ND	Pass
Methanol		1500.0000	3000.0000	ND	Pass
Pentanes		2500.0000	5000.0000	ND	Pass
Propane		2500.0000	5000.0000	ND	Pass
Toluene		445.0000	890.0000	ND	Pass
Xylenes		1085.0000	2170.0000	ND	Pass

OnPoint

LABORATORIES

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.