



Certificate of Analysis

Laboratory Sample ID: TE50122001-001



Production Method: Alcohol (Non-Ethanol Extraction)
Harvest/Lot ID: 120424
Batch#: 120424-OC-19
Manufacturing Date: 2025-01-17 00:00:00
Lot Date : 2025-01-17 00:00:00
Harvest Date: 09/24/24
Sample Size Received: 412.20 gram
Total Amount: 1 units
Retail Product Size: 355 ml
Retail Serving Size: 355 ml
Servings: 1
Sample Density: 1.08 g/mL
Ordered: 01/22/25
Sampled: 01/22/25
Sample Collection Time: 09:30 AM
Completed: 01/24/25
Revision Date: 01/24/25

PASSED

Pages 1 of 3

Jan 24, 2025 | Sublime Brands
 License # 00000014ESNA15249640
 1101 N 21st Ave
 Phoenix, AZ, 85009, US

SAFETY RESULTS

| | | | | | | | | |
|---|---|--|---|---|--|---|---|---|
|  Pesticides NOT TESTED |  Heavy Metals NOT TESTED |  Microbials PASSED |  Mycotoxins NOT TESTED |  Residuals Solvents NOT TESTED |  Filtration NOT TESTED |  Water Activity NOT TESTED |  Moisture NOT TESTED |  Terpenes NOT TESTED |
|---|---|--|---|---|--|---|---|---|

Cannabinoid **PASSED**

| | | |
|---|--|---|
|  Total THC 0.0247% Total THC/Container : 94.70 mg |  Total CBD ND Total CBD/Container : 0.00 mg |  Total Cannabinoids 0.0263% Total Cannabinoids/Container : 100.83 mg |
|---|--|---|

| | D9-THC | THCA | CBD | CBDA | CBG | CBGA | CBN | D8-THC | THCV | CBDV | CBC |
|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| % | 0.0247 | ND | ND | ND | 0.0016 | ND | ND | ND | ND | ND | ND |
| mg/unit | 94.700 | ND | ND | ND | 6.134 | ND | ND | ND | ND | ND | ND |
| LOQ | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 |
| | % | % | % | % | % | % | % | % | % | % | % |

Analyzed by: 312, 359, 272, 409 Weight: 2.0794g Extraction date: 01/22/25 16:39:31 Extracted by: 312
 Analysis Method : SOP.T.30.500, SOP.T.30.031, SOP.T.40.031
 Analytical Batch : TE007346POT
 Instrument Used : TE-004 "Duke Leto" (Flower) Batch Date : 01/21/25 14:21:39
 Analyzed Date : 01/23/25 12:33:52

Dilution : 6
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales
 Lab Director
 State License # 00000024LCMD66604568
 ISO 17025 Accreditation # 97164


 Signature
 01/24/25



1231 W. Warner Road, Suite 105
 Tempe, AZ, 85284, US
 (480) 220-4470

Kaycha Labs

Original Cola 100mg
 Hybrid
 Matrix : Infused
 Type: Beverage



Certificate of Analysis

PASSED

Sublime Brands

1101 N 21st Ave
 Phoenix, AZ, 85009, US
 Telephone: (602) 525-4966
 Email: info@sublimeaz.com
 License #: 00000014ESNA15249640

Sample : TE50122001-001
 Harvest/Lot ID: 120424
 Lot Date : 01/17/25

Batch#: 120424-OC-19
 Sampled : 01/22/25
 Ordered : 01/22/25

Sample Size Received : 412.20 gram
 Total Amount : 1 units
 Completed : 01/24/25 Expires: 01/24/26
 Sample Method : SOP Client Method

Page 2 of 3

| | | |
|--|------------------|---------------|
| | Microbial | PASSED |
|--|------------------|---------------|

| Analyte | LOQ | Units | Result | Pass / Fail | Action Level |
|----------------------|---------|-------|-------------------|-------------|--------------|
| SALMONELLA SPP | 0.0000 | | Not Present in 1g | PASS | |
| ESCHERICHIA COLI REC | 10.0000 | CFU/g | <10 | PASS | 100 |

| | | | |
|-------------------------------|---------------|---------------------------------------|--------------------------|
| Analyzed by: 331, 272, 409 | Weight: 1g | Extraction date: 01/23/25 17:08:06 | Extracted by: 527,331 |
|-------------------------------|---------------|---------------------------------------|--------------------------|

Analysis Method : SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208, SOP.T.40.209.AZ
 Analytical Batch : TE007362MIC
 Instrument Used : TE-234 "bioMerieux GENE-UP" Batch Date : 01/22/25 13:26:17
 Analyzed Date : 01/24/25 10:38:58

Dilution : 10
 Reagent : 120924.35; 080124.46; 092424.34; 012125.R59; 120524.08; 010925.35; 010925.42
 Consumables : N/A
 Pipette : TE-053 SN:20E78952; TE-061 SN:20C35454; TE-062 SN:20C50491; TE-066 SN:20D56970; TE-069 SN:21B23920; TE-109 SN:20B18330; TE-256 Dispensette S Bottle Top Dispenser SN:20G36073; TE-258

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales

Lab Director

State License #
 00000024LCMD66604568
 ISO 17025 Accreditation # 97164

Signature
 01/24/25



1231 W. Warner Road, Suite 105
 Tempe, AZ, 85284, US
 (480) 220-4470

Kaycha Labs

.....
 Original Cola 100mg
 Hybrid
 Matrix : Infused
 Type: Beverage



Certificate of Analysis

PASSED

Sublime Brands

1101 N 21st Ave
 Phoenix, AZ, 85009, US
Telephone: (602) 525-4966
Email: info@sublimeaz.com
License # : 00000014ESNA15249640

Sample : TE50122001-001

Harvest/Lot ID: 120424
Lot Date : 01/17/25
Batch# : 120424-OC-19
Sampled : 01/22/25
Ordered : 01/22/25

Sample Size Received : 412.20 gram
Total Amount : 1 units
Completed : 01/24/25 **Expires:** 01/24/26
Sample Method : SOP Client Method

Page 3 of 3

COMMENTS

* Confident Cannabis sample ID: 2501KLAZ0096.0445



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales

Lab Director

State License #
 00000024LCMD66604568
 ISO 17025 Accreditation # 97164

Signature
 01/24/25



Sublime
 1035 N. 21st Ave
 Phoenix, AZ 85009
 License #: 00000014ESNA15249640
 Sample ID: 2412SMAZ1533.4592
 Batch #: 120424



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9755

120424

Batch #: 120424
Strain: Growers Blend Hybrid
Parent Batch #:
Production Method: Multiple Solvents
Harvest Date: 09/20/2024
Received: 12/09/2024

Sample ID: 2412SMAZ1533.4592
Amount Received: 11.9 g
Sample Type: Distillate
Sample Collected: 12/09/2024 13:59:00
Manufacture Date: 12/04/2024
Published: 12/12/2024



COMPLIANCE FOR RETAIL

Regulated Analytes

| | | |
|---|--|---|
| Cannabinoid Profile (Q3) Tested | Microbial Contaminants Pass | Residual Solvents Pass |
| Pesticides, Fungicides, and Growth Regulators Pass | Mycotoxins Pass | Heavy Metals Pass |

86.842%
Total THC

0.380%
Total CBD

Additional Analytes (Not Regulated)

| | | |
|--|--|--|
| Terpenes Total (Q3) Not Tested | Moisture Analysis (Q3) Not Tested | Water Activity (Q3) Not Tested |
| Filth & Foreign (Q3) Not Tested | Homogeneity (Q3) Not Tested | Additional Microbial Contaminants (Q3) Not Tested |

0.892%
CBN

6.493%
CBG

95.169%
Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sublime
 1035 N. 21st Ave
 Phoenix, AZ 85009
 License #: 00000014ESNA15249640
 Sample ID: 2412SMAZ1533.4592
 Batch #: 120424



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9755

Cannabinoid Profile

HPLC **Tested**

Sample Prep
 Batch Date: 12/10/2024
 SOP: 418.AZ
 Batch Number: 2352

Sample Analysis
 Date: 12/11/2024
 SOP: 417.AZ - HPLC
 Sample Weight: 0.043 g
 Volume: 40 mL

| Analyte | LOD (mg/g) | LOQ (mg/g) | Dil. | Actual % (w/w) | mg/g | Qualifier |
|---------|------------|------------|------|----------------|---------|-----------|
| CBC | 0.300 | 0.909 | 1 | 0.204 | 2.038 | |
| CBD | 0.300 | 0.909 | 1 | 0.380 | 3.795 | |
| CBDA | 0.300 | 0.909 | 1 | ND | ND | |
| CBDV | 0.300 | 0.909 | 1 | ND | ND | |
| CBG | 0.300 | 0.909 | 1 | 6.493 | 64.929 | |
| CBGA | 0.300 | 0.909 | 1 | ND | ND | |
| CBN | 0.300 | 0.909 | 1 | 0.892 | 8.920 | |
| d8-THC | 0.300 | 0.909 | 1 | ND | ND | |
| d9-THC | 0.300 | 0.909 | 1 | 86.842 | 868.419 | |
| THCA | 0.300 | 0.909 | 1 | ND | ND | |
| THCV | 0.300 | 0.909 | 1 | 0.359 | 3.587 | |

| Cannabinoid Totals | Actual % (w/w) | mg/g | Qualifier |
|--------------------|----------------|---------|-----------|
| Total THC | 86.842 | 868.419 | |
| Total CBD | 0.380 | 3.795 | |
| Total Cannabinoids | 95.169 | 951.688 | Q3 |

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sublime
 1035 N. 21st Ave
 Phoenix, AZ 85009
 License #: 00000014ESNA15249640
 Sample ID: 2412SMAZ1533.4592
 Batch #: 120424



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9755

Microbial Analysis
 Pass

Sample Prep

Batch Date: 12/10/2024
 SOP: 412.AZ
 Batch Number: 2349

Sample Analysis

Date: 12/11/2024
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.098 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|---------|--------------------|---------------|-----------|-----------|
| E. coli | < 100 CFU/g | < 100 CFU/g | Pass | |

Sample Prep

Batch Date: 12/10/2024
 SOP: 406.AZ
 Batch Number: 2348

Sample Analysis

Date: 12/11/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.004 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|------------|--------------------------|--------------------------|-----------|-----------|
| Salmonella | Not Detected in One Gram | Not Detected in One Gram | Pass | |

Sample Prep

Batch Date: 12/10/2024
 SOP: 406.AZ
 Batch Number: 2348

Sample Analysis

Date: 12/11/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.004 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|-----------------------|--------------------------|--------------------------|-----------|-----------|
| Aspergillus flavus | Not Detected in One Gram | Not Detected in One Gram | Pass | |
| Aspergillus fumigatus | Not Detected in One Gram | Not Detected in One Gram | Pass | |
| Aspergillus niger | Not Detected in One Gram | Not Detected in One Gram | Pass | |
| Aspergillus terreus | Not Detected in One Gram | Not Detected in One Gram | Pass | |

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sublime
 1035 N. 21st Ave
 Phoenix, AZ 85009
 License #: 00000014ESNA15249640
 Sample ID: 2412SMAZ1533.4592
 Batch #: 120424



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9755

Residual Solvents
 HS-GC-MS **Pass**

Sample Prep
 Batch Date: 12/10/2024
 SOP: 405.AZ
 Batch Number: 2347

Sample Analysis
 Date: 12/11/2024
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.050 g

| Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier | Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|-----------------|-----------------|------|--------------------|---------------|-----------|-------------------|-----------------|------|--------------------|---------------|-----------|
| Acetone | 66 / 200 | 1 | 1000 | ND | | Heptane | 334 / 1000 | 1 | 5000 | ND | |
| Acetonitrile | 28 / 82 | 1 | 410 | ND | | Hexanes | 48 / 145 | 1 | 290 | ND | |
| Benzene | 0.14 / 0.40 | 1 | 2 | ND | | Isopropyl acetate | 334 / 1000 | 1 | 5000 | ND | |
| Butanes | 166 / 500 | 1 | 5000 | ND | | Methanol | 200 / 600 | 1 | 3000 | ND | |
| Chloroform | 4 / 12 | 1 | 60 | ND | | Pentanes | 334 / 1000 | 1 | 5000 | ND | |
| Dichloromethane | 40 / 120 | 1 | 600 | ND | | 2-Propanol (IPA) | 334 / 1000 | 1 | 5000 | ND | |
| Ethanol | 334 / 1000 | 1 | 5000 | ND | | Toluene | 60 / 178 | 1 | 890 | ND | |
| Ethyl acetate | 334 / 1000 | 1 | 5000 | ND | | Xylenes | 290 / 868 | 1 | 2170 | ND | |
| Ethyl ether | 334 / 1000 | 1 | 5000 | ND | | | | | | | |

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sublime
 1035 N. 21st Ave
 Phoenix, AZ 85009
 License #: 00000014ESNA15249640
 Sample ID: 2412SMAZ1533.4592
 Batch #: 120424



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9755

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 12/12/2024
 SOP: 428.AZ
 Batch Number: 2362

Sample Analysis
 Date: 12/12/2024
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.214 g
 Volume: 6 mL

| Analyte | LOD (ppm) | LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|---------|-----------|-----------|------|--------------------|---------------|-----------|
| Arsenic | 0.056 | 0.187 | 10 | 0.4 | ND | |
| Cadmium | 0.056 | 0.187 | 10 | 0.4 | ND | |
| Lead | 0.056 | 0.467 | 10 | 1 | ND | |
| Mercury | 0.056 | 0.093 | 10 | 0.2 | ND | |

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 12/10/2024
 SOP: 432.AZ
 Batch Number: 2353

Sample Analysis
 Date: 12/12/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.508 g
 Volume: 12.5 mL

| Analyte | LOD (ppb) | LOQ (ppb) | Dil. | Action Limit (ppb) | Results (ppb) | Qualifier |
|------------------|-----------|-----------|------|--------------------|---------------|-----------|
| Total Aflatoxins | 3.94 | 9.84 | 1 | 20 | ND | R1 |
| Aflatoxin B1 | 3.94 | 9.84 | 1 | | ND | I1 |
| Aflatoxin B2 | 3.94 | 9.84 | 1 | | ND | |
| Aflatoxin G1 | 3.94 | 9.84 | 1 | | ND | I1, R1 |
| Aflatoxin G2 | 3.94 | 4.92 | 1 | | ND | |
| Ochratoxin A | 9.84 | 9.84 | 1 | 20 | ND | I1, M1 |

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sublime
 1035 N. 21st Ave
 Phoenix, AZ 85009
 License #: 00000014ESNA15249640
 Sample ID: 2412SMAZ1533.4592
 Batch #: 120424



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9755

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 12/10/2024
 SOP: 432.AZ
 Batch Number: 2353

Sample Analysis

Date: 12/12/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.508 g
 Volume: 12.5 mL

| Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier | Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|---------------------|-----------------|------|--------------------|---------------|-----------|--------------------|-----------------|------|--------------------|---------------|-----------|
| Abamectin B1a | 0.082 / 0.246 | 1 | 0.5 | ND | M2 | Hexythiazox | 0.164 / 0.492 | 1 | 1 | ND | M2 |
| Acephate | 0.066 / 0.197 | 1 | 0.4 | ND | | Imazalil | 0.032 / 0.098 | 1 | 0.2 | ND | M2 |
| Acetamiprid | 0.032 / 0.098 | 1 | 0.2 | ND | | Imidacloprid | 0.066 / 0.197 | 1 | 0.4 | ND | |
| Aldicarb | 0.066 / 0.197 | 1 | 0.4 | ND | | Kresoxim-methyl | 0.066 / 0.197 | 1 | 0.4 | ND | |
| Azoxystrobin | 0.032 / 0.098 | 1 | 0.2 | ND | | Malathion | 0.032 / 0.098 | 1 | 0.2 | ND | |
| Bifenazate | 0.032 / 0.098 | 1 | 0.2 | ND | M1 | Metaxalyl | 0.032 / 0.098 | 1 | 0.2 | ND | |
| Bifenthrin | 0.032 / 0.098 | 1 | 0.2 | ND | M2 | Methiocarb | 0.032 / 0.098 | 1 | 0.2 | ND | M2 |
| Boscalid | 0.066 / 0.197 | 1 | 0.4 | ND | M2 | Methomyl | 0.066 / 0.197 | 1 | 0.4 | ND | |
| Carbaryl | 0.032 / 0.098 | 1 | 0.2 | ND | | Myclobutanil | 0.032 / 0.098 | 1 | 0.2 | ND | |
| Carbofuran | 0.032 / 0.098 | 1 | 0.2 | ND | | Naled | 0.082 / 0.246 | 1 | 0.5 | ND | |
| Chlorantraniliprole | 0.032 / 0.098 | 1 | 0.2 | ND | | Oxamyl | 0.164 / 0.492 | 1 | 1 | ND | |
| Chlorfenapyr | 0.164 / 0.492 | 1 | 1 | ND | M2 | Pacllobutrazol | 0.066 / 0.197 | 1 | 0.4 | ND | M2 |
| Chlorpyrifos | 0.032 / 0.098 | 1 | 0.2 | ND | M2 | Permethrins | 0.032 / 0.098 | 1 | 0.2 | ND | M2 |
| Clofentezine | 0.032 / 0.098 | 1 | 0.2 | ND | M2 | Phosmet | 0.032 / 0.098 | 1 | 0.2 | ND | |
| Cyfluthrin | 0.164 / 0.492 | 1 | 1 | ND | M2 | Piperonyl Butoxide | 0.328 / 0.984 | 1 | 2 | ND | |
| Cypermethrin | 0.164 / 0.492 | 1 | 1 | ND | I1, M2 | Prallethrin | 0.032 / 0.098 | 1 | 0.2 | ND | |
| Daminozide | 0.164 / 0.492 | 1 | 1 | ND | | Propiconazole | 0.066 / 0.197 | 1 | 0.4 | ND | |
| Diazinon | 0.032 / 0.098 | 1 | 0.2 | ND | M2 | Propoxur | 0.032 / 0.098 | 1 | 0.2 | ND | |
| Dichlorvos | 0.017 / 0.049 | 1 | 0.1 | ND | | Pyrethrins | 0.138 / 0.412 | 1 | 1 | ND | I1, M2 |
| Dimethoate | 0.032 / 0.098 | 1 | 0.2 | ND | | Pyridaben | 0.032 / 0.098 | 1 | 0.2 | ND | M2 |
| Ethoprophos | 0.032 / 0.098 | 1 | 0.2 | ND | M2 | Spinosad | 0.032 / 0.098 | 1 | 0.2 | ND | M2 |
| Etofenprox | 0.066 / 0.197 | 1 | 0.4 | ND | M2 | Spiromesifen | 0.032 / 0.098 | 1 | 0.2 | ND | M2 |
| Etoxazole | 0.032 / 0.098 | 1 | 0.2 | ND | | Spirotetramat | 0.032 / 0.098 | 1 | 0.2 | ND | |
| Fenoxycarb | 0.032 / 0.098 | 1 | 0.2 | ND | | Spiroxamine | 0.066 / 0.197 | 1 | 0.4 | ND | M2 |
| Fenpyroximate | 0.066 / 0.197 | 1 | 0.4 | ND | M2 | Tebuconazole | 0.066 / 0.197 | 1 | 0.4 | ND | |
| Fipronil | 0.066 / 0.197 | 1 | 0.4 | ND | I1 | Thiacloprid | 0.032 / 0.098 | 1 | 0.2 | ND | |
| Fonicamid | 0.164 / 0.492 | 1 | 1 | ND | | Thiamethoxam | 0.032 / 0.098 | 1 | 0.2 | ND | |
| Fludioxonil | 0.066 / 0.197 | 1 | 0.4 | ND | M2 | Trifloxystrobin | 0.032 / 0.098 | 1 | 0.2 | ND | M2 |

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sublime
 1035 N. 21st Ave
 Phoenix, AZ 85009
 License #: 00000014ESNA15249640
 Sample ID: 2412SMAZ1533.4592
 Batch #: 120424



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9755

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sublime
 1035 N. 21st Ave
 Phoenix, AZ 85009
 License #: 00000014ESNA15249640
 Sample ID: 2412SMAZ1533.4592
 Batch #: 120424



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9755

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>