

1231 W. Warner Road, Suite 105 Tempe, AZ, 85284, US (480) 220-4470

Certificate of Analysis

Kaycha Labs

Original Cola 100mg **Original** Cola Matrix: Infused Type: Beverage



Sample:TE40411003-001 Harvest/Lot ID: 24-0112-01 Batch#: 24-0112-01-0C-9 Batch Date: 04/11/24 Sample Size Received: 415.57 gram Total Amount: 1 units Retail Product Size: 355 ml Retail Serving Size: 355 ml Servings: 1 Sample Density: 1.08 g/mL Ordered: 04/11/24 Sampled: 04/11/24 Completed: 04/17/24

PASSED

MISC.

O

Terpenes

NOT

TESTED

5=120 Apr 17, 2024 | Sublime Brands License # 00000014ESNA15249640 Pages 1 of 3 1101 N 21st Ave Phoenix, AZ, 85009, US SAFETY RESULTS Hg 0 Water Activity Pesticides Heavy Metals **Microbials** Mycotoxins Residuals Filth Moisture NOT TESTED **NOT TESTED** PASSED **NOT TESTED NOT TESTED NOT TESTED NOT TESTED** Solvents **NOT TESTED** PASSED Cannabinoid Total THC Total CBD **Total Cannabinoids** 0.0286% ND 0.0286% Total THC/Container : 109.652 mg Total Cannabinoids/Container : 109.652 Total CBD/Container : 0.000 mg mg

% mg/unit	^{D9-THC} 0.0286 101.530	THCA ND ND	CBD ND ND	CBDA ND ND	CBG ND ND	cbga ND ND	CBN ND ND	d8-thc ND ND	тнсv ND ND	CBDV ND ND	свс ND ND
LOD	0.0020	0.0020	0.0020	0.0020	0.0020	0.0010	0.0020	0.0020	0.0020	0.0020	0.0010
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 312, 272, 333			Weight: 1.9543g		Extraction 04/12/24					xtracted by: 12	
nalytical Batch	: SOP.T.30.500, SOP : TE004444POT : TE-005 "Lady Jessi V/A						Reviewed On : 04 Batch Date : 04/2				

Pipette : N/A

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, pp=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LCD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Ariel Gonzales Lab Director

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164

Signature 04/17/24



1231 W. Warner Road, Suite 105 Tempe, AZ, 85284, US (480) 220-4470

Certificate of Analysis

Sublime Brands

1101 N 21st Ave Phoenix, AZ, 85009, US Telephone: (602) 525-4966 Email: info@sublimeaz.com License # : 00000014ESNA15249640 Harvest/Lot ID: 24-0112-01 Batch#: 24-0112-01-0C-9 Sampled : 04/11/24 Ordered : 04/11/24

Sample Size Received : 415.57 gram . Total Amount : 1 units Completed : 04/17/24 Expires: 04/17/25 Sample Method : SOP Client Method

Micr	obia	I			PAS	SED			
		LOD	Units	Result	Pass / Fail	Action Level			
SPP			1	Not Present in	1 1g PASS				
ESCHERICHIA COLI REC				<10	PASS	100			
Analyzed by: Weight: 87, 39, 272, 333 1g						by:			
		.T.40.058.				3.07			
d:TE-234 "b		GENE-UP"			- 1				
	A SPP A COLI REC 3 d : SOP.T.40. h : TE004439	A SPP A COLI REC 3 1g d: SOP.T.40.056B, SOP h: TE004439MIC rd: TE-234 "bioMerieux	A SPP A COLI REC 10.0000 3 10 Extrac 3 10 04/16/ d : SOP.T.40.056B, SOP.T.40.058. h. TE004439MIC id : TE-234 "bioMerieux GENE-UP"	LOD Units A SPP 10.0000 CFU/g A COLI REC 10.0000 CFU/g 3 1g 04/16/24 14.56:5 d : SOP.T.40.056B, SOP.T.40.058.FL, SOP.T. N.P.T. Ref h : TE0/04439MIC Ref Ref rd : TE-234 "bioMerieux GENE-UP" Bat Ref	LOD Units Result A SPP Not Present in A COLI REC 10.0000 CFU/g <10	LOD Units Result Pass / Fail A SPP Not Present in 1g PASS A COLI REC 10.0000 CFU/g <10			

051923.11; 040424.R13 Consumables : 33T797; 210616-361-B; 1008439554; 220301-071-B; 111423CH01; 112023CH01; 728914- 623536; 210725-598-D; NT10-1212; X003K27VF3 Pipette : TE-053 SN:20E78952; TE-057 SN:21D58688; TE-061 SN:20C35454; TE-062 SN:20C50491; TE-066 SN:20D56970; TE-069 SN:21B23920; TE-109 SN:20B18330; TE-256

Dispensette S Bottle Top Dispenser SN:20G36073; TE-258

Sample : TE40411003-001

Kaycha Labs

..... Original Cola 100mg Original Cola Matrix : Infused Type: Beverage



PASSED

Page 2 of 3

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product, analyzed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Ariel Gonzales Lab Director

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164

til onfe

Signature 04/17/24



1231 W. Warner Road, Suite 105

Original Cola 100mg Original Cola Matrix : Infused

Type: Beverage

Kaycha Labs



PASSED

Tempe, AZ, 85284, US (480) 220-4470

Certificate of Analysis

Sublime Brands

1101 N 21st Ave Phoenix, AZ, 85009, US **Telephone:** (602) 525-4966 **Email:** info@sublimeaz.com **License # :** 00000014ESNA15249640 Sample : TE40411003-001 Harvest/Lot ID: 24-0112-01 Batch# : 24-0112-01-0C-9 Sampled : 04/11/24 Ordered : 04/11/24

Sample Size Received : 415.57 gram Total Amount : 1 units Completed : 04/17/24 Expires: 04/17/25 Sample Method : SOP Client Method

Page 3 of 3

COMMENTS

* Confident Cannabis sample ID: 2404KLAZ0248.1063



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Ariel Gonzales

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164

tal on fr.

Signature 04/17/24



Powered by Confident LIMS 1 of 6

Sublime Brands

Sample: 2401LVL0067.0449 Secondary License: ; Chain of Distribution:

Phoenix, AZ 85009

Strain: Hybrid; Batch#: 24-0112-01; Batch Size: g Sample Received: 01/17/2024; Report Created: 01/24/2024; Expires: 01/24/2025 Sampling Date: 01/16/2024; Sampling Time: 7:30 AM; Sampling Person: Rumin Harvest Date: 06/29/2021; Manufacturing Date: 12/07/2023



Lic. #0000010ESIR42914838

Bulk Distillate

Concentrates & Extracts. Distillate. Alcohol

	89.77% Total THC	<loq Total CBD</loq 	96.62%
Ruma Teknat P. Jul & T30.n On 1/11/24	NT Total Terpenes	Not Tested	Total Cannabinoids

Cannabinoids

Complete

Analyte	LOQ	Mass	Mass	Qualifier
	%	%	mg/g	
THCa	0.696	ND	ND	
Δ9-THC	0.696	89.767	897.67	
Δ8-THC	0.696	ND	ND	M2
THCVa	0.696	ND	ND	
THCV	0.696	1.202	12.02	
CBDa	0.696	ND	ND	
CBD	0.696	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBDVa	0.696	ND	ND	
CBDV	0.696	ND	ND	
CBN	0.696	1.511	15.11	
CBGa	0.696	ND	ND	
CBG	0.696	2.783	27.83	
CBCa	0.696	ND	ND	Q3
CBC	0.696	1.356	13.56	
Total		96.619	966.19	

Date Tested: 01/17/2024 07:00 am

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory: Cannabinoid potency performed by HPLC-DAD per SOP-(1608). ADHS approved method for potency by HPLC-DAD for all listed analytes.



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520 http://www.levelonelabs.com

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866



Matthew Schuberth Laboratory Director



Powered by Confident LIMS 2 of 6

Sublime Brands

Phoenix, AZ 85009

Lic. #0000010ESIR42914838

Bulk Distillate

Concentrates & Extracts, Distillate, Alcohol

Residual Solvents

Sample: 2401LVL0067.0449

Secondary License: ; Chain of Distribution: Strain: Hybrid; Batch#: 24-0112-01; Batch Size: g Sample Received: 01/17/2024; Report Created: 01/24/2024; Expires: 01/24/2025 Sampling Date: 01/16/2024; Sampling Time: 7:30 AM; Sampling Person: Rumin Harvest Date: 06/29/2021; Manufacturing Date: 12/07/2023



Pass

PPM PPM PPM Acetonie 371.600 1000.000 ND Pass Acetonitrile 151.060 410.000 ND Pass Benzene 0.740 2.000 ND Pass Butanes 2472.430 5000.000 ND Pass Chloroform 22.250 60.000 ND Pass Dichloromethane 226.120 600.000 ND Pass Ethanol 1843.720 5000.000 ND Pass Ethyl-Acetate 1843.720 5000.000 ND Pass Heytane 1840.950 5000.000 ND Pass Heytane 1840.950 5000.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Heytanes 106.120 290.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass <td< th=""><th>PPM PPM PPM Acetone 371.600 1000.000 ND Pass Acetonitrile 151.060 410.000 ND Pass Benzene 0.740 2.000 ND Pass Butanes 2472.430 5000.000 ND Pass Chloroform 22.250 60.000 ND Pass Dichloromethane 226.120 600.000 ND Pass Ethanol 1843.720 5000.000 ND Pass Ethyl-Acetate 1845.470 5000.000 ND Pass Heptane 1838.270 5000.000 ND Pass Heptane 1840.950 5000.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Methanol 1100.210 3000.000 ND Pass <th>Analyte</th><th>LOQ</th><th>Limit</th><th>Mass</th><th>Status</th><th>Qualifier</th></th></td<>	PPM PPM PPM Acetone 371.600 1000.000 ND Pass Acetonitrile 151.060 410.000 ND Pass Benzene 0.740 2.000 ND Pass Butanes 2472.430 5000.000 ND Pass Chloroform 22.250 60.000 ND Pass Dichloromethane 226.120 600.000 ND Pass Ethanol 1843.720 5000.000 ND Pass Ethyl-Acetate 1845.470 5000.000 ND Pass Heptane 1838.270 5000.000 ND Pass Heptane 1840.950 5000.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Methanol 1100.210 3000.000 ND Pass <th>Analyte</th> <th>LOQ</th> <th>Limit</th> <th>Mass</th> <th>Status</th> <th>Qualifier</th>	Analyte	LOQ	Limit	Mass	Status	Qualifier
Acetonitrile 151.060 410.000 ND Pass Benzene 0.740 2.000 ND Pass Butanes 2472.430 500.000 ND Pass Chloroform 222.50 60.000 ND Pass Ethanol 1843.720 500.000 ND Pass Ethyl-Acetate 1845.470 500.000 ND Pass Hetyl-Ether 1838.270 500.000 ND Pass Heptane 1840.950 500.000 ND Pass Isopropanol 1835.080 500.000 ND Pass Isopropyl-Acetate 1838.480 500.000 ND Pass Methanol 1100.210 300.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass	Acetonitrile 151.060 410.000 ND Pass Benzene 0.740 2.000 ND Pass Butanes 2472.430 5000.000 ND Pass Chloroform 22.250 60.000 ND Pass Dichloromethane 226.120 60.000 ND Pass Ethanol 1843.720 5000.000 ND Pass Ethyl-Acetate 1845.470 5000.000 ND Pass Ethyl-Hacetate 1843.720 5000.000 ND Pass Heptane 1840.950 5000.000 ND Pass Heptane 1840.950 5000.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Methanol 1100.210 300.000 ND Pass Toluene 31.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass Stetic 101/18/202407:00 am Ethyl 404.03 and sol		PPM				-
Benzene 0.740 2.000 ND Pass Butanes 2472.430 5000.000 ND Pass Chloroform 22.250 60.000 ND Pass Dichloromethane 226.120 600.000 ND Pass Ethanol 1843.720 5000.000 ND Pass Ethyl-Acetate 1845.470 5000.000 ND Pass Ethyl-Ether 1830.70 5000.000 ND Pass Heptane 1840.750 5000.000 ND Pass Heptane 1840.750 5000.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Isopropyl-Acetate 1830.480 5000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.30 2170.000 ND Pass	Benzene 0.740 2.000 ND Pass Butanes 2472.430 5000.000 ND Pass Chloroform 22.250 60.000 ND Pass Dichloromethane 226.120 600.000 ND Pass Ethanol 1843.720 5000.000 ND Pass Ethyl-Acetate 1843.720 5000.000 ND Pass Ethyl-Ether 1838.270 5000.000 ND Pass Heytane 1840.720 5000.000 ND Pass Heytanes 106.120 290.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass Xylenes 793.330 2170.000 ND Pass Xylenes 793.330 2170.000 ND <td>Acetone</td> <td>371.600</td> <td>1000.000</td> <td>ND</td> <td>Pass</td> <td></td>	Acetone	371.600	1000.000	ND	Pass	
Butanes 2472.430 5000.000 ND Pass Chloroform 22.250 60.000 ND Pass Dichloromethane 226.120 600.000 ND Pass Ethanol 1843.720 5000.000 ND Pass Ethyl-Acetate 1845.470 5000.000 ND Pass Ethyl-Ether 1838.270 5000.000 ND Pass Heptane 1840.950 5000.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Methanol 1100.210 3000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass Stylenes 10000 ND Pass Stylenes 100000 ND Pass Stylenes 100000 ND Pass Stylenes 100000 ND Pass Stylenes 100000 ND Pass Stylenes 1000000000000000000000000000000000000	Butanes 2472.430 5000.000 ND Pass Chloroform 22.250 600.000 ND Pass Dichloromethane 226.120 600.000 ND Pass Ethanol 1843.720 5000.000 ND Pass Ethyl-Acetate 1845.470 5000.000 ND Pass Ethyl-Acetate 1845.470 5000.000 ND Pass Ethyl-Acetate 1838.270 5000.000 ND Pass Heptane 1840.950 5000.000 ND Pass Heptane 1840.950 5000.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass Xylenes 793.330 2170.000 ND Pass Xylenes 793.330 2170.000	Acetonitrile	151.060	410.000	ND	Pass	
Chloroform 22.250 60.000 ND Pass Dichloromethane 226.120 600.000 ND Pass Ethanol 1843.720 5000.000 ND Pass Ethyl-Acetate 1845.470 5000.000 ND Pass Heptane 1840.950 5000.000 ND Pass Heptane 1840.950 5000.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.30 2170.000 ND Pass	Chloroform 22.250 60.000 ND Pass Dichloromethane 226.120 600.000 ND Pass Ethanol 1843.720 5000.000 ND Pass Ethyl-Acetate 1843.770 5000.000 ND Pass Ethyl-Ether 1838.270 5000.000 ND Pass Heptane 1840.950 5000.000 ND Pass Heptane 1840.950 5000.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Methanol 1100.210 3000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass	Benzene	0.740	2.000	ND	Pass	
Dichloromethane 226.120 600.000 ND Pass Ethanol 1843.720 5000.000 ND Pass Ethyl-Acetate 1845.470 5000.000 ND Pass Ethyl-Ether 1838.270 5000.000 ND Pass Heptane 1840.950 5000.000 ND Pass Heptane 1840.950 5000.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Yelene 331.110 870.000 ND Pass Xylenes 793.330 2170.000 ND Pass Xylenes 793.330 2170.000 ND Pass	Dichloromethane 226.120 600.000 ND Pass Ethanol 1843.720 5000.000 ND Pass Ethyl-Acetate 1845.470 5000.000 ND Pass Ethyl-Ether 1838.270 5000.000 ND Pass Heptane 1840.950 5000.000 ND Pass Heptanes 106.120 290.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Methanol 1100.210 3000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass	Butanes	2472.430	5000.00 <mark>0</mark>	ND	Pass	
Ethanol 1843,720 5000,000 ND Pass Ethyl-Acetate 1845,470 5000,000 ND Pass Ethyl-Ether 1838,270 5000,000 ND Pass Heptane 1840,950 5000,000 ND Pass Hexanes 106,120 290,000 ND Pass Isopropyl-Acetate 1838,480 5000,000 ND Pass Isopropyl-Acetate 1838,480 5000,000 ND Pass Methanol 1100,210 3000,000 ND Pass Pentanes 1850,410 5000,000 ND Pass Toluene 331,110 890,000 ND Pass Xylenes 793,330 2170,000 ND Pass Stylenes 1850,410 S000,000 ND Pass Stylene Stylene Stylene Stylene Stylene Stylene St	Ethanol 1843,720 500.000 ND Pass Ethyl-Acetate 1845.470 5000.000 ND Pass Ethyl-Ether 1838.270 5000.000 ND Pass Heptane 1840,950 5000.000 ND Pass Hexanes 106.120 290.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Methanol 1100.210 3000.000 ND Pass Methanol 1100.210 3000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass Xylenes 793.330 2170.000 ND Pass Methanol Pass 793.330 2170.000 ND Pass Xylenes 793.330 2170.000 ND Pass	Chloroform	22.250	60.000	ND	Pass	
Ethyl-Acetate 1845.470 5000.000 ND Pass Ethyl-Ether 1838.270 5000.000 ND Pass Heptane 1840.950 5000.000 ND Pass Hexanes 106.120 290.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass Ethyl-Ether 100000 ND Pass Set: 11/18/2024 07:00 am	Ethyl-Acetate 1845.470 5000.000 ND Pass Ethyl-Ether 1838.270 5000.000 ND Pass Heptane 1840.950 5000.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Methanol 1100.210 3000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass Xylenes 793.330 2170.000 ND Pass Set of 182024 07:00 am d by GCMS-H5 per SQP-LM-014. Methods used per AZDH5 R9-17-404.03 and solvent limits set by AZDH5 R9-17 Table 3.1. ADH5 approved meth	Dichloromethane	226.120	600.000	ND	Pass	
Ethyl-Ether 1838.270 500.000 ND Pass Heptane 1840.950 5000.000 ND Pass Hexanes 106.120 290.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Methanol 1100.210 3000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass	Ethyl-Ether 1838.270 5000.000 ND Pass Heptane 1840.950 5000.000 ND Pass Hexanes 106.120 290.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Methanol 1100.210 3000.000 ND Pass Toluene 331.110 890.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass Xylenes 793.330 2170.000 ND Pass Hexanes 1850.410 500.000 ND Pass Hexanes 1850.410 Solution ND Pass Hexanes 1850.410 Sol	Ethanol	1843.720	5000.000	ND	Pass	
Ethyl-Ether 1838.270 5000.000 ND Pass Heptane 1840.950 5000.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Methanol 1100.210 3000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass	Ethyl-Ether 1838.270 5000.000 ND Pass Heptane 1840.950 5000.000 ND Pass Hexanes 106.120 290.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Methanol 1100.210 3000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass Xylenes 793.330 2170.000 ND Pass	Ethyl-Acetate	1845.470	5000.000	ND	Pass	
Heptane 1840.950 5000.000 ND Pass Hexanes 106.120 290.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Methanol 1100.210 3000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass	Heptane 1840.950 5000.000 ND Pass Hexanes 106.120 290.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Methanol 1100.210 3000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass		1838.270	5000.000	ND	Pass	
Hexanes 106.120 290.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Methanol 1100.210 3000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass	Hexanes 106.120 290.000 ND Pass Isopropanol 1835.080 5000.000 ND Pass Isopropyl-Acetate 1838.480 5000.000 ND Pass Methanol 1100.210 3000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass	-		5000.000	ND	Pass	
Isopropyl-Acetate 1838.480 5000.000 ND Pass Methanol 1100.210 3000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass	Isopropyl-Acetate 1838.480 5000.000 ND Pass Methanol 1100.210 3000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass Ed: 01/18/2024 07:00 am		106.120		ND	Pass	
Isopropyl-Acetate 1838.480 5000.000 ND Pass Methanol 1100.210 3000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass	Isopropyl-Acetate 1838.480 5000.000 ND Pass Methanol 1100.210 3000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass Ed: 01/18/2024 07:00 am	Isopropanol	1835.080	5000.000	ND	Pass	
Methanol Pentanes Toluene Xylenes 1850.410 793.330 2170.000 ND Pass Xylenes 793.330 2170.000 ND Pass	Methanol 1100.210 3000.000 ND Pass Pentanes 1850.410 5000.000 ND Pass Toluene 331.110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass	• •					
Pentanes Toluene Xylenes 1850.410 793.330 2170.000 ND Pass ND Pass	Pentanes Toluene Xylenes 1850.410 900.000 ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND ND ND Pass ND ND ND ND ND ND ND ND ND ND ND ND ND N						
Toluene 331,110 890.000 ND Pass Xylenes 793.330 2170.000 ND Pass	Toluene Xylenes 331.110 890.000 ND Pass ND Pass I D D D D D D D D D D D D D D D D D D						
Xylenes 793.330 2170.000 ND Pass E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E E <td>Xylenes 793.330 2170.000 ND Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pa</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Xylenes 793.330 2170.000 ND Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pa						
s: ed: 01/18/2024 07:00 am	s: ed: 01/18/2024 07:00 am d by GCMS-HS per SOP-LM-014. Methods used per AZDHS R9-17-404.03 and solvent limits set by AZDHS R9-17 Table 3.1. ADHS approved meth						
ted: 01/18/2024 07:00 am	ted: 01/18/2024 07:00 am						
d by CCMS-HS per SOP-I M-014 Methods used per AZDHS P9-17-404 03 and solvent limits set by AZDHS P9-17 Table 3.1 ADHS approved met	solvents by GCMS-HS for all listed analytes.						
1525 N Granite Reef Rd Confident LIMS Scottsdale, AZ All Rights Reserved		ted: 01/18/2024 07:00 am ad by GCMS-HS per SOP-LM-014. Meth solvents by GCMS-HS for all listed analy 1525 N Granite Reef Rd	ods used per AZDHS R9-1 tes.	7-404.03 and solve	ent limits set by AZ	ZDHS R9-17 Tab	Confident LIMS

http://www.levelonelabs.com

Matthew Schuberth



Laboratory Director



Powered by Confident LIMS 3 of 6

Sample: 2401LVL0067.0449

Sublime Brands

Phoenix, AZ 85009

Lic. #0000010ESIR42914838

Bulk Distillate

Concentrates & Extracts, Distillate, Alcohol

Pesticides

Secondary License: ; Chain of Distribution:
Strain: Hybrid; Batch#: 24-0112-01; Batch Size: g
Sample Received: 01/17/2024; Report Created: 01/24/2024; Expires: 01/24/2025
Sampling Date: 01/16/2024; Sampling Time: 7:30 AM; Sampling Person: Rumin

Harvest Date: 06/29/2021; Manufacturing Date: 12/07/2023



Pass

Analyte	LOQ	Limit	Units	Status	Qualifier	Analyte	LOQ	Limit	Units	Status	Qualifier
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.030	0.500	ND	Pass	M2	Hexythiazox	0.040	1.000	ND	Pass	
Acephate	0.040	0.400	ND	Pass		I <mark>m</mark> azalil	0.040	0.200	ND	Pass	
Acetamiprid	0.040	0.200	ND	Pass		I <mark>m</mark> idacloprid	0.040	0.400	ND	Pass	
Aldicarb	0.040	0.400	ND	Pass		K <mark>r</mark> esoxim Methyl	0.040	0.400	ND	Pass	M2
Azoxystrobin	0.040	0.200	ND	Pass		M <mark>a</mark> lathion	0.040	0.200	ND	Pass	
Bifenazate	0.040	0.200	ND	Pass	M1	M <mark>e</mark> talaxyl	0.040	0.200	ND	Pass	
Bifenthrin	0.040	0.200	ND	Pass	M2	M <mark>e</mark> thiocarb	0.040	0.200	ND	Pass	
Boscalid	0.040	0.400	ND	Pass		M <mark>e</mark> thomyl	0.040	0.400	ND	Pass	
Carbaryl	0.040	0.200	ND	Pass		M <mark>y</mark> clobutanil	0.040	0.200	ND	Pass	
Carbofuran	0.040	0.200	ND	Pass		Naled	0.040	0.500	ND	Pass	
Chlorantraniliprole	0.040	0.200	ND	Pass		Oxamyl	0.040	1.000	ND	Pass	
Chlorfenapyr	0.440	1.000	ND	Pass		Pa <mark>c</mark> lobutrazol	0.040	0.400	ND	Pass	
Chlorpyrifos	0.040	0.200	ND	Pass		Permethrins	0.040	0.200	ND	Pass	M2 V1
Clofentezine	0.040	0.200	ND	Pass		Phosmet	0.040	0.200	ND	Pass	
Cyfluthrin	0.430	1.000	ND	Pass	M2	Piperonyl Butoxide	0.040	2.000	ND	Pass	
Cypermethrin	0.040	1.000	ND	Pass	M2	Prallethrin	0.040	0.200	ND	Pass	
Daminozide	0.430	1.000	ND	Pass		Propiconazole	0.040	0.400	ND	Pass	
Dichlorvos (DDVP)	0.040	0.100	ND	Pass		Propoxur	0.040	0.200	ND	Pass	
Diazinon	0.040	0.200	ND	Pass		Pyrethrins	0.440	1.000	ND	Pass	M1 M2
Dimethoate	0.040	0.200	ND	Pass		Pyridaben	0.040	0.200	ND	Pass	
Ethoprophos	0.040	0.200	ND	Pass		Spinosad	0.040	0.200	ND	Pass	M2
Etofenprox	0.040	0.400	ND	Pass	M2	Spiromesifen	0.040	0.200	ND	Pass	M2
Etoxazole	0.040	0.200	ND	Pass		Spirotetramat	0.040	0.200	ND	Pass	
Fenoxycarb	0.040	0.200	ND	Pass		Spiroxamine	0.040	0.400	ND	Pass	
Fenpyroximate	0.040	0.400	ND	Pass	M2	Tebuconazole	0.040	0.400	ND	Pass	M2
Fipronil	0.040	0.400	ND	Pass		Thiacloprid	0.040	0.200	ND	Pass	
Flonicamid	0.040	1.000	ND	Pass		Thiamethoxam	0.040	0.200	ND	Pass	
Fludioxonil	0.040	0.400	ND	Pass		Trifloxystrobin	0.040	0.200	ND	Pass	

Herbicides					
Analyte		LOQ	Limit	Units	Status

Qualifiers:

Qualiners: Date Tested: 01/17/2024 07:00 am Performed by LCMSMS per SOP-LM-021 and SOP-LM-022. ND = Not Detected; NR = Not Reported. Methods used per AZDHS R9-17-404.03 and pesticide limits set by AZDHS R9-17 Table 3.1. ADHS approved method for pesticide testing by LCMSMS for full list effective 5/1/2021.



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520 http://www.levelonelabs.com

Alter Str

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866



Matthew Schuberth Laboratory Director



Powered by Confident LIMS 4 of 6

Sample: 2401LVL0067.0449

Sublime Brands

Phoenix, AZ 85009

Secondary License: ; Chain of Distribution: Strain: Hybrid; Batch#: 24-0112-01; Batch Size: g Sample Received: 01/17/2024; Report Created: 01/24/2024; Expires: 01/24/2025 Sampling Date: 01/16/2024; Sampling Time: 7:30 AM; Sampling Person: Rumin Harvest Date: 06/29/2021; Manufacturing Date: 12/07/2023

Pass

Lic. #0000010ESIR42914838

Bulk Distillate

Concentrates & Extracts, Distillate, Alcohol

Mycotoxins

Total Ochratoxins Date Tested: 01/18/2024 **Total Aflatoxins Date**

ested: 01/18/2024					
Analyte	LOQ	Limit	Units	Status	Qualifier
	µg/kg	µg/kg	µg/kg		
Total Aflatoxins (B1 B2 G1 and G2)	4.00	20.00	<loq< td=""><td>Pass</td><td></td></loq<>	Pass	
Total Ochratoxins (A and B)	2.00	20.00	2.76	Pass	

TNTC = Too Numerous to Count. The lower limit of quantification for Aflatoxin is 4ppb and the lower limit of quantification for Ochratoxin is 2ppb unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: direct ELISA produced by Romer Labs and read on Bio-Tek 800TS microplate reader. Procedure followed SOP-LM-018. Methods used per AZDHS R9-17-404.03 and R9-17-404.04 and limits set by AZDHS R9-17 Table 3.1. ADHS approved method.



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520

previous versions of this report are void BCG 1.24.24.

Alle Str.

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866



http://www.levelonelabs.com

Matthew Schuberth Laboratory Director



Powered by Confident LIMS 5 of 6

Sample: 2401LVL0067.0449

Sublime Brands

Phoenix, AZ 85009

Secondary License: ; Chain of Distribution: Strain: Hybrid; Batch#: 24-0112-01; Batch Size: g Sample Received: 01/17/2024; Report Created: 01/24/2024; Expires: 01/24/2025 Sampling Date: 01/16/2024; Sampling Time: 7:30 AM; Sampling Person: Rumin Harvest Date: 06/29/2021; Manufacturing Date: 12/07/2023



Pass

Concentrates & Extracts, Distillate, Alcohol

Bulk Distillate

Lic. #0000010ESIR42914838

Microbials

Analyte	Result	Result Units	Status	Qualifier
E. Coli	<10	CFU/G	Pass	
Salmonella	Not <mark>D</mark> etected	in one gram	Pass	
Aspergillus terreus	Not <mark>D</mark> etected	in one gram	Pass	
Aspergillus fumigatus, Aspergillus flavus, and	Net Detected	in one official	Daaa	
Aspergillus niger	Not <mark>Detect</mark> ed	in one gram	Pass	
LEVE	ΞL		N	

Qualifiers: Date Tested: 01/19/2024 12:00 am

TNTC = Too Numerous to Count. The lower limit of quantification for E. coli is 10 CFU/g unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: E. coli plating via 3M Petrifilm per SOP-LM-019, Salmonella spp. And Aspergillus spp. detection by Bio-Rad CFX96 Deep Well real-time PCR per SOP-LM-016 & SOP-LM-017. Methods used per AZDHS R9-17-404.04 and microbial limits set by AZDHS R9-17 Table 3.1. ADHS approved method for microbials for all listed organisms.



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520 http://www.levelonelabs.com

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866



Matthew Schuberth Laboratory Director



Powered by Confident LIMS 6 of 6

Sublime Brands

Sample: 2401LVL0067.0449

Secondary License: ; Chain of Distribution:

Phoenix, AZ 85009

Strain: Hybrid; Batch#: 24-0112-01; Batch Size: g Sample Received: 01/17/2024; Report Created: 01/24/2024; Expires: 01/24/2025 Sampling Date: 01/16/2024; Sampling Time: 7:30 AM; Sampling Person: Rumin Harvest Date: 06/29/2021; Manufacturing Date: 12/07/2023




Lic. #0000010ESIR42914838

Bulk Distillate

Concentrates & Extracts, Distillate, Alcohol

Heavy Metals





Laboratory Director