

KEEF - Mr. Puffer 100mg

Sample ID: 2601APO0431.2272

Strain: Hybrid

Matrix: Ingestible


Type: Beverage

Source Batch #:

Collected: 01/29/2026 06:53 am
Received: 01/29/2026
Completed: 02/03/2026
Batch #: SUBLM-1209-DIST-MP-15
Harvest Date: 02/10/2025

Client
Sublime Brands
Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 01/28/2026
Production/Manufacture Method:



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	01/29/2026	Complete
Microbials	01/29/2026	Pass

Cannabinoids by SOP-6

Complete

9.9406 mg/serving 99.4064 mg/container Total THC	ND Total CBD	9.9406 mg/serving 99.4064 mg/container Total Cannabinoids ^(Q3)	NT Total Terpenes ^(Q3)
--	----------------------------	---	---

Analyte	LOD	LOQ	Result		Q
			mg/container	mg/g	
THCa		21.3240	ND	ND	
Δ9-THC		21.3240	99.4065	0.2797	
Δ8-THC		21.3240	ND	ND	
THCV		21.3240	ND	ND	
CBDa		21.3240	ND	ND	
CBD		21.3240	ND	ND	
CBDVa		21.3240	ND	ND	
CBDV		21.3240	ND	ND	
CBN		21.3240	ND	ND	
CBGa		21.3240	ND	ND	
CBG		21.3240	ND	ND	
CBC		21.3240	ND	ND	
Total THC			99.4064	0.2797	
Total CBD			ND	ND	
Total			99.4064	0.2797	

Date Tested: 01/29/2026 12:00 am
10 servings per container.



Anthony Settanni
Lab Director
02/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

KEEF - Mr. Puffer 100mg

Sample ID: 2601APO0431.2272

Strain: Hybrid

Matrix: Ingestible

Type: Beverage

Source Batch #:

Collected: 01/29/2026 06:53 am
Received: 01/29/2026
Completed: 02/03/2026
Batch #: SUBLM-1209-DIST-MP-15
Harvest Date: 02/10/2025

Client
Sublime Brands
Lic. # 00000010ESIR42914838
Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 01/28/2026
Production/Manufacture Method:

Microbials

Pass

Analyte	Limit	Result	Status	Q
Salmonella SPP by QPCR: SOP-15	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger by QPCR: SOP-14	Detected/Not Detected in 1g	NR	NT	
Aspergillus Terreus by QPCR: SOP-14	Detected/Not Detected in 1g	NR	NT	

Analyte	LOQ	Limit	Result	Status	Q
E. Coli by traditional plating: SOP-13	CFU/g 10.0	CFU/g 10.0	< 10 CFU/g	Pass	

Date Tested: 01/29/2026 12:00 am

Mycotoxins by SOP-22

Not Tested

Analyte	LOD	LOQ	Limit	Units	Status	Q

Date Tested:

Heavy Metals by SOP-21

Not Tested

Analyte	LOD	LOQ	Limit	Units	Status	Q

Date Tested:



Anthony Settanni
Lab Director
02/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

KEEF - Mr. Puffer 100mg

Sample ID: 2601APO0431.2272

Strain: Hybrid

Matrix: Ingestible

Type: Beverage

Source Batch #:

Collected: 01/29/2026 06:53 am
Received: 01/29/2026
Completed: 02/03/2026
Batch #: SUBLM-1209-DIST-MP-15
Harvest Date: 02/10/2025

Client

Sublime Brands
Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 01/28/2026
Production/Manufacture Method:

Qualifiers Definitions

Qualifier Notation	Qualifier Description
D1	The limit of quantitation and the sample results were adjusted to reflect sample dilution
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q1	Sample integrity was not maintained - Q1
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices - Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

Notes and Addenda:



Bryant Kearl
Chief Scientific Officer
02/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

KEEF - Mr. Puffer 100mg

Sample ID: 2601APO0431.2272

Strain: Hybrid

Matrix: Ingestible

Type: Beverage

Source Batch #:

Collected: 01/29/2026 06:53 am
Received: 01/29/2026
Completed: 02/03/2026
Batch #: SUBLM-1209-DIST-MP-15
Harvest Date: 02/10/2025

Client

Sublime Brands

Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST

Production/Manufacture Date: 01/28/2026

Production/Manufacture Method:

Customer Supplied Information:Bryant Kearn
Chief Scientific Officer
02/03/2026Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

KEEF - Mr. Puffer 100mg

Sample ID: 2601APO0431.2272

Strain: Hybrid

Matrix: Ingestible

Type: Beverage

Source Batch #:

Collected: 01/29/2026 06:53 am
Received: 01/29/2026
Completed: 02/03/2026
Batch #: SUBLM-1209-DIST-MP-15
Harvest Date: 02/10/2025

Client

Sublime Brands

Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST

Production/Manufacture Date: 01/28/2026

Production/Manufacture Method:



Apollo Labs
17301 North Perimeter Drive
Scottsdale, AZ 85255
(602) 767-7600
http://www.apollolabscorp.com
Lic# 00000013LCRK62049775

Regulatory Compliance Testing

2 of 8

Mother Distillate - SUBLM-1209-DIST

Sample ID: 2512APO5547.27909

Strain: Hybrid Blend

Matrix: Concentrates & Extracts

Type: Distillate
Source Batch #: 0902HYB

Collected: 12/12/2025 08:46 am
Received: 12/12/2025
Completed: 01/05/2026
Batch #: SUBLM-1209-DIST
Harvest Date: 02/10/2025

Client

Io Extracts

Lic. # 00000067ESBS89254298

Lot #: SUBLM-1209-DIST

Production/Manufacture Date: 12/09/2025

Production/Manufacture Method: Vacuum Distillation

Pesticides by SOP-22

Analyte	LOQ	Limit	Result	Q	Status	Analyte	LOQ	Limit	Result	Q	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.2500	0.5000	ND	Pass	Hexythiazol	0.5000	1.0000	ND	ND	Pass	
Acephate	0.2000	0.4000	ND	Pass	Imazalil	0.1000	0.2000	ND	ND	Pass	
Acetamiprid	0.1000	0.2000	ND	Pass	Imidacloprid	0.2000	0.4000	ND	ND	Pass	
Aldicarb	0.2000	0.4000	ND	Pass	Kresoxim Methyl	0.2000	0.4000	ND	ND	Pass	
Azoxystrobin	0.1000	0.2000	ND	Pass	Malathion	0.1000	0.2000	ND	ND	Pass	
Bifenazate	0.1000	0.2000	ND	Pass	Metalaxyl	0.1000	0.2000	ND	ND	Pass	
Bifenthrin	0.1000	0.2000	ND	Pass	Methiocarb	0.1000	0.2000	ND	ND	Pass	
Boscalid	0.2000	0.4000	ND	Pass	Methomyl	0.2000	0.4000	ND	ND	Pass	
Carbaryl	0.1000	0.2000	ND	Pass	Myclobutanil	0.1000	0.2000	ND	ND	Pass	
Carbofuran	0.1000	0.2000	ND	Pass	Naled	0.2500	0.5000	ND	ND	Pass	
Chlorantraniliprole	0.1000	0.2000	ND	Pass	Oxamyl	0.5000	1.0000	ND	ND	Pass	
Chlorfenapyr	0.5000	1.0000	ND	Pass	Pacllobutrazol	0.2000	0.4000	ND	ND	Pass	
Chloryprifos	0.1000	0.2000	ND	Pass	Permethrin	0.1000	0.2000	ND	ND	Pass	
Clofentezine	0.1000	0.2000	ND	Pass	Phosmet	0.1000	0.2000	ND	ND	Pass	
Cyfluthrin	0.5000	1.0000	ND	Pass	Piperonyl	1.0000	2.0000	ND	ND	Pass	
Cypermethrin	0.5000	1.0000	ND	Pass	Butoxide	1.0000	2.0000	ND	ND	Pass	
Daminozide	0.5000	1.0000	ND	Pass	Pralathrin	0.1000	0.2000	ND	ND	Pass	
Diazinon	0.1000	0.2000	ND	Pass	Propiconazole	0.2000	0.4000	ND	ND	Pass	
Dichlorvos	0.0500	0.1000	ND	Pass	Propoxur	0.1000	0.2000	ND	ND	Pass	
Dimethoate	0.1000	0.2000	ND	Pass	Pyrethrin	0.5000	1.0000	ND	ND	Pass	
Ethoprophos	0.1000	0.2000	ND	Pass	Pyridaben	0.1000	0.2000	ND	ND	Pass	
Etofenprox	0.2000	0.4000	ND	Pass	Spinosad	0.1000	0.2000	ND	ND	Pass	
Etoxazole	0.1000	0.2000	ND	Pass	Spironesifen	0.1000	0.2000	ND	ND	Pass	
Fenoxycarb	0.1000	0.2000	ND	Pass	Spirotetramat	0.1000	0.2000	ND	ND	Pass	
Fenpyroximate	0.2000	0.4000	ND	Pass	Spiroxamine	0.2000	0.4000	ND	ND	Pass	
Fipronil	0.2000	0.4000	ND	Pass	Tebuconazole	0.2000	0.4000	ND	ND	Pass	
Flonicamid	0.5000	1.0000	ND	Pass	Thiacloprid	0.1000	0.2000	ND	ND	Pass	
Fludioxonil	0.2000	0.4000	ND	Pass	Thiamethoxam	0.1000	0.2000	ND	ND	Pass	
					Trifloxystrobin	0.1000	0.2000	ND	ND	Pass	

Date Tested: 12/15/2025 07:00 am



Anthony Settanni
Lab Director
01/05/2026

Confident LIMS
All Right Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.



02/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

KEEF - Mr. Puffer 100mg

Sample ID: 2601APO0431.2272

Strain: Hybrid

Matrix: Ingestible

Type: Beverage

Source Batch #:

Collected: 01/29/2026 06:53 am
Received: 01/29/2026
Completed: 02/03/2026
Batch #: SUBLM-1209-DIST-MP-15
Harvest Date: 02/10/2025

Client

Sublime Brands

Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST

Production/Manufacture Date: 01/28/2026

Production/Manufacture Method:



Apollo Labs
17301 North Perimeter Drive
Scottsdale, AZ 85255
(602) 767-7600
http://www.apollolabscorp.com
Lic# 00000013LCRK62049775

Regulatory Compliance Testing

3 of 8

Mother Distillate - SUBLM-1209-DIST

Sample ID: 2512APO5547.27909

Strain: Hybrid Blend

Matrix: Concentrates & Extracts

Type: Distillate

Source Batch #: 0902HYB

Collected: 12/12/2025 08:46 am
Received: 12/12/2025
Completed: 01/05/2026
Batch #: SUBLM-1209-DIST
Harvest Date: 02/10/2025

Client

Io Extracts

Lic. # 00000067ESBS89254298

Lot #: SUBLM-1209-DIST

Production/Manufacture Date: 12/09/2025

Production/Manufacture Method: Vacuum Distillation

Microbials

Pass

Analyte	Limit	Result	Status	Q
Salmonella spp by QPCR: SOP-15	Detected/Not Detected in 1g	ND	Pass	
Aspergillus flavus Aspergillus fumigatus or Aspergillus niger by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	
Aspergillus terreus by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	

Analyte	LOQ	Limit	Result	Status	Q
E. Coli by traditional plating: SOP-13	CFU/g 10.0	CFU/g 100.0	< 10 CFU/g	Pass	

Date Tested: 12/15/2025 12:00 am

Mycotoxins by SOP-22

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
B1	5	10	20	µg/kg	ND	Pass
B2	5	10	20	µg/kg	ND	Pass
G1	5	10	20	µg/kg	ND	Pass
G2	5	10	20	µg/kg	ND	Pass
Total Aflatoxins	5	10	20	µg/kg	ND	Pass
Ochratoxin A	5	10	20	µg/kg	ND	Pass

Date Tested: 12/15/2025 07:00 am

Heavy Metals by SOP-21

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
Arsenic	PPM 0.1000	PPM 0.1330	PPM 0.4000	PPM	ND	Pass
Cadmium	0.1000	0.1330	0.4000	PPM	ND	Pass
Lead	0.2500	0.3330	1.0000	PPM	ND	Pass
Mercury	0.0500	0.0660	0.2000	PPM	ND	Pass

Date Tested: 12/15/2025 07:00 am



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Anthony Settanni
Lab Director
01/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

02/03/2026

KEEF - Mr. Puffer 100mg

Sample ID: 2601APO0431.2272

Strain: Hybrid

Matrix: Ingestible

Type: Beverage

Source Batch #:

Collected: 01/29/2026 06:53 am
Received: 01/29/2026
Completed: 02/03/2026
Batch #: SUBLM-1209-DIST-MP-15
Harvest Date: 02/10/2025

Client

Sublime Brands
Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 01/28/2026
Production/Manufacture Method:



Apollo Labs
17301 North Perimeter Drive
Scottsdale, AZ 85255
(602) 767-7600
http://www.apollolabscorp.com
Lic# 00000013LCRK62049775

Regulatory Compliance Testing

4 of 8

Mother Distillate - SUBLM-1209-DIST

Sample ID: 2512APO5547.27909

Strain: Hybrid Blend

Matrix: Concentrates & Extracts

Type: Distillate

Source Batch #: 0902HYB

Collected: 12/12/2025 08:46 am
Received: 12/12/2025
Completed: 01/05/2026
Batch #: SUBLM-1209-DIST
Harvest Date: 02/10/2025

Client

Io Extracts
Lic. # 00000067ESBS89254298

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 12/09/2025
Production/Manufacture Method: Vacuum Distillation

Residual Solvents by SOP-3

Analyte	LOQ	Limit	Result	Status	Q
Acetone	381.0000	1000.0000	ND	Pass	
Acetonitrile	154.0000	410.0000	ND	Pass	
Benzene	1.0000	2.0000	ND	Pass	
Butanes	1914.0000	5000.0000	ND	Pass	
Chloroform	24.0000	60.0000	ND	Pass	
Dichloromethane	231.0000	600.0000	ND	Pass	
Ethanol	1910.0000	5000.0000	ND	Pass	
Ethyl-Acetate	1907.0000	5000.0000	ND	Pass	
Ethyl-Ether	1901.0000	5000.0000	ND	Pass	
n-Heptane	1892.0000	5000.0000	ND	Pass	
Hexanes	115.0000	290.0000	ND	Pass	
Isopropanol	1915.0000	5000.0000	ND	Pass	
Isopropyl-Acetate	1908.0000	5000.0000	ND	Pass	
Methanol	1141.0000	3000.0000	ND	Pass	
Pentane	1923.0000	5000.0000	ND	Pass	
Toluene	343.0000	890.0000	ND	Pass	
Xylenes + Ethyl Benzene	841.0000	2170.0000	ND	Pass	

Date Tested: 12/15/2025 07:00 am



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN

This product has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Anthony Settanni
Lab Director
01/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



KEEF - Mr. Puffer 100mg

Sample ID: 2601APO0431.2272

Strain: Hybrid

Matrix: Ingestible

Type: Beverage

Source Batch #:

Collected: 01/29/2026 06:53 am
Received: 01/29/2026
Completed: 02/03/2026
Batch #: SUBLM-1209-DIST-MP-15
Harvest Date: 02/10/2025

Client

Sublime Brands
Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 01/28/2026
Production/Manufacture Method:



Apollo Labs
17301 North Perimeter Drive
Scottsdale, AZ 85255
(602) 767-7600
http://www.apollolabscorp.com
Lic# 00000013LCRK62049775

Regulatory Compliance Testing

5 of 8

Mother Distillate - SUBLM-1209-DIST

Sample ID: 2512APO5547.27909
Strain: Hybrid Blend
Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #: 0902HYB

Collected: 12/12/2025 08:46 am
Received: 12/12/2024
Completed: 01/05/2024
Batch #: SUBLM-1209-DIST
Harvest Date: 02/10/2025

Client
Io Extracts
Lic. # 00000067ESBS89254298
Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 12/09/2025
Production/Manufacture Method: Vacuum Distillation

Terpenes

Analyte	LOQ	Result	Result	Q	Analyte	LOQ	Result	Result	Q
---------	-----	--------	--------	---	---------	-----	--------	--------	---

Primary Aromas



Date Tested:



Anthony Settanni
Lab Director
01/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN

This product has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



KEEF - Mr. Puffer 100mg

Sample ID: 2601APO0431.2272

Strain: Hybrid

Matrix: Ingestible

Type: Beverage

Source Batch #:

Collected: 01/29/2026 06:53 am
Received: 01/29/2026
Completed: 02/03/2026
Batch #: SUBLM-1209-DIST-MP-15
Harvest Date: 02/10/2025

Client

Sublime Brands
Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 01/28/2026
Production/Manufacture Method:



Apollo Labs
17301 North Perimeter Drive
Scottsdale, AZ 85255
(602) 767-7600
http://www.apollolabscorp.com
Lic# 00000013LCRK62049775

Regulatory Compliance Testing

6 of 8

Mother Distillate - SUBLM-1209-DIST

Sample ID: 2512APO5547.27909

Strain: Hybrid Blend

Matrix: Concentrates & Extracts

Type: Distillate

Source Batch #: 0902HYB

Collected: 12/12/2025 08:46 am
Received: 12/12/2025
Completed: 01/05/2026
Batch #: SUBLM-1209-DIST
Harvest Date: 02/10/2025

Client
Io Extracts
Lic. # 00000067ESB589254298

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 12/09/2025
Production/Manufacture Method: Vacuum Distillation

Qualifiers Definitions

Qualifier Notation	Qualifier Description
D1	The limit of quantitation and the sample results were adjusted to reflect sample dilution
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (J)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q1	Sample integrity was not maintained - Q1
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices - Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

Notes and Addenda:




Bryant Kearn
Chief Scientific Officer
01/05/2026

Confident LIMS
All Right Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com


ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN

This certificate of analysis has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

02/03/2026

KEEF - Mr. Puffer 100mg

Sample ID: 2601APO0431.2272

Strain: Hybrid

Matrix: Ingestible

Type: Beverage

Source Batch #:

Collected: 01/29/2026 06:53 am
Received: 01/29/2026
Completed: 02/03/2026
Batch #: SUBLM-1209-DIST-MP-15
Harvest Date: 02/10/2025

Client
Sublime Brands
Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 01/28/2026
Production/Manufacture Method:



Apollo Labs
17301 North Perimeter Drive
Scottsdale, AZ 85255
(602) 767-7600
http://www.apollolabscorp.com
Lic# 00000013LCRK62049775

Regulatory Compliance Testing

7 of 8

Mother Distillate - SUBLM-1209-DIST

Sample ID: 2512APO5547.27909
Strain: Hybrid Blend
Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #: 0902HYB

Collected: 12/12/2025 08:46 am
Received: 12/12/2024
Completed: 01/05/2024
Batch #: SUBLM-1209-DIST
Harvest Date: 02/10/2025

Client
Io Extracts
Lic. # 00000067ESBS89254298

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 12/09/2025
Production/Manufacture Method: Vacuum Distillation

Customer Supplied Information:

The crude oil made into distillate through Vacuum Distillation on this product was produced with Butane.

Sublime Cultivation - Other Information
Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
Cultivated by: High Desert Healing LLC (Sublime/Old Pal Cultivation) (00000014ESNA15249640)
Manufactured by: Arizona Golden Leaf Wellness (00000067ESBS89254298)
Distributed through: Arizona Golden Leaf Wellness (00000067ESBS89254298, 00000077DCPS00216601)
<https://azcarecheck.azdhs.gov/s/>




Bryant Kearn
Chief Scientific Officer
01/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com


ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN
The product associated with this COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.



02/03/2026

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



KEEF - Mr. Puffer 100mg

Sample ID: 2601APO0431.2272

Strain: Hybrid

Matrix: Ingestible

Type: Beverage

Source Batch #:

Collected: 01/29/2026 06:53 am
Received: 01/29/2026
Completed: 02/03/2026
Batch #: SUBLM-1209-DIST-MP-15
Harvest Date: 02/10/2025

Client

Sublime Brands
Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 01/28/2026
Production/Manufacture Method:



Apollo Labs
17301 North Perimeter Drive
Scottsdale, AZ 85255
(602) 767-7600
http://www.apollolabscorp.com
Lic# 00000013LCRK62049775

Regulatory Compliance Testing

8 of 8

Mother Distillate - SUBLM-1209-DIST

Sample ID: 2512APO5547.27909
Strain: Hybrid Blend
Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #: 0902HYB

Collected: 12/12/2025 08:46 am
Received: 12/12/2025
Completed: 01/05/2026
Batch #: SUBLM-1209-DIST
Harvest Date: 02/10/2025

Client
Extracts
Lic. # 00000067ESB89254298
Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 12/09/2025
Production/Manufacture Method: Vacuum Distillation

Apollo Labs

Change Request Form

Client Information	
Personnel requesting change:	Nicholas Schwartz
Phone number of personnel making change:	(484) 222-1234
Organization Name/License #:	COA Services - 00000013LCRK62049775
Date update requested:	1/5/2026
Initials of Requesting Individual:	NAS

We accept this Change Request Form and assume it is submitted in good faith. Apollo Labs is not responsible for any consequences resulting from the use of this form. All changes made to a sample or product of analysis must be made through the Change Request Form application and the signature of the Analyst. The general of Health Services.

FOR INTERNAL LABORATORY TRACKING USE ONLY

Internal Tracking ID:	01091201202
COA/COA#:	0902HYB
Date(s) of change:	1/5/2026
Change tracking information updated:	Yes

Additional Notes:

Change Index	Accession Number/COA#	Field to be Changed	Original Value	Updated Value	Reason for Change
1	2512APO5547.27909	Harvest Date	9/2/2025	2/10/2025	State Compliance



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Confident LIMS
All Right Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



02/03/2026

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.