


KEEF - Original Cola 100mg

Sample ID: 2602APO0611.3286
Strain: Hybrid
Matrix: Ingestible
Type: Beverage
Source Batch #:

Collected: 02/10/2026 06:30 am
Received: 02/10/2026
Completed: 02/11/2026
Batch #: SUBLM-1209-DIST-OC-36
Harvest Date: 02/10/2025

Client
Sublime Brands
Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 02/09/2026
Production/Manufacture Method:



Summary

Test	Date Tested	Result
Batch		
Cannabinoids	02/10/2026	Complete
Microbials	02/10/2026	Pass

Cannabinoids by SOP-6

Complete

9.3388 mg/serving 93.3884 mg/container Total THC	ND ND Total CBD	9.3388 mg/serving 93.3884 mg/container Total Cannabinoids^(Q3)	NT Total Terpenes^(Q3)
---	--	---	---

Analyte	LOD mg/container	LOQ mg/container	Result mg/container	Result mg/g	Q
THCa		21.3084	ND	ND	
Δ9-THC		21.3084	93.3884	0.2630	
Δ8-THC		21.3084	ND	ND	
THCV		21.3084	ND	ND	
CBDa		21.3084	ND	ND	
CBD		21.3084	ND	ND	
CBDVa		21.3084	ND	ND	
CBDV		21.3084	ND	ND	
CBN		21.3084	ND	ND	
CBGa		21.3084	ND	ND	
CBG		21.3084	ND	ND	
CBC		21.3084	ND	ND	
Total THC			93.3884	0.2629	
Total CBD			ND	ND	
Total			93.3884	0.2629	

Date Tested: 02/10/2026 12:00 am
10 servings per container.



Anthony Settanni

Anthony Settanni
Lab Director
02/11/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

KEEF - Original Cola 100mg

Sample ID: 2602APO0611.3286

Strain: Hybrid

Matrix: Ingestible

Type: Beverage

Source Batch #:

Collected: 02/10/2026 06:30 am

Received: 02/10/2026

Completed: 02/11/2026

Batch #: SUBLM-1209-DIST-OC-36

Harvest Date: 02/10/2025

Client

Sublime Brands

Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST

Production/Manufacture Date: 02/09/2026

Production/Manufacture Method:

Microbials

Pass

Analyte	Limit	Result	Status	Q
Salmonella SPP by QPCR: SOP-15	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger by QPCR: SOP-14	Detected/Not Detected in 1g	NR	NT	
Aspergillus Terreus by QPCR: SOP-14	Detected/Not Detected in 1g	NR	NT	

Analyte	LOQ	Limit	Result	Status	Q
E. Coli by traditional plating: SOP-13	CFU/g 10.0	CFU/g 10.0	CFU/g < 10 CFU/g	Pass	

Date Tested: 02/10/2026 12:00 am

Mycotoxins by SOP-22

Not Tested

Analyte	LOD	LOQ	Limit	Units	Status	Q
---------	-----	-----	-------	-------	--------	---

Date Tested:

Heavy Metals by SOP-21

Not Tested

Analyte	LOD	LOQ	Limit	Units	Status	Q
---------	-----	-----	-------	-------	--------	---

Date Tested:



Anthony Settanni

Anthony Settanni
Lab Director
02/11/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

KEEF - Original Cola 100mg

Sample ID: 2602APO0611.3286
Strain: Hybrid
Matrix: Ingestible
Type: Beverage
Source Batch #:

Collected: 02/10/2026 06:30 am
Received: 02/10/2026
Completed: 02/11/2026
Batch #: SUBLM-1209-DIST-OC-36
Harvest Date: 02/10/2025

Client
Sublime Brands
Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 02/09/2026
Production/Manufacture Method:

Qualifiers Definitions

Qualifier Notation	Qualifier Description
D1	The limit of quantitation and the sample results were adjusted to reflect sample dilution
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q1	Sample integrity was not maintained - Q1
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices - Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

Notes and Addenda:



Bryant Kearl
Chief Scientific Officer
02/11/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

KEEF - Original Cola 100mg

Sample ID: 2602APO0611.3286

Strain: Hybrid

Matrix: Ingestible

Type: Beverage

Source Batch #:

Collected: 02/10/2026 06:30 am

Received: 02/10/2026

Completed: 02/11/2026

Batch #: SUBLM-1209-DIST-OC-36

Harvest Date: 02/10/2025

Client

Sublime Brands

Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST

Production/Manufacture Date: 02/09/2026

Production/Manufacture Method:

Customer Supplied Information:



Bryant Kearl
Chief Scientific Officer
02/11/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

KEEF - Original Cola 100mg

Sample ID: 2602APO0611.3286
Strain: Hybrid
Matrix: Ingestible
Type: Beverage
Source Batch #:

Collected: 02/10/2026 06:30 am
Received: 02/10/2026
Completed: 02/11/2026
Batch #: SUBLM-1209-DIST-OC-36
Harvest Date: 02/10/2025

Client
Sublime Brands
Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 02/09/2026
Production/Manufacture Method:



Apollo Labs
17301 North Perimeter Drive
Scottsdale, AZ 85255

(602) 767-7600
http://www.apollolabscorp.com
Lic# 00000013LCRK62049775

Regulatory Compliance Testing

1 of 8

Mother Distillate - SUBLM-1209-DIST

Sample ID: 2512APO5547.27909
Strain: Hybrid Blend
Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #: 0902HYB

Collected: 12/12/2025 08:46 am
Received: 12/12/2025
Completed: 01/05/2026
Batch #: SUBLM-1209-DIST
Harvest Date: 02/10/2025

Client
Io Extracts
Lic. # 00000067ESB589254298

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 12/09/2025
Production/Manufacture Method: Vacuum Distillation



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	12/15/2025	Complete
Residual Solvents	12/15/2025	Pass
Microbials	12/15/2025	Pass
Mycotoxins	12/15/2025	Pass
Pesticides	12/15/2025	Pass
Heavy Metals	12/15/2025	Pass

Cannabinoids by SOP-6

Complete



Analyte	LOD	LOQ	Result	Result	Q
	%	%	%	mg%	
THCa		0.1000	ND	ND	
Δ9-THC		0.1000	91.6781	916.781	
Δ8-THC		0.1000	1.0770	10.770	
THCV		0.1000	0.3472	3.472	
CBDa		0.1000	ND	ND	
CBD		0.1000	0.2200	2.200	
CBDVa		0.1000	ND	ND	
CBDV		0.1000	ND	ND	
CBN		0.1000	1.7227	17.227	
CBSa		0.1000	ND	ND	
CBG		0.1000	3.0116	30.116	
CBC		0.1000	0.6189	6.189	
Total THC			91.6780	916.7806	
Total CBD			0.2200	2.2002	
Total			98.6754	986.7546	

Date Tested: 12/15/2025 07:00 am



Anthony Settami
Anthony Settami
Lab Director
01/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.



02/11/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

KEEF - Original Cola 100mg

Sample ID: 2602APO0611.3286
Strain: Hybrid
Matrix: Ingestible
Type: Beverage
Source Batch #:

Collected: 02/10/2026 06:30 am
Received: 02/10/2026
Completed: 02/11/2026
Batch #: SUBLM-1209-DIST-OC-36
Harvest Date: 02/10/2025

Client
Sublime Brands
Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 02/09/2026
Production/Manufacture Method:

Mother Distillate - SUBLM-1209-DIST

Sample ID: 2512APO5547.27909
Strain: Hybrid Blend
Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #: 0902HYB

Collected: 12/12/2025 08:46 am
Received: 12/12/2025
Completed: 01/05/2026
Batch #: SUBLM-1209-DIST
Harvest Date: 02/10/2025

Client
Io Extracts
Lic. # 00000067ESB589254298

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 12/09/2025
Production/Manufacture Method: Vacuum Distillation

Pesticides by SOP-22

Pass

Analyte	LOQ	Limit	Result	Q	Status	Analyte	LOQ	Limit	Result	Q	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.2500	0.5000	ND		Pass	Hexythiazox	0.5000	1.0000	ND		Pass
Accephate	0.2000	0.4000	ND		Pass	Imazalil	0.1000	0.2000	ND		Pass
Acetamiprid	0.1000	0.2000	ND		Pass	Imidacloprid	0.2000	0.4000	ND		Pass
Aldicarb	0.2000	0.4000	ND		Pass	Kresoxim Methyl	0.2000	0.4000	ND		Pass
Azoxystrobin	0.1000	0.2000	ND		Pass	Malathion	0.1000	0.2000	ND		Pass
Bifenazate	0.1000	0.2000	ND		Pass	Metalaxyl	0.1000	0.2000	ND		Pass
Bifenthrin	0.1000	0.2000	ND		Pass	Methiocarb	0.1000	0.2000	ND		Pass
Boscalid	0.2000	0.4000	ND		Pass	Methomyl	0.2000	0.4000	ND		Pass
Carbaryl	0.1000	0.2000	ND		Pass	Myclobutanil	0.1000	0.2000	ND		Pass
Carbofuran	0.1000	0.2000	ND		Pass	Naled	0.2500	0.5000	ND		Pass
Chlorantraniliprole	0.1000	0.2000	ND		Pass	Oxamyl	0.5000	1.0000	ND		Pass
Chlorfenapyr	0.5000	1.0000	ND		Pass	Pacllobutrazol	0.2000	0.4000	ND		Pass
Chlorpyrifos	0.1000	0.2000	ND		Pass	Permethrins	0.1000	0.2000	ND		Pass
Clofentezine	0.1000	0.2000	ND		Pass	Phosmet	0.1000	0.2000	ND		Pass
Cyfluthrin	0.5000	1.0000	ND		Pass	Piperonyl	1.0000	2.0000	ND		Pass
Cypermethrin	0.5000	1.0000	ND		Pass	Butoxide	0.1000	0.2000	ND		Pass
Daminozide	0.5000	1.0000	ND		Pass	Prallethrin	0.1000	0.2000	ND		Pass
Diazinon	0.1000	0.2000	ND		Pass	Propiconazole	0.2000	0.4000	ND		Pass
Dichlorvos	0.0500	0.1000	ND		Pass	Propoxur	0.1000	0.2000	ND		Pass
Dimethoate	0.1000	0.2000	ND		Pass	Pyrethrins	0.5000	1.0000	ND		Pass
Ethoprophos	0.1000	0.2000	ND		Pass	Pyridaben	0.1000	0.2000	ND		Pass
Etofenprox	0.2000	0.4000	ND		Pass	Spinosad	0.1000	0.2000	ND		Pass
Etoxazole	0.1000	0.2000	ND		Pass	Spiromesifen	0.1000	0.2000	ND		Pass
Fenoxycarb	0.1000	0.2000	ND		Pass	Spirotetramat	0.1000	0.2000	ND		Pass
Fenpyroximate	0.2000	0.4000	ND		Pass	Spiroxamine	0.2000	0.4000	ND		Pass
Fipronil	0.2000	0.4000	ND		Pass	Tebuconazole	0.2000	0.4000	ND		Pass
Fonicamid	0.5000	1.0000	ND		Pass	Thiacloprid	0.1000	0.2000	ND		Pass
Fludioxonil	0.2000	0.4000	ND		Pass	Thiamethoxam	0.1000	0.2000	ND		Pass
						Trifloxystrobin	0.1000	0.2000	ND		Pass

Date Tested: 12/15/2025 07:00 am



Anthony Settami
Lab Director
01/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.



02/11/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

KEEF - Original Cola 100mg

Sample ID: 2602APO0611.3286
Strain: Hybrid
Matrix: Ingestible
Type: Beverage
Source Batch #:

Collected: 02/10/2026 06:30 am
Received: 02/10/2026
Completed: 02/11/2026
Batch #: SUBLM-1209-DIST-OC-36
Harvest Date: 02/10/2025

Client
Sublime Brands
Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 02/09/2026
Production/Manufacture Method:



Apollo Labs
17301 North Perimeter Drive
Scottsdale, AZ 85255

(602) 767-7600
http://www.apollolabscorp.com
Lic# 00000013LCRK62049775

Regulatory Compliance Testing

3 of 8

Mother Distillate - SUBLM-1209-DIST

Sample ID: 2512APO5547.27909
Strain: Hybrid Blend
Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #: 0902HYB

Collected: 12/12/2025 08:46 am
Received: 12/12/2025
Completed: 01/05/2026
Batch #: SUBLM-1209-DIST
Harvest Date: 02/10/2025

Client
Io Extracts
Lic. # 00000067ESB589254298

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 12/09/2025
Production/Manufacture Method: Vacuum Distillation

Microbials

Pass

Analyte	Limit	Result	Status	Q
Salmonella SPP by QPCR: SOP-15	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Flavus/Aspergillus Fumigatus or Aspergillus Niger by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Terreus by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	

Analyte	LOQ	Limit	Result	Status	Q
E. Coli by traditional plating: SOP-13	CFU/g 10.0	CFU/g 100.0	< 10 CFU/g	Pass	

Date Tested: 12/15/2025 12:00 am

Mycotoxins by SOP-22

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
B1	µg/kg	µg/kg	µg/kg	µg/kg	ND	Pass
B2	5	10	20	ND	Pass	
G1	5	10	20	ND	Pass	
G2	5	10	20	ND	Pass	
Total Aflatoxins	5	10	20	ND	Pass	
Ochratoxin A	5	10	20	ND	Pass	

Date Tested: 12/15/2025 07:00 am

Heavy Metals by SOP-21

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
Arsenic	PPM	PPM	PPM	PPM	ND	Pass
Cadmium	0.1000	0.1330	0.4000	ND	Pass	
Lead	0.1000	0.1330	0.4000	ND	Pass	
Mercury	0.2500	0.3330	1.0000	ND	Pass	
	0.0500	0.0660	0.2000	ND	Pass	

Date Tested: 12/15/2025 07:00 am



Anthony Settanni
Anthony Settanni
Lab Director
01/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.



02/11/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

KEEF - Original Cola 100mg

Sample ID: 2602APO0611.3286
Strain: Hybrid
Matrix: Ingestible
Type: Beverage
Source Batch #:

Collected: 02/10/2026 06:30 am
Received: 02/10/2026
Completed: 02/11/2026
Batch #: SUBLM-1209-DIST-OC-36
Harvest Date: 02/10/2025

Client
Sublime Brands
Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 02/09/2026
Production/Manufacture Method:



Apollo Labs (602) 767-7600
17301 North Perimeter Drive
Scottsdale, AZ 85255 http://www.apollolabscorp.com
Lic# 00000013LCRK62049775

Regulatory Compliance Testing

4 of 8

Mother Distillate - SUBLM-1209-DIST

Sample ID: 2512APO5547.27909
Strain: Hybrid Blend
Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #: 0902HYB

Collected: 12/12/2025 08:46 am
Received: 12/12/2025
Completed: 01/05/2026
Batch #: SUBLM-1209-DIST
Harvest Date: 02/10/2025

Client
Io Extracts
Lic. # 00000067ESB589254298

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 12/09/2025
Production/Manufacture Method: Vacuum Distillation

Residual Solvents by SOP-3

Analyte	LOQ		Limit	Result	Status	Q
	PPM	PPM				
Acetone	381.0000	1000.0000	ND	Pass		Pass
Acetonitrile	154.0000	410.0000	ND	Pass		
Benzene	1.0000	2.0000	ND	Pass		
Butanes	1914.0000	5000.0000	ND	Pass		
Chloroform	24.0000	60.0000	ND	Pass		
Dichloromethane	231.0000	600.0000	ND	Pass		
Ethanol	1910.0000	5000.0000	ND	Pass		
Ethyl-Acetate	1907.0000	5000.0000	ND	Pass		
Ethyl-Ether	1901.0000	5000.0000	ND	Pass		
n-Heptane	1892.0000	5000.0000	ND	Pass		
Hexanes	115.0000	290.0000	ND	Pass		
Isopropanol	1915.0000	5000.0000	ND	Pass		
Isopropyl-Acetate	1908.0000	5000.0000	ND	Pass		
Methanol	1141.0000	3000.0000	ND	Pass		
Pentane	1923.0000	5000.0000	ND	Pass		
Toluene	343.0000	890.0000	ND	Pass		
Xylenes + Ethyl Benzene	841.0000	2170.0000	ND	Pass		

Date Tested: 12/15/2025 07:00 am



Anthony Settami
Anthony Settami
Lab Director
01/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.



02/11/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

KEEF - Original Cola 100mg

Sample ID: 2602APO0611.3286
Strain: Hybrid
Matrix: Ingestible
Type: Beverage
Source Batch #:

Collected: 02/10/2026 06:30 am
Received: 02/10/2026
Completed: 02/11/2026
Batch #: SUBLM-1209-DIST-OC-36
Harvest Date: 02/10/2025

Client
Sublime Brands
Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 02/09/2026
Production/Manufacture Method:



Apollo Labs
17301 North Perimeter Drive
Scottsdale, AZ 85255

(602) 767-7600
http://www.apollolabscorp.com
Lic# 00000013LCRK62049775

Regulatory Compliance Testing

5 of 8

Mother Distillate - SUBLM-1209-DIST

Sample ID: 2512APO5547.27909
Strain: Hybrid Blend
Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #: 0902HYB

Collected: 12/12/2025 08:46 am
Received: 12/12/2025
Completed: 01/05/2026
Batch #: SUBLM-1209-DIST
Harvest Date: 02/10/2025

Client
Io Extracts
Lic. # 00000067ESB589254298

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 12/09/2025
Production/Manufacture Method: Vacuum Distillation

Terpenes

Analyte	LOQ	Result	Result Q	Analyte	LOQ	Result	Result Q
---------	-----	--------	----------	---------	-----	--------	----------



Primary Aromas

--	--	--	--	--

Date Tested:



Anthony Settanni
Anthony Settanni
Lab Director
01/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.



02/11/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

KEEF - Original Cola 100mg

Sample ID: 2602APO0611.3286
Strain: Hybrid
Matrix: Ingestible
Type: Beverage
Source Batch #:

Collected: 02/10/2026 06:30 am
Received: 02/10/2026
Completed: 02/11/2026
Batch #: SUBLM-1209-DIST-OC-36
Harvest Date: 02/10/2025

Client
Sublime Brands
Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 02/09/2026
Production/Manufacture Method:

Mother Distillate - SUBLM-1209-DIST

Sample ID: 2512APO5547.27909
Strain: Hybrid Blend
Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #: 0902HYB

Collected: 12/12/2025 08:46 am
Received: 12/12/2025
Completed: 01/05/2026
Batch #: SUBLM-1209-DIST
Harvest Date: 02/10/2025

Client
Io Extracts
Lic. # 00000067ESB589254298

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 12/09/2025
Production/Manufacture Method: Vacuum Distillation

Qualifiers Definitions

Qualifier Notation	Qualifier Description
D1	The limit of quantitation and the sample results were adjusted to reflect sample dilution
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q1	Sample integrity was not maintained - Q1
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices - Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

Notes and Addenda:



[Signature]
Bryant Keart
Chief Scientific Officer
01/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.



02/11/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

KEEF - Original Cola 100mg

Sample ID: 2602APO0611.3286
Strain: Hybrid
Matrix: Ingestible
Type: Beverage
Source Batch #:

Collected: 02/10/2026 06:30 am
Received: 02/10/2026
Completed: 02/11/2026
Batch #: SUBLM-1209-DIST-OC-36
Harvest Date: 02/10/2025

Client
Sublime Brands
Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 02/09/2026
Production/Manufacture Method:



Apollo Labs (602) 767-7600
17301 North Perimeter Drive http://www.apollolabscorp.com
Scottsdale, AZ 85255 Lic# 00000013LCRK62049775

Regulatory Compliance Testing

7 of 8

Mother Distillate - SUBLM-1209-DIST

Sample ID: 2512APO5547.27909
Strain: Hybrid Blend
Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #: 0902HYB

Collected: 12/12/2025 08:46 am
Received: 12/12/2025
Completed: 01/05/2026
Batch #: SUBLM-1209-DIST
Harvest Date: 02/10/2025

Client
Io Extracts
Lic. # 00000067ESB589254298
Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 12/09/2025
Production/Manufacture Method: Vacuum Distillation

Customer Supplied Information:

The crude oil made into distillate through Vacuum Distillation on this product was produced with Butane.

Sublime Cultivation - Other Information
Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
Cultivated by: High Desert Healing LLC (Sublime/Old Pal Cultivation) (00000014ESNA15249640)
Manufactured by: Arizona Golden Leaf Wellness (00000067ESB589254298)
Distributed through: Arizona Golden Leaf Wellness (00000067ESB589254298, 00000077DCPS00216601)
<https://azcarecheck.azdhs.gov/s/>



Bryant Keart
Bryant Keart
Chief Scientific Officer
01/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.



02/11/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

KEEF - Original Cola 100mg

Sample ID: 2602APO0611.3286
Strain: Hybrid
Matrix: Ingestible
Type: Beverage
Source Batch #:

Collected: 02/10/2026 06:30 am
Received: 02/10/2026
Completed: 02/11/2026
Batch #: SUBLM-1209-DIST-OC-36
Harvest Date: 02/10/2025

Client
Sublime Brands
Lic. # 00000010ESIR42914838

Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 02/09/2026
Production/Manufacture Method:

Mother Distillate - SUBLM-1209-DIST

Sample ID: 2512APO5547.27909
Strain: Hybrid Blend
Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #: 0902HYB

Collected: 12/12/2025 08:46 am
Received: 12/12/2025
Completed: 01/05/2026
Batch #: SUBLM-1209-DIST
Harvest Date: 02/10/2025

Client
Io Extracts
Lic. # 00000067ESB589254298
Lot #: SUBLM-1209-DIST
Production/Manufacture Date: 12/09/2025
Production/Manufacture Method: Vacuum Distillation

Apollo Labs

Change Request Form

Client Information	
Personnel requesting change:	Nicholas Schwartz
Facility of primary requesting change:	17489134-0088110002
Organization Name/Source #:	IO Extracts - 00000067ESB589254298
Date update requested:	1/10/2026
Initials of Requesting Individual:	
NS	
<small>By signing this Change Request Form, I authorize Apollo Labs to be responsible for any compliance-related matters concerning the change, and that I agree to be responsible for any compliance-related matters previously identified in this change, comply with applicable rules and regulations of the Arizona Department of Health Services.</small>	
Internal Tracking ID:	01091024-0002
Individuals performing QA/Testing Request Update:	09/01/2025
Method of change:	1/10/2026
Change tracking information updated:	Yes
Additional Notes:	
Change Index:	2512APO5547.27909
Accession Number/Confident Certificate ID:	Harvest Date:
Field to be changed:	Original Value:
Updated Value:	Reason for Change:
	9/2/2025
	2/10/2025
	State Compliance



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



01/05/2026

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.



02/11/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.