

Border Health, Inc. dba Sticky Saguaro

12338 E Riggs Rd
Chandler, AZ 85249
aswim@stickysaguaro.com

Lic. #00000022ESMC44584355


Sample: 2502LVL0140.0696

Secondary License: ; Chain of Distribution:
Strain: Sticky Sour Diesel; Batch Size: g; External Batch ID:
Sample Received: 02/18/2025; Report Created: 02/21/2025; Report Expiration: 02/21/2026
Sampling Date: 02/14/2025; Sampling Time: 9:15am; Sampling Person: Jordan Allen
Harvest Date: 01/31/2025; Manufacturing Date: ; External Lot ID:
Date of Pickup: 02/18/2025 Time Collected: 1122

Sticky Sour Diesel Bulk

Plant, Flower - Cured, Indoor
Batch #: SD-1-3



	23.30%	ND	26.94%
	Total THC	Total CBD	
	20.95 mg/g	Complete	Total Cannabinoids (Q3)
	Total Terpenes (Q3)	11.5% Moisture (Q3)	

Cannabinoids

Complete

Analyte	LOQ	Result	Result	Qualifier
	%	%	mg/g	
THCa	0.16	25.62	256.2	
Δ9-THC	0.16	0.83	8.3	M1
Δ8-THC	0.16	ND	ND	Q3
THCVa	0.16	<LOQ	<LOQ	Q3
THCV	0.16	ND	ND	Q3
CBDa	0.16	ND	ND	
CBD	0.16	ND	ND	
CBDVa	0.16	ND	ND	Q3
CBDV	0.16	ND	ND	Q3
CBN	0.16	<LOQ	<LOQ	Q3
CBGa	0.16	0.23	2.3	Q3
CBG	0.16	<LOQ	<LOQ	Q3
CBCa	0.16	0.26	2.6	Q3
CBC	0.16	ND	ND	Q3
Total		26.94	269.4	Q3

Qualifiers:
Date Tested: 02/19/2025 12:00 am

Total THC = THCa * 0.877 + d9-THC
Total CBD = CBDa * 0.877 + CBD

The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoid potency performed by HPLC-DAD per SOP-(1608). ADHS approved method for potency by HPLC-DAD for all listed analytes.

Border Health, Inc. dba Sticky Saguaro

12338 E Riggs Rd
Chandler, AZ 85249
aswim@stickysaguaro.com

Lic. #00000022ESMC44584355

Sample: 2502LVL0140.0696

Secondary License: ; Chain of Distribution:
Strain: Sticky Sour Diesel; Batch Size: g; External Batch ID:
Sample Received: 02/18/2025; Report Created: 02/21/2025; Report Expiration: 02/21/2026
Sampling Date: 02/14/2025; Sampling Time: 9:15am; Sampling Person: Jordan Allen
Harvest Date: 01/31/2025; Manufacturing Date: ; External Lot ID:
Date of Pickup: 02/18/2025 Time Collected: 1122

Sticky Sour Diesel Bulk


Plant, Flower - Cured, Indoor
Batch #: SD-1-3




Terpenes

Analyte	LOQ	Result	Result	Qualifier	Analyte	LOQ	Result	Result	Qualifier
	mg/g	mg/g	%			mg/g	mg/g	%	
β-Caryophyllene	0.20	6.39	0.639	Q3	Citronellol	0.98	<LOQ	<LOQ	Q3
δ-Limonene	0.20	5.37	0.537	Q3	Eucalyptol	0.10	ND	ND	Q3
β-Myrcene	0.10	3.68	0.368	Q3	Farnesene	0.02	ND	ND	Q3
α-Humulene	0.10	1.58	0.158	Q3	Fenchone	0.20	ND	ND	Q3
Linalool	0.20	1.17	0.117	Q3	γ-Terpinene	0.10	ND	ND	Q3
α-Bisabolol	0.10	0.90	0.090	Q3	γ-Terpineol	0.02	ND	ND	Q3
Fenchol	0.10	0.63	0.063	Q3	Geraniol	1.96	ND	ND	Q3
β-Pinene	0.20	0.38	0.038	Q3	Geranyl Acetate	0.10	ND	ND	Q3
α-Pinene	0.10	0.37	0.037	Q3	Guaiol	0.10	ND	ND	Q3
α-Terpineol	0.16	0.37	0.037	Q3	Isoborneol	0.98	ND	ND	Q3
Camphene	0.10	0.11	0.011	Q3	Isopulegol	0.10	ND	ND	Q3
3-Carene	0.20	ND	ND	Q3	Menthol	0.10	ND	ND	Q3
α-Cedrene	0.10	ND	ND	Q3	Nerol	0.10	ND	ND	Q3
α-Phellandrene	0.10	ND	ND	Q3	Pulegone	0.10	ND	ND	Q3
α-Terpinene	0.10	ND	ND	Q3	p-Cymene	0.10	ND	ND	Q3
β-Eudesmol	0.10	ND	ND	Q3	Sabinene	0.10	ND	ND	Q3
Borneol	0.29	<LOQ	<LOQ	Q3	Sabinene Hydrate	0.10	ND	ND	Q3
Camphor	0.39	ND	ND	Q3	Terpinolene	0.20	ND	ND	Q3
Caryophyllene Oxide	0.10	<LOQ	<LOQ	Q3	trans-Nerolidol	0.10	ND	ND	Q3
Cedrol	0.10	ND	ND	Q3	trans-Ocimene	0.06	ND	ND	Q3
cis-Nerolidol	0.20	ND	ND	Q3	Valencene	0.10	ND	ND	Q3
cis-Ocimene	0.03	ND	ND	Q3					


Primary Aromas




Cinnamon




Lemon



Hops



Lavender



Chamomile

20.95 mg/g
Total Terpenes

Qualifiers:
Date Tested: 02/19/2025 07:00 am

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Qualifying code Q3: For informational purposes only.



Certificate of Analysis

Powered by Confident LIMS
3 of 5

Border Health, Inc. dba Sticky Saguario

12338 E Riggs Rd
Chandler, AZ 85249
aswim@stickysaguaro.com

Lic. #00000022ESMC44584355

Sample: 2502LVL0140.0696

Secondary License: ; Chain of Distribution:
Strain: Sticky Sour Diesel; Batch Size: g; External Batch ID:
Sample Received: 02/18/2025; Report Created: 02/21/2025; Report Expiration: 02/21/2026
Sampling Date: 02/14/2025; Sampling Time: 9:15am; Sampling Person: Jordan Allen
Harvest Date: 01/31/2025; Manufacturing Date: ; External Lot ID:
Date of Pickup: 02/18/2025 Time Collected: 1122

Sticky Sour Diesel Bulk

Plant, Flower - Cured, Indoor
Batch #: SD-1-3



Pesticides

Pass

Analyte	LOQ	Limit	Units	Status	Qualifier	Analyte	LOQ	Limit	Units	Status	Qualifier
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.040	0.500	ND	Pass	M1	Hexythiazox	0.050	1.000	ND	Pass	M1
Acephate	0.040	0.400	ND	Pass		Imazalil	0.050	0.200	ND	Pass	M1
Acetamiprid	0.050	0.200	ND	Pass		Imidacloprid	0.050	0.400	ND	Pass	M1
Aldicarb	0.050	0.400	ND	Pass		Kresoxim Methyl	0.040	0.400	ND	Pass	
Azoxystrobin	0.050	0.200	ND	Pass		Malathion	0.050	0.200	ND	Pass	
Bifenazate	0.050	0.200	ND	Pass		Metalaxyl	0.050	0.200	ND	Pass	M1
Bifenthrin	0.050	0.200	ND	Pass	M2	Methiocarb	0.040	0.200	ND	Pass	L1
Boscalid	0.040	0.400	ND	Pass		Methomyl	0.050	0.400	ND	Pass	
Carbaryl	0.050	0.200	ND	Pass		Myclobutanil	0.050	0.200	ND	Pass	
Carbofuran	0.050	0.200	ND	Pass		Naled	0.050	0.500	ND	Pass	
Chlorantraniliprole	0.050	0.200	ND	Pass		Oxamyl	0.050	1.000	ND	Pass	
Chlorfenapyr	0.470	1.000	ND	Pass		Pacllobutrazol	0.050	0.400	ND	Pass	
Chlorpyrifos	0.050	0.200	ND	Pass		Permethrins	0.050	0.200	ND	Pass	V1 M1
Clofentezine	0.050	0.200	ND	Pass		Phosmet	0.050	0.200	ND	Pass	
Cyfluthrin	0.460	1.000	ND	Pass		Piperonyl Butoxide	0.040	2.000	ND	Pass	
Cypermethrin	0.050	1.000	ND	Pass		Prallethrin	0.050	0.200	ND	Pass	
Daminozide	0.460	1.000	ND	Pass		Propiconazole	0.050	0.400	ND	Pass	
Dichlorvos (DDVP)	0.050	0.100	ND	Pass		Propoxur	0.050	0.200	ND	Pass	
Diazinon	0.050	0.200	ND	Pass		Pyrethrins	0.470	1.000	ND	Pass	
Dimethoate	0.050	0.200	ND	Pass		Pyridaben	0.050	0.200	ND	Pass	
Ethoprophos	0.050	0.200	ND	Pass		Spinosad	0.050	0.200	ND	Pass	V1
Etofenprox	0.050	0.400	ND	Pass	M2	Spiromesifen	0.050	0.200	ND	Pass	M2
Etoxazole	0.050	0.200	ND	Pass		Spirotetramat	0.050	0.200	ND	Pass	L1 R1
Fenoxycarb	0.050	0.200	ND	Pass		Spiroxamine	0.050	0.400	ND	Pass	
Fenpyroximate	0.050	0.400	ND	Pass		Tebuconazole	0.050	0.400	ND	Pass	M1
Fipronil	0.050	0.400	ND	Pass	M1	Thiacloprid	0.050	0.200	ND	Pass	
Flonicamid	0.050	1.000	ND	Pass		Thiamethoxam	0.050	0.200	ND	Pass	
Fludioxonil	0.050	0.400	ND	Pass		Trifloxystrobin	0.050	0.200	ND	Pass	

Herbicides

Analyte	LOQ	Limit	Units	Status
---------	-----	-------	-------	--------

Qualifiers:

Date Tested: 02/20/2025 12:00 am
Performed by LCMSMS per SOP-LM-021 and SOP-LM-022. ND = Not Detected; NR = Not Reported. Methods used per AZDHS R9-17-404.03 and pesticide limits set by AZDHS R9-17 Table 3.1. ADHS approved method for pesticide testing by LCMSMS for full list effective 5/1/2021.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
<http://www.levelonelabs.com>
Lic# 00000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Certificate of Analysis

Powered by Confident LIMS
4 of 5

Border Health, Inc. dba Sticky Saguaro

12338 E Riggs Rd
Chandler, AZ 85249
aswim@stickysaguaro.com

Lic. #00000022ESMC44584355

Sample: 2502LVL0140.0696

Secondary License: ; Chain of Distribution:
Strain: Sticky Sour Diesel; Batch Size: g; External Batch ID:
Sample Received: 02/18/2025; Report Created: 02/21/2025; Report Expiration: 02/21/2026
Sampling Date: 02/14/2025; Sampling Time: 9:15am; Sampling Person: Jordan Allen
Harvest Date: 01/31/2025; Manufacturing Date: ; External Lot ID:
Date of Pickup: 02/18/2025 Time Collected: 1122

Sticky Sour Diesel Bulk

Plant, Flower - Cured, Indoor
Batch #: SD-1-3



Microbials

Pass

Analyte	Result	Result Units	Status	Qualifier
E. Coli	<10	CFU/G	Pass	
Salmonella	Not Detected	in one gram	Pass	
Aspergillus terreus	Not Detected	in one gram	Pass	
Aspergillus fumigatus, Aspergillus flavus, and Aspergillus niger	Not Detected	in one gram	Pass	



Qualifiers:
Date Tested: 02/20/2025 12:00 am

TNTC = Too Numerous to Count. The lower limit of quantification for E. coli is 10 CFU/g unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: E. coli plating via 3M Petrifilm per SOP-LM-019, Salmonella spp. And Aspergillus spp. detection by Bio-Rad CFX96 Deep Well real-time PCR per SOP-LM-016 & SOP-LM-017. Methods used per AZDHS R9-17-404.04 and microbial limits set by AZDHS R9-17 Table 3.1. ADHS approved method for microbials for all listed organisms.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
<http://www.levelonelabs.com>
Lic# 0000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



Certificate of Analysis

Powered by Confident LIMS
5 of 5

Border Health, Inc. dba Sticky Saguaro

12338 E Riggs Rd
Chandler, AZ 85249
aswim@stickysaguaro.com

Lic. #00000022ESMC44584355

Sample: 2502LVL0140.0696

Secondary License: ; Chain of Distribution:
Strain: Sticky Sour Diesel; Batch Size: g; External Batch ID:
Sample Received: 02/18/2025; Report Created: 02/21/2025; Report Expiration: 02/21/2026
Sampling Date: 02/14/2025; Sampling Time: 9:15am; Sampling Person: Jordan Allen
Harvest Date: 01/31/2025; Manufacturing Date: ; External Lot ID:
Date of Pickup: 02/18/2025 Time Collected: 1122

Sticky Sour Diesel Bulk

Plant, Flower - Cured, Indoor
Batch #: SD-1-3



Heavy Metals

Pass

Analyte	Result	LOQ	Limit	Status	Qualifier
	PPM	PPM	PPM		
Arsenic	<0.104	0.104	0.400	Pass	
Cadmium	ND	0.104	0.400	Pass	
Lead	ND	0.104	1.000	Pass	
Mercury	ND	0.104	0.200	Pass	

LEVEL ONE

Qualifiers:
Date Tested: 02/20/2025 12:00 am

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
<http://www.levelonelabs.com>
Lic# 00000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



Cultivated by: Border Health, Inc. dba Sticky Saguario 00000007ESWD35270682,
00000108DCVB00423429

Distributed by: Border Health, Inc. dba Sticky Saguario 00000007ESWD35270682,
00000108DCVB00423429

Warning: Using marijuana during pregnancy could cause birth defects
or other health issues to your unborn child.