

Verde Americano - LunchBox

Sample: 2602LVL0116.0637

Phoenix, AZ 85034


Strain: Cherryzona Lemonade; Batch Size: 8 g; External Batch ID: CHL.0202DSTI

Sample Received: 02/21/2026; Report Completed: 02/24/2026; Report Expiration: 02/24/2027
Sampling Date: 02/20/2026; Sampling Time: 02:15pm; Sampling Person: Reed Burris
Harvest Date: 04/29/2025; Manufacturing Date: 02/20/2026; External Lot ID:
Date of Pickup: 02/20/2026 Time Collected: 3:22

Lic. #0000144DRCUM87865142

Cherryzona Lemonade DSTi 1g
Concentrates & Extracts, Distillate, Propane/Butane



	95.17%	ND	96.32%
	Total THC	Total CBD	
	NT	Not Tested	Total Cannabinoids (Q3)
	Total Terpenes (Q3)	NT Moisture (Q3)	

Cannabinoids

Complete

Analyte	LOQ	Result	Result	Qualifier
	%	%	mg/g	
THCa	0.57	9.36	93.6	
Δ9-THC	0.57	86.96	869.6	
Δ8-THC	0.57	ND	ND	Q3
THCVa	0.57	ND	ND	Q3
THCV	0.57	<LOQ	<LOQ	Q3
CBDa	0.57	ND	ND	
CBD	0.57	ND	ND	
CBDVa	0.57	ND	ND	Q3
CBDV	0.57	ND	ND	Q3
CBN	0.57	<LOQ	<LOQ	Q3
CBGa	0.57	<LOQ	<LOQ	Q3
CBG	0.57	<LOQ	<LOQ	Q3
CBCa	0.57	ND	ND	Q3
CBC	0.57	<LOQ	<LOQ	Q3
Total		96.32	963.2	Q3

Qualifiers:
Date Tested: 02/23/2026 12:00 am

Total THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD

The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoid potency performed by HPLC-DAD per SOP-(1608). ADHS approved method for potency by HPLC-DAD for all listed analytes.

Verde Americano - LunchBox

Sample: 2602LVL0116.0637

Phoenix, AZ 85034

Secondary License: ; Chain of Distribution:

Strain: Cherryzona Lemonade; Batch Size: 8 g; External Batch ID: CHL.0202DSTI

Sample Received: 02/21/2026; Report Completed: 02/24/2026; Report Expiration: 02/24/2027

Sampling Date: 02/20/2026; Sampling Time: 02:15pm; Sampling Person: Reed Burris

Harvest Date: 04/29/2025; Manufacturing Date: 02/20/2026; External Lot ID:

Date of Pickup: 02/20/2026 Time Collected: 3:22

Lic. #0000144DRCUM87865142

Cherryzona Lemonade DSTi 1g

Concentrates & Extracts, Distillate, Propane/Butane



Residual Solvents

Pass

Analyte	LOQ	Limit	Result	Status	Qualifier
	PPM	PPM	PPM		
Acetone	356.210	1000.000	ND	Pass	
Acetonitrile	144.800	410.000	ND	Pass	
Benzene	0.710	2.000	ND	Pass	
Butanes	2370.020	5000.000	ND	Pass	
Chloroform	21.330	60.000	ND	Pass	
Dichloromethane	216.760	600.000	ND	Pass	
Ethanol	1767.360	5000.000	ND	Pass	
Ethyl-Acetate	1769.030	5000.000	ND	Pass	
Ethyl-Ether	1762.130	5000.000	ND	Pass	
Heptane	1764.690	5000.000	ND	Pass	
Hexanes	101.730	290.000	ND	Pass	
Isopropanol	1759.070	5000.000	ND	Pass	
Isopropyl-Acetate	1762.330	5000.000	ND	Pass	
Methanol	1054.640	3000.000	ND	Pass	
Pentanes	1773.770	5000.000	ND	Pass	
Toluene	317.400	890.000	ND	Pass	
Xylenes	760.470	2170.000	ND	Pass	

LEVEL ONE

Qualifiers:

Date Tested: 02/23/2026 07:00 am

Performed by GCMS-HS per SOP-LM-014. Methods used per AZDHS R9-17-404.03 and solvent limits set by AZDHS R9-17 Table 3.1. ADHS approved method for residual solvents by GCMS-HS for all listed analytes.



Certificate of Analysis

Powered by Confident LIMS
3 of 6

Verde Americano - LunchBox

Sample: 2602LVL0116.0637

Phoenix, AZ 85034

Secondary License: ; Chain of Distribution:
Strain: Cherryzona Lemonade; Batch Size: 8 g; External Batch ID: CHL.0202DSTI

Sample Received: 02/21/2026; Report Completed: 02/24/2026; Report Expiration: 02/24/2027
Sampling Date: 02/20/2026; Sampling Time: 02:15pm; Sampling Person: Reed Burris
Harvest Date: 04/29/2025; Manufacturing Date: 02/20/2026; External Lot ID:
Date of Pickup: 02/20/2026 Time Collected: 3:22

Lic. #0000144DRCUM87865142

Cherryzona Lemonade DSTi 1g

Concentrates & Extracts, Distillate, Propane/Butane



Pesticides

Pass

Analyte	LOQ	Limit	Units	Status	Qualifier	Analyte	LOQ	Limit	Units	Status	Qualifier
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.030	0.500	ND	Pass	V1 L1	Hexythiazox	0.050	1.000	ND	Pass	V1 L1
Acephate	0.040	0.400	ND	Pass	V1 L1	Imazalil	0.050	0.200	ND	Pass	V1 L1
Acetamiprid	0.050	0.200	ND	Pass	V1 L1	Imidacloprid	0.050	0.400	ND	Pass	V1 L1
Aldicarb	0.050	0.400	ND	Pass	V1 L1	Kresoxim Methyl	0.040	0.400	ND	Pass	V1 L1
Azoxystrobin	0.050	0.200	ND	Pass	V1 L1	Malathion	0.050	0.200	ND	Pass	V1 L1
Bifenazate	0.050	0.200	ND	Pass		Metalaxyl	0.050	0.200	ND	Pass	V1 L1
Bifenthrin	0.050	0.200	ND	Pass	V1 L1	Methiocarb	0.040	0.200	ND	Pass	V1 L1
Boscalid	0.040	0.400	ND	Pass	V1 L1	Methomyl	0.050	0.400	ND	Pass	V1 L1
Carbaryl	0.050	0.200	ND	Pass	V1 L1	Myclobutanil	0.050	0.200	ND	Pass	V1 L1
Carbofuran	0.050	0.200	ND	Pass	V1 L1	Naled	0.050	0.500	ND	Pass	V1 L1
Chlorantraniliprole	0.050	0.200	ND	Pass	V1 L1	Oxamyl	0.050	1.000	ND	Pass	V1 L1
Chlorfenapyr	0.460	1.000	ND	Pass	V1 L1 R1	Paclobutrazol	0.050	0.400	ND	Pass	V1 L1
Chlorpyrifos	0.050	0.200	ND	Pass	V1 L1	Permethrins	0.050	0.200	ND	Pass	V1 L1
Clofentezine	0.050	0.200	ND	Pass	V1 L1	Phosmet	0.040	0.200	ND	Pass	V1 L1
Cyfluthrin	0.460	1.000	ND	Pass	V1 L1	Piperonyl Butoxide	0.040	2.000	ND	Pass	V1 L1
Cypermethrin	0.050	1.000	ND	Pass	V1 L1	Prallethrin	0.050	0.200	ND	Pass	V1 L1
Daminozide	0.460	1.000	ND	Pass	V1 L1	Propiconazole	0.050	0.400	ND	Pass	V1 L1
Dichlorvos (DDVP)	0.050	0.100	ND	Pass	V1 L1	Propoxur	0.050	0.200	ND	Pass	V1 L1
Diazinon	0.050	0.200	ND	Pass	V1 L1	Pyrethrins	0.460	1.000	ND	Pass	V1 L1
Dimethoate	0.050	0.200	ND	Pass	V1 L1	Pyridaben	0.050	0.200	ND	Pass	V1 L1
Ethoprophos	0.050	0.200	ND	Pass	V1 L1	Spinosad	0.050	0.200	ND	Pass	V1 L1
Etofenprox	0.050	0.400	ND	Pass	V1 L1	Spiromesifen	0.050	0.200	ND	Pass	V1 L1
Etoxazole	0.050	0.200	ND	Pass	V1 L1	Spirotetramat	0.050	0.200	ND	Pass	V1 L1
Fenoxycarb	0.050	0.200	ND	Pass	V1 L1	Spiroxamine	0.040	0.400	ND	Pass	V1 L1
Fenpyroximate	0.050	0.400	ND	Pass	V1 L1	Tebuconazole	0.050	0.400	ND	Pass	V1 L1
Fipronil	0.040	0.400	ND	Pass	V1 L1	Thiacloprid	0.050	0.200	ND	Pass	V1 L1
Flonicamid	0.050	1.000	ND	Pass	V1 L1	Thiamethoxam	0.050	0.200	ND	Pass	V1 L1
Fludioxonil	0.040	0.400	ND	Pass	V1 L1	Trifloxystrobin	0.050	0.200	ND	Pass	V1 L1

Herbicides

Analyte	LOQ	Limit	Units	Status
---------	-----	-------	-------	--------

Qualifiers:

Date Tested: 02/23/2026 12:00 am

Performed by LCMSMS per SOP-LM-021 and SOP-LM-022. ND = Not Detected; NR = Not Reported. Methods used per AZDHS R9-17-404.03 and pesticide limits set by AZDHS R9-17 Table 3.1. ADHS approved method for pesticide testing by LCMSMS for full list effective 5/1/2021.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
<http://www.levelonelabs.com>
Lic# 00000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Verde Americano - LunchBox

Sample: 2602LVL0116.0637

Phoenix, AZ 85034

Secondary License: ; Chain of Distribution:

Strain: Cherryzona Lemonade; Batch Size: 8 g; External Batch ID: CHL.0202DSTI

Sample Received: 02/21/2026; Report Completed: 02/24/2026; Report Expiration: 02/24/2027

Sampling Date: 02/20/2026; Sampling Time: 02:15pm; Sampling Person: Reed Burris

Harvest Date: 04/29/2025; Manufacturing Date: 02/20/2026; External Lot ID:

Date of Pickup: 02/20/2026 Time Collected: 3:22

Lic. #0000144DRCUM87865142

Cherryzona Lemonade DSTi 1g

Concentrates & Extracts, Distillate, Propane/Butane



Mycotoxins

Pass

Total Ochratoxins Date Tested: 02/21/2026

Total Aflatoxins Date Tested: 02/21/2026

Analyte	LOQ	Limit	Result	Status	Qualifier
	µg/kg	µg/kg	µg/kg		
Total Aflatoxins (B1 B2 G1 and G2)	4.00	20.00	ND	Pass	
Total Ochratoxins (A and B)	2.00	20.00	2.54	Pass	

LEVEL ONE

TNTC = Too Numerous to Count. The lower limit of quantification for Aflatoxin is 4ppb and the lower limit of quantification for Ochratoxin is 2ppb unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: direct ELISA produced by Romer Labs and read on Bio-Tek 800TS microplate reader. Procedure followed SOP-LM-018. Methods used per AZDHS R9-17-404.03 and R9-17-404.04 and limits set by AZDHS R9-17 Table 3.1. ADHS approved method.



Certificate of Analysis

Powered by Confident LIMS
5 of 6

Verde Americano - LunchBox

Sample: 2602LVL0116.0637

Phoenix, AZ 85034

Secondary License: ; Chain of Distribution:

Strain: Cherryzona Lemonade; Batch Size: 8 g; External Batch ID: CHL.0202DSTI

Sample Received: 02/21/2026; Report Completed: 02/24/2026; Report Expiration: 02/24/2027

Sampling Date: 02/20/2026; Sampling Time: 02:15pm; Sampling Person: Reed Burris

Harvest Date: 04/29/2025; Manufacturing Date: 02/20/2026; External Lot ID:

Date of Pickup: 02/20/2026 Time Collected: 3:22

Lic. #0000144DRCUM87865142

Cherryzona Lemonade DSTi 1g

Concentrates & Extracts, Distillate, Propane/Butane



Microbials

Pass

Analyte	Result	Result Units	Status	Qualifier
E. Coli	<10	CFU/G	Pass	
Salmonella	Not Detected	in one gram	Pass	
Aspergillus terreus	Not Detected	in one gram	Pass	
Aspergillus fumigatus, Aspergillus flavus, and Aspergillus niger	Not Detected	in one gram	Pass	

Qualifiers:

Date Tested: 02/23/2026 12:00 am

TNTC = Too Numerous to Count. The lower limit of quantification for E. coli is 10 CFU/g unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: E. coli plating via 3M Petrifilm per SOP-LM-019, Salmonella spp. And Aspergillus spp. detection by Bio-Rad CFX96 Deep Well real-time PCR per SOP-LM-016 & SOP-LM-017. Methods used per AZDHS R9-17-404.04 and microbial limits set by AZDHS R9-17 Table 3.1. ADHS approved method for microbials for all listed organisms.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
<http://www.levelonelabs.com>
Lic# 00000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



Certificate of Analysis

Powered by Confident LIMS
6 of 6

Verde Americano - LunchBox

Sample: 2602LVL0116.0637

Phoenix, AZ 85034

Secondary License: ; Chain of Distribution:

Strain: Cherryzona Lemonade; Batch Size: 8 g; External Batch ID: CHL.0202DSTI

Sample Received: 02/21/2026; Report Completed: 02/24/2026; Report Expiration: 02/24/2027

Sampling Date: 02/20/2026; Sampling Time: 02:15pm; Sampling Person: Reed Burris

Harvest Date: 04/29/2025; Manufacturing Date: 02/20/2026; External Lot ID:

Date of Pickup: 02/20/2026 Time Collected: 3:22

Lic. #0000144DRCUM87865142

Cherryzona Lemonade DSTi 1g

Concentrates & Extracts, Distillate, Propane/Butane



Heavy Metals

Pass

Analyte	Result	LOQ	Limit	Status	Qualifier
	PPM	PPM	PPM		
Arsenic	ND	0.100	0.400	Pass	V1
Cadmium	ND	0.100	0.400	Pass	V1
Lead	<0.100	0.100	1.000	Pass	V1
Mercury	<0.100	0.100	0.200	Pass	V1

LEVEL ONE

Qualifiers:
Date Tested: 02/23/2026 12:00 am

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
<http://www.levelonelabs.com>
Lic# 00000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.