



Verde Americano - LunchBox
175 s 29th st
Phoenix
AZ
85034
License #: 0000144DRCUM87865142
Sample ID: 2608SMAZ1671.5769
Batch #: TS-04062026-F11



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 27162

Tombstoned - Flower

Batch #: TS-04062026-F11
Strain: Tombstoned
Parent Batch #:
Production Method: Indoor
Harvest Date: 07/16/2026
Received: 08/03/2026

Sample ID: 2608SMAZ1671.5769
Amount Received: 14.6 g
Sample Type: Flower - Cured
Sample Collected: 08/03/2026 12:05:00
Manufacture Date:
Published: 08/06/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Not Tested
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested (2.6883%)	Moisture Analysis (Q3) Tested (6.62%)	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

23.7461%
Total THC

ND
Total CBD

ND
CBN

0.3336%
CBG

27.6083%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Verde Americano - LunchBox
175 s 29th st
Phoenix
AZ
85034
License #: 0000144DRCUM87865142
Sample ID: 2608SMAZ1671.5769
Batch #: TS-04062026-F11



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 27162

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 08/03/2026
SOP: 418.AZ
Batch Number: 6695
Test ID: 152613

Sample Analysis

Date: 08/04/2026
SOP: 417.AZ - HPLC
Sample Weight: 0.1082 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.1230	0.3700	1	ND	ND	
CBD	0.1230	0.3700	1	ND	ND	
CBDA	0.1230	0.3700	1	ND	ND	
CBDV	0.1230	0.3700	1	ND	ND	
CBG	0.1230	0.3700	1	0.3336	3.3360	
CBGA	0.1230	0.3700	1	0.7617	7.6170	
CBN	0.1230	0.3700	1	ND	ND	
d10-THC	0.1230	0.3700	1	ND	ND	
d8-THC	0.1230	0.3700	1	ND	ND	
d9-THC	0.1230	0.3700	1	4.0175	40.1750	
THCA	0.1230	0.3700	1	22.4955	224.9550	
THCV	0.1230	0.3700	1	ND	ND	


Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	23.7461	237.4610	
Total CBD	ND	ND	
Total Cannabinoids	27.6083	276.0830	Q3

Total THC = $\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (0.877 x THCA)
Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Verde Americano - LunchBox
175 s 29th st
Phoenix
AZ
85034
License #: 0000144DRCUM87865142
Sample ID: 2608SMAZ1671.5769
Batch #: TS-04062026-F11



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 27162

Terpene Total

GC-FID

Tested (2.6883%)


Sample Prep

Batch Date: 08/03/2026
SOP: 419
Batch Number: 6686
Test ID: 152615

Sample Analysis

Date: 08/04/2026
SOP: 419 - GC-FID
Sample Weight: 0.4081 g
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.2186	Q3	gamma-Terpinene	0.0010 / 0.0029	1	ND	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	<LOQ	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.2987	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	ND	Q3
alpha-Pinene	0.0010 / 0.0029	1	0.0333	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	0.0745	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	0.0408	Q3	Limonene	0.0010 / 0.0029	1	0.3292	Q3
Borneol	0.0010 / 0.0029	1	0.0098	Q3	Linalool	0.0010 / 0.0029	1	0.2698	Q3
Camphene	0.0010 / 0.0029	1	0.0085	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	0.0229	Q3	Terpineol	0.0010 / 0.0029	1	0.0659	Q3
Cedrol	0.0010 / 0.0029	1	0.0399	Q3	Terpinolene	0.0010 / 0.0029	1	0.0036	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	1.2268	Q3
cis-Ocimene	0.0010 / 0.0029	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0029	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	0.0460	Q3	trans-Ocimene	0.0010 / 0.0029	1	<LOQ	Q3
Eucalyptol	0.0010 / 0.0029	1	ND	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	<LOQ	Q3					



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Verde Americano - LunchBox
175 s 29th st
Phoenix
AZ
85034
License #: 0000144DRCUM87865142
Sample ID: 2608SMAZ1671.5769
Batch #: TS-04062026-F11



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 27162

Microbial Analysis

Pass

Sample Prep

Batch Date: 08/04/2026
SOP: 412.AZ
Batch Number: 6717
Test ID: 152658

Sample Analysis

Date: 08/05/2026
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.0580 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 08/04/2026
SOP: 406.AZ
Batch Number: 6715
Test ID: 152659

Sample Analysis

Date: 08/06/2026
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.0180 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 08/04/2026
SOP: 406.AZ
Batch Number: 6715
Test ID: 152660

Sample Analysis

Date: 08/06/2026
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.0180 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Verde Americano - LunchBox
175 s 29th st
Phoenix
AZ
85034
License #: 0000144DRCUM87865142
Sample ID: 2608SMAZ1671.5769
Batch #: TS-04062026-F11



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 27162

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 08/03/2026
SOP: 428.AZ
Batch Number: 6696
Test ID: 152614

Sample Analysis

Date: 08/04/2026
SOP: 428.AZ - ICP-MS
Sample Weight: 0.2239 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.054	0.179	10	0.4	ND	
Cadmium	0.054	0.179	10	0.4	ND	
Lead	0.054	0.447	10	1	ND	
Mercury	0.054	0.089	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 08/04/2026
SOP: 432.AZ
Batch Number: 6708
Test ID: 152618

Sample Analysis


Date: 08/05/2026
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.5090 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.93	9.82	1	20	ND	R1
Aflatoxin B1	3.93	9.82	1		ND	I1, R1
Aflatoxin B2	3.93	9.82	1		ND	
Aflatoxin G1	3.93	9.82	1		ND	I1
Aflatoxin G2	3.93	4.91	1		ND	I1
Ochratoxin A	9.82	9.82	1	20	ND	I1, R1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Verde Americano - LunchBox
175 s 29th st
Phoenix
AZ
85034
License #: 0000144DRCUM87865142
Sample ID: 2608SMAZ1671.5769
Batch #: TS-04062026-F11



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 27162

**Pesticides, Fungicides, and
Growth Regulators**
LC-MS/MS **Pass**

Sample Prep

Batch Date: 08/04/2026
SOP: 432.AZ
Batch Number: 6708
Test ID: 152617

Sample Analysis

Date: 08/05/2026
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.5090 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.082 / 0.246	1	0.5	ND		Hexythiazox	0.164 / 0.491	1	1	ND	
Acephate	0.066 / 0.196	1	0.4	ND		Imazalil	0.032 / 0.098	1	0.2	ND	
Acetamiprid	0.032 / 0.098	1	0.2	ND		Imidacloprid	0.066 / 0.196	1	0.4	ND	
Aldicarb	0.066 / 0.196	1	0.4	ND		Kresoxim-methyl	0.066 / 0.196	1	0.4	ND	
Azoxystrobin	0.032 / 0.098	1	0.2	ND		Malathion	0.032 / 0.098	1	0.2	ND	
Bifenazate	0.032 / 0.098	1	0.2	ND		Metaxyl	0.032 / 0.098	1	0.2	ND	
Bifenthrin	0.032 / 0.098	1	0.2	ND		Methiocarb	0.032 / 0.098	1	0.2	ND	
Boscalid	0.066 / 0.196	1	0.4	ND		Methomyl	0.066 / 0.196	1	0.4	ND	
Carbaryl	0.032 / 0.098	1	0.2	ND		Myclobutanil	0.032 / 0.098	1	0.2	ND	
Carbofuran	0.032 / 0.098	1	0.2	ND		Naled	0.082 / 0.246	1	0.5	ND	
Chlorantraniliprole	0.032 / 0.098	1	0.2	ND		Oxamyl	0.164 / 0.491	1	1	ND	
Chlorfenapyr	0.164 / 0.491	1	1	ND		Paclobutrazol	0.066 / 0.196	1	0.4	ND	
Chlorpyrifos	0.032 / 0.098	1	0.2	ND		Permethrins	0.032 / 0.098	1	0.2	ND	
Clofentezine	0.032 / 0.098	1	0.2	ND		Phosmet	0.032 / 0.098	1	0.2	ND	
Cyfluthrin	0.164 / 0.491	1	1	ND		Piperonyl Butoxide	0.327 / 0.982	1	2	ND	
Cypermethrin	0.164 / 0.491	1	1	ND		Prallethrin	0.032 / 0.098	1	0.2	ND	
Daminozide	0.164 / 0.491	1	1	ND		Propiconazole	0.066 / 0.196	1	0.4	ND	
Diazinon	0.032 / 0.098	1	0.2	ND		Propoxur	0.032 / 0.098	1	0.2	ND	
Dichlorvos	0.017 / 0.049	1	0.1	ND		Pyrethrins	0.137 / 0.412	1	1	ND	I1 V1
Dimethoate	0.032 / 0.098	1	0.2	ND		Pyridaben	0.032 / 0.098	1	0.2	ND	
Ethoprophos	0.032 / 0.098	1	0.2	ND		Spinosad	0.032 / 0.098	1	0.2	ND	
Etofenprox	0.066 / 0.196	1	0.4	ND		Spiromesifen	0.032 / 0.098	1	0.2	ND	
Etoxazole	0.032 / 0.098	1	0.2	ND		Spirotetramat	0.032 / 0.098	1	0.2	ND	
Fenoxycarb	0.032 / 0.098	1	0.2	ND		Spiroxamine	0.066 / 0.196	1	0.4	ND	
Fenpyroximate	0.066 / 0.196	1	0.4	ND		Tebuconazole	0.066 / 0.196	1	0.4	ND	
Fipronil	0.066 / 0.196	1	0.4	ND		Thiacloprid	0.032 / 0.098	1	0.2	ND	
Flonicamid	0.164 / 0.491	1	1	ND		Thiamethoxam	0.032 / 0.098	1	0.2	ND	
Fludioxonil	0.066 / 0.196	1	0.4	ND		Trifloxystrobin	0.032 / 0.098	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Verde Americano - LunchBox
175 s 29th st
Phoenix
AZ
85034
License #: 0000144DRCUM87865142
Sample ID: 2608SMAZ1671.5769
Batch #: TS-04062026-F11

Certificate: 27162



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Moisture Analysis

Moisture: **6.62 %**
Qualifier: Q3

Sample Prep and Analysis


Date: 08/04/2026
SOP: 411 - Moisture Balance
Sample Weight: 0.302 g



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Verde Americano - LunchBox
175 s 29th st
Phoenix
AZ
85034
License #: 0000144DRCUM87865142
Sample ID: 2608SMAZ1671.5769
Batch #: TS-04062026-F11



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 27162

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Verde Americano - LunchBox

175 s 29th st

Phoenix

AZ

85034

License #: 0000144DRCUM87865142

Sample ID: 2608SMAZ1671.5769

Batch #: TS-04062026-F11

Certificate: 27162



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor

Phoenix, AZ 85013

(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>