

BREZ231204

Sample ID: 2402APO0894.4176
Strain: Breeze
Matrix: Plant
Type: Flower - Cured
Source Batch #:

Produced:
Collected: 03/01/2024 07:13 am
Received: 03/01/2024
Completed: 03/12/2024
Batch #: BREZ231204
Harvest Date: 02/19/2024

Client
Project Packs
Lic. # 00000084ESFH12297246

Lot #: BREZ231204R17
Production Date:
Production Method: Indoor




Summary

| Test | Date Tested | Result |
|--------------|-------------|----------|
| Batch | | Pass |
| Cannabinoids | 03/04/2024 | Complete |
| Terpenes | 03/05/2024 | Complete |
| Microbials | 03/06/2024 | Pass |
| Pesticides | 03/04/2024 | Pass |
| Heavy Metals | 03/04/2024 | Pass |

Cannabinoids by SOP-6

Complete



| Analyte | LOD % | LOQ % | Result % | Result mg/g | Q |
|------------------|-------|--------|----------------|-----------------|---|
| THCa | | 0.1000 | 30.1278 | 301.278 | |
| Δ9-THC | | 0.1000 | 0.8627 | 8.627 | |
| Δ8-THC | | 0.1000 | ND | ND | |
| THCV | | 0.1000 | ND | ND | |
| CBDa | | 0.1000 | <LOQ | <LOQ | |
| CBD | | 0.1000 | ND | ND | |
| CBDVa | | 0.1000 | ND | ND | |
| CBDV | | 0.1000 | ND | ND | |
| CBN | | 0.1000 | ND | ND | |
| CBGa | | 0.1000 | 0.9081 | 9.081 | |
| CBG | | 0.1000 | 0.1603 | 1.603 | |
| CBC | | 0.1000 | ND | ND | |
| Total THC | | | 27.2848 | 272.8480 | |
| Total CBD | | | <LOQ | <LOQ | |
| Total | | | 32.0589 | 320.589 | |

Date Tested: 03/04/2024 07:00 am



Bryant Kearl
Lab Director
03/12/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

BREZ231204

Sample ID: 2402APO0894.4176
Strain: Breeze
Matrix: Plant
Type: Flower - Cured
Source Batch #:

Produced:
Collected: 03/01/2024 07:13 am
Received: 03/01/2024
Completed: 03/12/2024
Batch #: BREZ231204
Harvest Date: 02/19/2024

Client
Project Packs
Lic. # 00000084ESFH12297246

Lot #: BREZ231204R17
Production Date:
Production Method: Indoor

Pesticides by SOP-22

Pass

| Analyte | LOQ | Limit | Mass | Q | Status | Analyte | LOQ | Limit | Mass | Q | Status |
|---------------------|--------|--------|------|------|--------|-----------------|--------|--------|------|----|--------|
| | PPM | PPM | PPM | | | | PPM | PPM | PPM | | |
| Abamectin | 0.2500 | 0.5000 | ND | | Pass | Hexythiazox | 0.5000 | 1.0000 | ND | M2 | Pass |
| Acephate | 0.2000 | 0.4000 | ND | | Pass | Imazalil | 0.1000 | 0.2000 | ND | R1 | Pass |
| Acetamiprid | 0.1000 | 0.2000 | ND | | Pass | Imidacloprid | 0.2000 | 0.4000 | ND | | Pass |
| Aldicarb | 0.2000 | 0.4000 | ND | | Pass | Kresoxim Methyl | 0.2000 | 0.4000 | ND | | Pass |
| Azoxystrobin | 0.1000 | 0.2000 | ND | | Pass | Malathion | 0.1000 | 0.2000 | ND | | Pass |
| Bifenazate | 0.1000 | 0.2000 | ND | | Pass | Metalaxyl | 0.1000 | 0.2000 | ND | | Pass |
| Bifenthrin | 0.1000 | 0.2000 | ND | M2 | Pass | Methiocarb | 0.1000 | 0.2000 | ND | | Pass |
| Boscalid | 0.2000 | 0.4000 | ND | M2 | Pass | Methomyl | 0.2000 | 0.4000 | ND | | Pass |
| Carbaryl | 0.1000 | 0.2000 | ND | | Pass | Myclobutanil | 0.1000 | 0.2000 | ND | | Pass |
| Carbofuran | 0.1000 | 0.2000 | ND | | Pass | Naled | 0.2500 | 0.5000 | ND | | Pass |
| Chlorantraniliprole | 0.1000 | 0.2000 | ND | | Pass | Oxamyl | 0.5000 | 1.0000 | ND | | Pass |
| Chlorfenapyr | 0.5000 | 1.0000 | ND | M2 | Pass | Pacllobutrazol | 0.2000 | 0.4000 | ND | | Pass |
| Chlorpyrifos | 0.1000 | 0.2000 | ND | M2 | Pass | Permethrins | 0.1000 | 0.2000 | ND | M2 | Pass |
| Clofentezine | 0.1000 | 0.2000 | ND | M2 | Pass | Phosmet | 0.1000 | 0.2000 | ND | | Pass |
| Cyfluthrin | 0.5000 | 1.0000 | ND | M2R1 | Pass | Piperonyl | 1.0000 | 2.0000 | ND | | Pass |
| Cypermethrin | 0.5000 | 1.0000 | ND | M2 | Pass | Butoxide | | | ND | | Pass |
| Daminozide | 0.5000 | 1.0000 | ND | | Pass | Prallethrin | 0.1000 | 0.2000 | ND | | Pass |
| Diazinon | 0.1000 | 0.2000 | ND | | Pass | Propiconazole | 0.2000 | 0.4000 | ND | M2 | Pass |
| Dichlorvos | 0.0500 | 0.1000 | ND | | Pass | Propoxur | 0.1000 | 0.2000 | ND | | Pass |
| Dimethoate | 0.1000 | 0.2000 | ND | | Pass | Pyrethrins | 0.5000 | 1.0000 | ND | M2 | Pass |
| Ethoprophos | 0.1000 | 0.2000 | ND | | Pass | Pyridaben | 0.1000 | 0.2000 | ND | | Pass |
| Etofenprox | 0.2000 | 0.4000 | ND | | Pass | Spinosad | 0.1000 | 0.2000 | ND | M2 | Pass |
| Etoxazole | 0.1000 | 0.2000 | ND | L1 | Pass | Spiromesifen | 0.1000 | 0.2000 | ND | | Pass |
| Fenoxycarb | 0.1000 | 0.2000 | ND | M2 | Pass | Spirotetramat | 0.1000 | 0.2000 | ND | | Pass |
| Fenpyroximate | 0.2000 | 0.4000 | ND | M2 | Pass | Spiroxamine | 0.2000 | 0.4000 | ND | | Pass |
| Fipronil | 0.2000 | 0.4000 | ND | | Pass | Tebuconazole | 0.2000 | 0.4000 | ND | M2 | Pass |
| Flonicamid | 0.5000 | 1.0000 | ND | | Pass | Thiacloprid | 0.1000 | 0.2000 | ND | | Pass |
| Fludioxonil | 0.2000 | 0.4000 | ND | | Pass | Thiamethoxam | 0.1000 | 0.2000 | ND | | Pass |
| | | | | | | Trifloxystrobin | 0.1000 | 0.2000 | ND | M2 | Pass |

Date Tested: 03/04/2024 07:00 am



Bryant Kearl
Lab Director
03/12/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

BREZ231204

Sample ID: 2402APO0894.4176
Strain: Breeze
Matrix: Plant
Type: Flower - Cured
Source Batch #:

Produced:
Collected: 03/01/2024 07:13 am
Received: 03/01/2024
Completed: 03/12/2024
Batch #: BREZ231204
Harvest Date: 02/19/2024

Client
Project Packs
Lic. # 00000084ESFH12297246

Lot #: BREZ231204R17
Production Date:
Production Method: Indoor

Microbials

Pass

| Analyte | Limit | Result | Status | Q |
|---|-----------------------------|--------|--------|---|
| Salmonella SPP by QPCR: SOP-15 | Detected/Not Detected in 1g | ND | Pass | |
| Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger by QPCR: SOP-14 | Detected/Not Detected in 1g | ND | Pass | |
| Aspergillus Terreus by QPCR: SOP-14 | Detected/Not Detected in 1g | ND | Pass | |

| Analyte | LOQ | Limit | Result | Status | Q |
|--|---------------|----------------|---------------------|--------|---|
| E. Coli by traditional plating: SOP-13 | CFU/g 10.0 | CFU/g 100.0 | CFU/g < 10 CFU/g | Pass | |

Date Tested: 03/06/2024 12:00 am

Mycotoxins by SOP-22

Not Tested

| Analyte | LOD | LOQ | Limit | Units | Status | Q |
|---------|-----|-----|-------|-------|--------|---|
|---------|-----|-----|-------|-------|--------|---|

Date Tested:

Heavy Metals by SOP-21

Pass

| Analyte | LOD | LOQ | Limit | Units | Status | Q |
|---------|--------|--------|--------|-------|--------|---|
| | PPM | PPM | PPM | PPM | | |
| Arsenic | 0.0660 | 0.1330 | 0.4000 | ND | Pass | |
| Cadmium | 0.0660 | 0.1330 | 0.4000 | ND | Pass | |
| Lead | 0.1660 | 0.3330 | 1.0000 | ND | Pass | |
| Mercury | 0.0330 | 0.0660 | 0.2000 | ND | Pass | |

Date Tested: 03/04/2024 07:00 am



Bryant Kearl
Lab Director
03/12/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

BREZ231204

Sample ID: 2402APO0894.4176
Strain: Breeze
Matrix: Plant
Type: Flower - Cured
Source Batch #:

Produced:
Collected: 03/01/2024 07:13 am
Received: 03/01/2024
Completed: 03/12/2024
Batch #: BREZ231204
Harvest Date: 02/19/2024


Client
Project Packs
Lic. # 00000084ESFH12297246

Lot #: BREZ231204R17
Production Date:
Production Method: Indoor

Terpenes

| Analyte | LOQ | Mass | Mass | Q | Analyte | LOQ | Mass | Mass | Q |
|----------------------|--------|--------|-------|----|--------------------|--------------|---------------|---------------|----|
| | % | % | mg/g | | | % | % | mg/g | |
| β-Caryophyllene | 0.0010 | 0.6237 | 6.237 | Q3 | Cedrol | 0.0010 | ND | ND | Q3 |
| D,L-Limonene | 0.0010 | 0.5615 | 5.615 | Q3 | cis-Citral | 0.0010 | ND | ND | Q3 |
| β-Myrcene | 0.0010 | 0.3520 | 3.520 | Q3 | cis-Farnesol | 0.0010 | ND | ND | Q3 |
| Linalool | 0.0010 | 0.2441 | 2.441 | Q3 | cis-Nerolidol | 0.0010 | ND | ND | Q3 |
| α-Humulene | 0.0010 | 0.2087 | 2.087 | Q3 | cis-beta-Ocimene | 0.0010 | ND | ND | Q3 |
| β-Pinene | 0.0010 | 0.1268 | 1.268 | Q3 | Citronellol | 0.0010 | ND | ND | Q3 |
| α-Pinene | 0.0010 | 0.1080 | 1.080 | Q3 | γ-Terpinene | 0.0010 | ND | ND | Q3 |
| α-Bisabolol | 0.0010 | 0.0838 | 0.838 | Q3 | Geranyl Acetate | 0.0010 | ND | ND | Q3 |
| Endo-Fenchyl Alcohol | 0.0010 | 0.0790 | 0.790 | Q3 | Guaiol | 0.0010 | ND | ND | Q3 |
| α-Terpineol | 0.0010 | 0.0694 | 0.694 | Q3 | Isoborneol | 0.0010 | ND | ND | Q3 |
| trans-Nerolidol | 0.0010 | 0.0396 | 0.396 | Q3 | Isobornyl Acetate | 0.0010 | ND | ND | Q3 |
| Camphene | 0.0010 | 0.0164 | 0.164 | Q3 | Isopulegol | 0.0010 | ND | ND | Q3 |
| Caryophyllene Oxide | 0.0010 | 0.0127 | 0.127 | Q3 | m-Cymene | 0.0010 | ND | ND | Q3 |
| Fenchone | 0.0010 | 0.0097 | 0.097 | Q3 | Menthol | 0.0010 | ND | ND | Q3 |
| D,L-Borneol | 0.0010 | 0.0072 | 0.072 | Q3 | L-Menthone | 0.0010 | ND | ND | Q3 |
| Terpinolene | 0.0010 | 0.0066 | 0.066 | Q3 | Nerol | 0.0010 | ND | ND | Q3 |
| Sabinene Hydrate | 0.0010 | 0.0028 | 0.028 | Q3 | Nootkatone | 0.0010 | ND | ND | Q3 |
| Octyl Acetate | 0.0010 | 0.0022 | 0.022 | Q3 | o,p-Cymene | 0.0010 | ND | ND | Q3 |
| Geraniol | 0.0010 | 0.0018 | 0.018 | Q3 | Phytane | 0.0010 | ND | ND | Q3 |
| Eucalyptol | 0.0010 | 0.0013 | 0.013 | Q3 | Piperitone | 0.0010 | ND | ND | Q3 |
| 3-Carene | 0.0010 | ND | ND | Q3 | Pulegone | 0.0010 | ND | ND | Q3 |
| α-Cedrene | 0.0010 | ND | ND | Q3 | Sabinene | 0.0010 | ND | ND | Q3 |
| α-Phellandrene | 0.0010 | ND | ND | Q3 | Safranal | 0.0010 | ND | ND | Q3 |
| α-Terpinene | 0.0010 | ND | ND | Q3 | Terpinen-4-ol | 0.0010 | ND | ND | Q3 |
| α-Thujone | 0.0010 | ND | ND | Q3 | Thymol | 0.0010 | ND | ND | Q3 |
| trans-β-Farnesene | 0.0010 | ND | ND | Q3 | trans-Citral | 0.0010 | ND | ND | Q3 |
| Camphor | 0.0010 | ND | ND | Q3 | trans-beta-Ocimene | 0.0010 | ND | ND | Q3 |
| Carvacrol | 0.0010 | ND | ND | Q3 | Valencene | 0.0010 | ND | ND | Q3 |
| Carvone | 0.0010 | ND | ND | Q3 | Verbenone | 0.0010 | ND | ND | Q3 |
| | | | | | | Total | 2.5574 | 25.574 | |

Primary Aromas



Date Tested: 03/05/2024 12:00 am
Terpenes analysis is not regulated by AZDHS.



[Signature]

Bryant Kearl
Lab Director
03/12/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

BREZ231204

Sample ID: 2402APO0894.4176
Strain: Breeze
Matrix: Plant
Type: Flower - Cured
Source Batch #:

Produced:
Collected: 03/01/2024 07:13 am
Received: 03/01/2024
Completed: 03/12/2024
Batch #: BREZ231204
Harvest Date: 02/19/2024

Client
Project Packs
Lic. # 00000084ESFH12297246

Lot #: BREZ231204R17
Production Date:
Production Method: Indoor

Qualifiers Definitions

| Qualifier Notation | Qualifier Description |
|--------------------|--|
| I1 | The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference |
| L1 | When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample |
| M1 | The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria |
| M2 | The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria |
| M3 | The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria |
| R1 | The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria |
| V1 | The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample |
| Q2 | The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices - Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis |
| Q3 | Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 |

Notes and Addenda:



Bryant Kearl
Lab Director
03/12/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

BREZ231204

Sample ID: 2402APO0894.4176
Strain: Breeze
Matrix: Plant
Type: Flower - Cured
Source Batch #:

Produced:
Collected: 03/01/2024 07:13 am
Received: 03/01/2024
Completed: 03/12/2024
Batch #: BREZ231204
Harvest Date: 02/19/2024

Client
Project Packs
Lic. # 00000084ESFH12297246

Lot #: BREZ231204R17
Production Date:
Production Method: Indoor



Apollo Labs



Change Request Form

Client information

| | |
|--|---|
| Person(s) requesting change: | Eric Vohland |
| FA/LA# of person(s) requesting change: | 1697148FAIW986100884 |
| Organization Name/License #: | Project Packs Co / 00000084ESFH12297246 |
| Date update requested: | 3/11/2024 |
| Initials of Requesting Individual: | MG |

By signing this Change Request Form submitter understands Apollo Labs is not responsible for any compliance related matter caused by the change and that submitter's internal compliance professionals previously determined the change complies with applicable rules and regulations of the Arizona Department of Health Services.

FOR INTERNAL LABORATORY TRACKING USE ONLY

| | |
|--|--------------|
| Internal Tracking ID: | 03122024-005 |
| Individual(s) Performing CoA/Testing Request Update: | Darby Deak |
| Date(s) of change: | 3/12/2024 |
| Change tracking information updated: | Yes |
| Additional Notes: | |

| Change Index | Accessioning Number/Confident Cannabis ID | Field to be Changed | Original Value | Updated Value | Reason for Change |
|--------------|---|---------------------|----------------|---------------|-------------------|
| 1 | 2402APO0894.4170 | Sample Name | TPSL231204 | SORM231204 | Data Entry Error |
| 2 | 2402APO0894.4170 | Strain Name | Terp Slurp | Sour Mimosa | Data Entry Error |
| 3 | 2402APO0894.4170 | External Batch ID | TPSL231204 | SORM231204 | Data Entry Error |
| 4 | 2402APO0894.4170 | External Lot ID | TPSL231204R23 | SORM231204R23 | Data Entry Error |
| 5 | 2402APO0894.4176 | Sample Name | MDLT231204 | BREZ231204 | Data Entry Error |
| 6 | 2402APO0894.4176 | Strain Name | Madelato | Breeze | Data Entry Error |
| 7 | 2402APO0894.4176 | External Batch ID | MDLT231204 | BREZ231204 | Data Entry Error |
| 8 | 2402APO0894.4176 | External Lot ID | MDLT231204R17 | BREZ231204R17 | Data Entry Error |



03/12/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.