


PIP231107

Sample ID: 2401APO0372.1773
Strain: Phippen
Matrix: Plant
Type: Flower - Cured
Source Batch #:

Produced:
Collected: 01/25/2024 03:20 pm
Received: 01/25/2024
Completed: 01/31/2024
Batch #: PIP231107
Harvest Date: 01/22/2024

Client
Project Packs
Lic. # 00000084ESFH12297246

Lot #: PIP231107R14
Production Date:
Production Method: Indoor




Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	01/28/2024	Complete
Terpenes	01/31/2024	Complete
Microbials	01/25/2024	Pass
Pesticides	01/26/2024	Pass
Heavy Metals	01/29/2024	Pass

Cannabinoids

Complete



Analyte	LOD	LOQ	Result	Result	Q
	%	%	%	mg/g	
THCa		0.1000	27.0952	270.952	
Δ9-THC		0.1000	0.3936	3.936	
Δ8-THC		0.1000	ND	ND	
THCV		0.1000	ND	ND	
CBDa		0.1000	<LOQ	<LOQ	
CBD		0.1000	ND	ND	
CBDVa		0.1000	ND	ND	
CBDV		0.1000	ND	ND	
CBN		0.1000	ND	ND	
CBGa		0.1000	0.4161	4.161	
CBG		0.1000	0.1123	1.123	
CBC		0.1000	ND	ND	
Total THC			24.1561	241.5610	
Total CBD			<LOQ	<LOQ	
Total			28.0172	280.172	

Date Tested: 01/28/2024 07:00 am



Bryant Kearl
Lab Director
01/31/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

PIP231107

Sample ID: 2401APO0372.1773
Strain: Pippen
Matrix: Plant
Type: Flower - Cured
Source Batch #:

Produced:
Collected: 01/25/2024 03:20 pm
Received: 01/25/2024
Completed: 01/31/2024
Batch #: PIP231107
Harvest Date: 01/22/2024

Client
Project Packs
Lic. # 00000084ESFH12297246

Lot #: PIP231107R14
Production Date:
Production Method: Indoor

Pesticides

Pass

Analyte	LOQ	Limit	Mass	Q	Status	Analyte	LOQ	Limit	Mass	Q	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.2500	0.5000	ND		Pass	Hexythiazox	0.5000	1.0000	ND	M2	Pass
Acephate	0.2000	0.4000	ND		Pass	Imazalil	0.1000	0.2000	ND		Pass
Acetamiprid	0.1000	0.2000	ND		Pass	Imidacloprid	0.2000	0.4000	ND		Pass
Aldicarb	0.2000	0.4000	ND		Pass	Kresoxim Methyl	0.2000	0.4000	ND		Pass
Azoxystrobin	0.1000	0.2000	ND		Pass	Malathion	0.1000	0.2000	ND		Pass
Bifenazate	0.1000	0.2000	ND		Pass	Metalaxyl	0.1000	0.2000	ND		Pass
Bifenthrin	0.1000	0.2000	ND	M2	Pass	Methiocarb	0.1000	0.2000	ND		Pass
Boscalid	0.2000	0.4000	ND	M2	Pass	Methomyl	0.2000	0.4000	ND		Pass
Carbaryl	0.1000	0.2000	ND		Pass	Myclobutanil	0.1000	0.2000	ND		Pass
Carbofuran	0.1000	0.2000	ND		Pass	Naled	0.2500	0.5000	ND		Pass
Chlorantraniliprole	0.1000	0.2000	ND		Pass	Oxamyl	0.5000	1.0000	ND		Pass
Chlorfenapyr	0.5000	1.0000	ND	M2	Pass	Pacllobutrazol	0.2000	0.4000	ND		Pass
Chlorpyrifos	0.1000	0.2000	ND	M2	Pass	Permethrins	0.1000	0.2000	ND	M2	Pass
Clofentezine	0.1000	0.2000	ND		Pass	Phosmet	0.1000	0.2000	ND		Pass
Cyfluthrin	0.5000	1.0000	ND	M2	Pass	Piperonyl	1.0000	2.0000	ND		Pass
Cypermethrin	0.5000	1.0000	ND	M2	Pass	Butoxide	0.1000	0.2000	ND		Pass
Daminozide	0.5000	1.0000	ND		Pass	Prallethrin	0.2000	0.4000	ND		Pass
Diazinon	0.1000	0.2000	ND		Pass	Propiconazole	0.2000	0.4000	ND		Pass
Dichlorvos	0.0500	0.1000	ND		Pass	Propoxur	0.1000	0.2000	ND		Pass
Dimethoate	0.1000	0.2000	ND		Pass	Pyrethrins	0.5000	1.0000	ND	M2	Pass
Ethoprophos	0.1000	0.2000	ND		Pass	Pyridaben	0.1000	0.2000	ND		Pass
Etofenprox	0.2000	0.4000	ND	M2	Pass	Spinosad	0.1000	0.2000	ND	M1	Pass
Etoxazole	0.1000	0.2000	ND		Pass	Spiromesifen	0.1000	0.2000	ND		Pass
Fenoxycarb	0.1000	0.2000	ND	M2	Pass	Spirotetramat	0.1000	0.2000	ND		Pass
Fenpyroximate	0.2000	0.4000	ND	M2	Pass	Spiroxamine	0.2000	0.4000	ND	M1	Pass
Fipronil	0.2000	0.4000	ND		Pass	Tebuconazole	0.2000	0.4000	ND	M2	Pass
Flonicamid	0.5000	1.0000	ND		Pass	Thiacloprid	0.1000	0.2000	ND		Pass
Fludioxonil	0.2000	0.4000	ND	M2	Pass	Thiamethoxam	0.1000	0.2000	ND		Pass
						Trifloxystrobin	0.1000	0.2000	ND	M2	Pass

Date Tested: 01/26/2024 07:00 am



Bryant Kearl
Lab Director
01/31/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

PIP231107

Sample ID: 2401APO0372.1773
Strain: Pippen
Matrix: Plant
Type: Flower - Cured
Source Batch #:

Produced:
Collected: 01/25/2024 03:20 pm
Received: 01/25/2024
Completed: 01/31/2024
Batch #: PIP231107
Harvest Date: 01/22/2024

Client
Project Packs
Lic. # 00000084ESFH12297246

Lot #: PIP231107R14
Production Date:
Production Method: Indoor

Microbials

Pass

Analyte	Limit	Result	Status	Q
Salmonella SPP	Detected/Not Detected in 1g	ND	Pass	Q2
Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger	Detected/Not Detected in 1g	ND	Pass	Q2
Aspergillus terreus	Detected/Not Detected in 1g	ND	Pass	Q2

Analyte	LOQ	Limit	Result	Status	Q
E. Coli	CFU/g 10.0	CFU/g 100.0	CFU/g < 10 CFU/g	Pass	Q2

Date Tested: 01/25/2024 12:00 am

Mycotoxins

Not Tested

Analyte	LOD	LOQ	Limit	Units	Status	Q
---------	-----	-----	-------	-------	--------	---

Date Tested:

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	PPM	PPM	PPM	PPM		
Arsenic	0.0660	0.1330	0.4000	ND	Pass	
Cadmium	0.0660	0.1330	0.4000	ND	Pass	
Lead	0.1660	0.3330	1.0000	ND	Pass	L1
Mercury	0.0330	0.0660	0.2000	ND	Pass	L1

Date Tested: 01/29/2024 07:00 am



Bryant Kearl
Lab Director
01/31/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

PIP231107

Sample ID: 2401APO0372.1773
Strain: Pippen
Matrix: Plant
Type: Flower - Cured
Source Batch #:

Produced:
Collected: 01/25/2024 03:20 pm
Received: 01/25/2024
Completed: 01/31/2024
Batch #: PIP231107
Harvest Date: 01/22/2024



Client
Project Packs
Lic. # 00000084ESFH12297246

Lot #: PIP231107R14
Production Date:
Production Method: Indoor

Terpenes

Analyte	LOQ	Mass	Mass	Q	Analyte	LOQ	Mass	Mass	Q
	%	%	mg/g			%	%	mg/g	
β-Caryophyllene	0.0010	0.4787	4.787	Q3	Carvacrol	0.0010	ND	ND	Q3
D,L-Limonene	0.0010	0.3461	3.461	Q3	Carvone	0.0010	ND	ND	Q3
Linalool	0.0010	0.3340	3.340	Q3	Cedrol	0.0010	ND	ND	Q3
β-Myrcene	0.0010	0.2935	2.935	Q3	cis-Citral	0.0010	ND	ND	Q3
α-Humulene	0.0010	0.0834	0.834	Q3	cis-Farnesol	0.0010	ND	ND	Q3
β-Pinene	0.0010	0.0803	0.803	Q3	cis-Nerolidol	0.0010	ND	ND	Q3
Endo-Fenchyl Alcohol	0.0010	0.0434	0.434	Q3	Eucalyptol	0.0010	ND	ND	Q3
α-Pinene	0.0010	0.0408	0.408	Q3	γ-Terpinene	0.0010	ND	ND	Q3
α-Bisabolol	0.0010	0.0363	0.363	Q3	Geranyl Acetate	0.0010	ND	ND	Q3
α-Terpineol	0.0010	0.0312	0.312	Q3	Guaiol	0.0010	ND	ND	Q3
trans-Nerolidol	0.0010	0.0208	0.208	Q3	Isoborneol	0.0010	ND	ND	Q3
Caryophyllene Oxide	0.0010	0.0201	0.201	Q3	Isobornyl Acetate	0.0010	ND	ND	Q3
D,L-Borneol	0.0010	0.0183	0.183	Q3	Isopulegol	0.0010	ND	ND	Q3
Camphene	0.0010	0.0118	0.118	Q3	m-Cymene	0.0010	ND	ND	Q3
Valencene	0.0010	0.0091	0.091	Q3	Menthol	0.0010	ND	ND	Q3
Fenchone	0.0010	0.0078	0.078	Q3	L-Menthone	0.0010	ND	ND	Q3
Camphor	0.0010	0.0045	0.045	Q3	Nerol	0.0010	ND	ND	Q3
Terpinolene	0.0010	0.0038	0.038	Q3	Nootkatone	0.0010	ND	ND	Q3
Citronellol	0.0010	0.0031	0.031	Q3	o,p-Cymene	0.0010	ND	ND	Q3
Geraniol	0.0010	0.0028	0.028	Q3	Phytane	0.0010	ND	ND	Q3
Octyl Acetate	0.0010	0.0027	0.027	Q3	Piperitone	0.0010	ND	ND	Q3
cis-beta-Ocimene	0.0010	0.0018	0.018	Q3	Pulegone	0.0010	ND	ND	Q3
Sabinene Hydrate	0.0010	0.0017	0.017	Q3	Sabinene	0.0010	ND	ND	Q3
3-Carene	0.0010	ND	ND	Q3	Safranal	0.0010	ND	ND	Q3
α-Cedrene	0.0010	ND	ND	Q3	Terpinen-4-ol	0.0010	ND	ND	Q3
α-Phellandrene	0.0010	ND	ND	Q3	Thymol	0.0010	ND	ND	Q3
α-Terpinene	0.0010	ND	ND	Q3	trans-Citral	0.0010	ND	ND	Q3
α-Thujone	0.0010	ND	ND	Q3	trans-beta-Ocimene	0.0010	ND	ND	Q3
trans-β-Farnesene	0.0010	ND	ND	Q3	Verbenone	0.0010	ND	ND	Q3
						Total	1.8760	18.760	

Primary Aromas



Date Tested: 01/31/2024 12:00 am
Terpenes analysis is not regulated by AZDHS.



Bryant Kearl
Lab Director
01/31/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

PIPN231107

Sample ID: 2401APO0372.1773
Strain: Pippen
Matrix: Plant
Type: Flower - Cured
Source Batch #:

Produced:
Collected: 01/25/2024 03:20 pm
Received: 01/25/2024
Completed: 01/31/2024
Batch #: PIPN231107
Harvest Date: 01/22/2024

Client
Project Packs
Lic. # 00000084ESFH12297246

Lot #: PIPN231107R14
Production Date:
Production Method: Indoor

Qualifiers Definitions

Qualifier Notation	Qualifier Description
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices - Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

Notes and Addenda:



Bryant Kearl
Lab Director
01/31/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

PIPN231107

Sample ID: 2401APO0372.1773
Strain: Phippen
Matrix: Plant
Type: Flower - Cured
Source Batch #:

Produced:
Collected: 01/25/2024 03:20 pm
Received: 01/25/2024
Completed: 01/31/2024
Batch #: PIPN231107
Harvest Date: 01/22/2024

Client
Project Packs
Lic. # 0000084ESFH12297246

Lot #: PIPN231107R14
Production Date:
Production Method: Indoor



Apollo Labs

Change Request Form



Client Information	
Person(s) requesting change:	Michael Garber
FA/LAB of person(s) requesting change:	1698881FABD292687102
Organization Name/License #:	Project Packs Co / 0000084ESFH12297246
Date update requested:	1/26/2024
Initials of Requesting Individual:	MG

By signing this Change Request Form submitter understands Apollo Labs is not responsible for any compliance related matter caused by the change and that submitter's internal compliance professionals previously determined the change complies with applicable rules and regulations of the Arizona Department of Health Services.

FOR INTERNAL LABORATORY TRACKING USE ONLY	
Internal Tracking ID:	01262024-003
Individual(s) Performing CoA/Testing Request Update:	Darby Deak
Date(s) of change:	1/26/2024
Change tracking information updated:	Yes
Additional Notes:	

Change Index	Accessioning Inventory Comments	Field to be Changed	Original Value	Updated Value	Reason for Change
1	2401APO0372.1780	Sample Name	WRTZ231109	MDLT231109	Data Entry Error
2	2401APO0372.1780	External Batch ID	WRTZ231109	MDLT231109	Data Entry Error
3	2401APO0372.1780	External Lot ID	-	MDLT231109R25	New room coding for analytics platform
4	2401APO0372.1754	External Lot ID	RRTZ231107	RRTZ231107R1	New room coding for analytics platform
5	2401APO0372.1755	External Lot ID	RS5231107	RS5231107R1	New room coding for analytics platform
6	2401APO0372.1756	External Lot ID	TTME231107	TTME231107R1	New room coding for analytics platform
7	2401APO0372.1757	External Lot ID	RS11231107	RS11231107R1	New room coding for analytics platform
8	2401APO0372.1758	External Lot ID	ZANW231107	ZANW231107R1	New room coding for analytics platform
9	2401APO0372.1759	External Lot ID	PRTZ231107	PRTZ231107R1	New room coding for analytics platform
10	2401APO0372.1760	External Lot ID	KEEP231107	KEEP231107R1	New room coding for analytics platform
11	2401APO0372.1761	External Lot ID	GUAV231107	GUAV231107R1	New room coding for analytics platform
12	2401APO0372.1762	External Lot ID	LZRG231107	LZRG231107R3	New room coding for analytics platform
13	2401APO0372.1763	External Lot ID	GPIE231107	GPIE231107R3	New room coding for analytics platform
14	2401APO0372.1764	External Lot ID	SHBG231107	SHBG231107R3	New room coding for analytics platform
15	2401APO0372.1765	External Lot ID	SUNS231107	SUNS231107R3	New room coding for analytics platform
16	2401APO0372.1766	External Lot ID	LION231107	LION231107R3	New room coding for analytics platform
17	2401APO0372.1767	External Lot ID	CMLK231107	CMLK231107R3	New room coding for analytics platform
18	2401APO0372.1768	External Lot ID	GLOV231107	GLOV231107R3	New room coding for analytics platform
19	2401APO0372.1769	External Lot ID	SOAP231107	SOAP231107R12	New room coding for analytics platform
20	2401APO0372.1770	External Lot ID	BNPS231107	BNPS231107R12	New room coding for analytics platform
21	2401APO0372.1771	External Lot ID	LMPR231109	LMPR231109R14	New room coding for analytics platform
22	2401APO0372.1772	External Lot ID	LMTR231109	LMTR231109R14	New room coding for analytics platform
23	2401APO0372.1773	External Lot ID	PIPN231107	PIPN231107R14	New room coding for analytics platform
24	2401APO0372.1774	External Lot ID	GLT231107	GLT231107R14	New room coding for analytics platform
25	2401APO0372.1775	External Lot ID	BLUD231107	BLUD231107R14	New room coding for analytics platform
26	2401APO0372.1776	External Lot ID	CRSM231107	CRSM231107R14	New room coding for analytics platform
27	2401APO0372.1777	External Lot ID	LRTZ231107	LRTZ231107R14	New room coding for analytics platform
28	2401APO0372.1778	External Lot ID	SPRK231107	SPRK231107R14	New room coding for analytics platform
29	2401APO0372.1779	External Lot ID	MTRB231107	MTRB231107R14	New room coding for analytics platform
30	2401APO0372.1781	External Lot ID	BREZ231109	BREZ231109R25	New room coding for analytics platform
31	2401APO0372.1782	External Lot ID	TPSL231107	TPSL231107R14	New room coding for analytics platform
32	2401APO0372.1783	External Lot ID	GBUB231107	GBUB231107R25	New room coding for analytics platform
33	2401APO0372.1784	External Lot ID	PURD231109	PURD231109R24	New room coding for analytics platform
34	2401APO0372.1785	External Lot ID	STAR231109	STAR231109R24	New room coding for analytics platform
35	2401APO0372.1786	External Lot ID	WOOG231109	WOOG231109R24	New room coding for analytics platform
36	2401APO0372.1787	External Lot ID	PRPC231109	PRPC231109R24	New room coding for analytics platform
37					



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



01/31/2024

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the CoA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.


PIPN231107

Sample ID: 2401APO0372.1773
Strain: Phippen
Matrix: Plant
Type: Flower - Cured
Source Batch #:

Produced:
Collected: 01/25/2024 03:20 pm
Received: 01/25/2024
Completed: 01/31/2024
Batch #: PIPN231107
Harvest Date: 01/22/2024

Client
Project Packs
Lic. # 00000084ESFH12297246

Lot #: PIPN231107R14
Production Date:
Production Method: Indoor



01/31/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.