

Certificate of Analysis

Project Packs

2239 N Black Canyon Hwy
Phoenix, AZ 85009
adam@projectpacks.co
(530) 514-0500
Lic. #00000084ESFH12297246


Sample: 2502LVL0166.0826

Secondary License: ; Chain of Distribution:
Strain: Milky Wave; Batch Size: g; External Batch ID: MKYW241127
Sample Received: 02/25/2025; Report Created: 03/06/2025; Report Expiration: 03/06/2026
Sampling Date: 02/25/2025; Sampling Time: 9AM; Sampling Person: Victoria Miles
Harvest Date: 02/17/2025; Manufacturing Date: ; External Lot ID:
Date of Pickup: 02/25/2025 Time Collected: 11:30

MKYW241127

Plant, Flower - Cured



	25.32%	ND	29.61%
	Total THC	Total CBD	
	25.69 mg/g	Complete 9.9%	Total Cannabinoids (Q3)
	Total Terpenes (Q3)	Moisture (Q3)	

Cannabinoids

Complete

Analyte	LOQ	Result	Result	Qualifier
	%	%	mg/g	
THCa	0.16	28.46	284.6	
Δ9-THC	0.16	0.35	3.5	
Δ8-THC	0.16	ND	ND	Q3
THCVa	0.16	<LOQ	<LOQ	Q3
THCV	0.16	ND	ND	Q3
CBDa	0.16	ND	ND	
CBD	0.16	ND	ND	
CBDVa	0.16	ND	ND	Q3
CBDV	0.16	ND	ND	Q3
CBN	0.16	ND	ND	Q3
CBGa	0.16	0.56	5.6	Q3
CBG	0.16	<LOQ	<LOQ	Q3
CBCa	0.16	0.23	2.3	Q3
CBC	0.16	ND	ND	Q3
Total		29.61	296.1	Q3

Qualifiers:
Date Tested: 02/26/2025 12:00 am

Total THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD

The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoid potency performed by HPLC-DAD per SOP-(1608). ADHS approved method for potency by HPLC-DAD for all listed analytes.

Certificate of Analysis

Project Packs

2239 N Black Canyon Hwy
Phoenix, AZ 85009
adam@projectpacks.co
(530) 514-0500
Lic. #00000084ESFH12297246

Sample: 2502LVL0166.0826

Secondary License: ; Chain of Distribution:
Strain: Milky Wave; Batch Size: g; External Batch ID: MKYW241127
Sample Received: 02/25/2025; Report Created: 03/06/2025; Report Expiration: 03/06/2026
Sampling Date: 02/25/2025; Sampling Time: 9AM; Sampling Person: Victoria Miles
Harvest Date: 02/17/2025; Manufacturing Date: ; External Lot ID:
Date of Pickup: 02/25/2025 Time Collected: 11:30

MKYW241127

Plant, Flower - Cured



Terpenes

Analyte	LOQ	Result	Result	Qualifier	Analyte	LOQ	Result	Result	Qualifier
	mg/g	mg/g	%			mg/g	mg/g	%	
β-Caryophyllene	0.20	6.17	0.617	Q3	cis-Nerolidol	0.20	ND	ND	Q3
δ-Limonene	0.20	5.79	0.579	Q3	Citronellol	1.01	ND	ND	Q3
Farnesene	0.02	4.58	0.458	Q3	Eucalyptol	0.10	ND	ND	Q3
β-Myrcene	0.10	2.72	0.272	Q3	Fenchone	0.20	<LOQ	<LOQ	Q3
α-Pinene	0.10	1.45	0.145	Q3	γ-Terpinene	0.10	ND	ND	Q3
α-Humulene	0.10	1.33	0.133	Q3	γ-Terpineol	0.02	ND	ND	Q3
cis-Ocimene	0.03	1.14	0.114	Q3	Geraniol	2.02	ND	ND	Q3
Fenchol	0.10	0.61	0.061	Q3	Geranyl Acetate	0.10	ND	ND	Q3
β-Pinene	0.20	0.59	0.059	Q3	Guaiol	0.10	ND	ND	Q3
Linalool	0.20	0.53	0.053	Q3	Isoborneol	1.01	ND	ND	Q3
α-Terpineol	0.16	0.52	0.052	Q3	Isopulegol	0.10	ND	ND	Q3
Camphene	0.10	0.15	0.015	Q3	Menthol	0.10	ND	ND	Q3
α-Bisabolol	0.10	0.11	0.011	Q3	Nerol	0.10	ND	ND	Q3
3-Carene	0.20	ND	ND	Q3	Pulegone	0.10	ND	ND	Q3
α-Cedrene	0.10	ND	ND	Q3	p-Cymene	0.10	ND	ND	Q3
α-Phellandrene	0.10	ND	ND	Q3	Sabinene	0.10	ND	ND	Q3
α-Terpinene	0.10	ND	ND	Q3	Sabinene Hydrate	0.10	ND	ND	Q3
β-Eudesmol	0.10	ND	ND	Q3	Terpinolene	0.20	<LOQ	<LOQ	Q3
Borneol	0.30	<LOQ	<LOQ	Q3	trans-Nerolidol	0.10	ND	ND	Q3
Camphor	0.40	ND	ND	Q3	trans-Ocimene	0.07	ND	ND	Q3
Caryophyllene	0.10	<LOQ	<LOQ	Q3	Valencene	0.10	ND	ND	Q3
Oxide									
Cedrol	0.10	ND	ND	Q3					

Primary Aromas



Cinnamon



Lemon



Magnolia



Hops



Pine

25.69 mg/g

Total Terpenes

Qualifiers:
Date Tested: 02/26/2025 12:00 am

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Qualifying code Q3: For informational purposes only.



Certificate of Analysis

Powered by Confident LIMS
3 of 5

Project Packs

2239 N Black Canyon Hwy
Phoenix, AZ 85009
adam@projectpacks.co
(530) 514-0500
Lic. #00000084ESFH12297246

Sample: 2502LVL0166.0826

Secondary License: ; Chain of Distribution:
Strain: Milky Wave; Batch Size: g; External Batch ID: MKYW241127
Sample Received: 02/25/2025; Report Created: 03/06/2025; Report Expiration: 03/06/2026
Sampling Date: 02/25/2025; Sampling Time: 9AM; Sampling Person: Victoria Miles
Harvest Date: 02/17/2025; Manufacturing Date: ; External Lot ID:
Date of Pickup: 02/25/2025 Time Collected: 11:30

MKYW241127

Plant, Flower - Cured



Pesticides

Pass

Analyte	LOQ	Limit	Units	Status	Qualifier	Analyte	LOQ	Limit	Units	Status	Qualifier
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.030	0.500	ND	Pass	M1	Hexythiazox	0.040	1.000	ND	Pass	M1
Acephate	0.040	0.400	ND	Pass		Imazalil	0.040	0.200	ND	Pass	
Acetamiprid	0.040	0.200	ND	Pass		Imidacloprid	0.040	0.400	ND	Pass	
Aldicarb	0.040	0.400	ND	Pass		Kresoxim Methyl	0.040	0.400	ND	Pass	
Azoxystrobin	0.050	0.200	ND	Pass		Malathion	0.040	0.200	ND	Pass	
Bifenazate	0.040	0.200	ND	Pass	L1	Metalaxyl	0.040	0.200	ND	Pass	
Bifenthrin	0.040	0.200	ND	Pass		Methiocarb	0.040	0.200	ND	Pass	
Boscalid	0.040	0.400	ND	Pass	L1	Methomyl	0.040	0.400	ND	Pass	
Carbaryl	0.040	0.200	ND	Pass		Myclobutanil	0.050	0.200	ND	Pass	
Carbofuran	0.040	0.200	ND	Pass		Naled	0.040	0.500	ND	Pass	
Chlorantraniliprole	0.040	0.200	ND	Pass		Oxamyl	0.040	1.000	ND	Pass	
Chlorfenapyr	0.440	1.000	ND	Pass		Paclobutrazol	0.040	0.400	ND	Pass	L1
Chlorpyrifos	0.040	0.200	ND	Pass	M1	Permethrins	0.040	0.200	ND	Pass	M1
Clofentezine	0.040	0.200	ND	Pass		Phosmet	0.040	0.200	ND	Pass	M1
Cyfluthrin	0.440	1.000	ND	Pass		Piperonyl Butoxide	0.040	2.000	ND	Pass	
Cypermethrin	0.040	1.000	ND	Pass		Prallethrin	0.040	0.200	ND	Pass	
Daminozide	0.440	1.000	ND	Pass		Propiconazole	0.040	0.400	ND	Pass	
Dichlorvos (DDVP)	0.040	0.100	ND	Pass		Propoxur	0.050	0.200	ND	Pass	
Diazinon	0.040	0.200	ND	Pass		Pyrethrins	0.450	1.000	ND	Pass	
Dimethoate	0.040	0.200	ND	Pass		Pyridaben	0.040	0.200	ND	Pass	
Ethoprophos	0.040	0.200	ND	Pass		Spinosad	0.040	0.200	ND	Pass	
Etofenprox	0.040	0.400	ND	Pass		Spiromesifen	0.040	0.200	ND	Pass	M2
Etoxazole	0.040	0.200	ND	Pass		Spirotetramat	0.040	0.200	ND	Pass	
Fenoxycarb	0.040	0.200	ND	Pass		Spiroxamine	0.040	0.400	ND	Pass	
Fenpyroximate	0.040	0.400	ND	Pass	M1	Tebuconazole	0.040	0.400	ND	Pass	M1
Fipronil	0.040	0.400	ND	Pass	M1	Thiacloprid	0.040	0.200	ND	Pass	
Flonicamid	0.040	1.000	ND	Pass	L1	Thiamethoxam	0.040	0.200	ND	Pass	M1
Fludioxonil	0.040	0.400	ND	Pass		Trifloxystrobin	0.040	0.200	ND	Pass	

Herbicides

Analyte	LOQ	Limit	Units	Status
---------	-----	-------	-------	--------

Qualifiers:

Date Tested: 02/26/2025 12:00 am

Performed by LCMSMS per SOP-LM-021 and SOP-LM-022. ND = Not Detected; NR = Not Reported. Methods used per AZDHS R9-17-404.03 and pesticide limits set by AZDHS R9-17 Table 3.1. ADHS approved method for pesticide testing by LCMSMS for full list effective 5/1/2021.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
http://www.levelonelabs.com
Lic# 00000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. Compliance details updated. All previously issued versions of this certificate are now void. CDG 3.6.25



Certificate of Analysis

Powered by Confident LIMS
4 of 5

Project Packs

2239 N Black Canyon Hwy
Phoenix, AZ 85009
adam@projectpacks.co
(530) 514-0500
Lic. #00000084ESFH12297246

Sample: 2502LVL0166.0826

Secondary License: ; Chain of Distribution:
Strain: Milky Wave; Batch Size: g; External Batch ID: MKYW241127
Sample Received: 02/25/2025; Report Created: 03/06/2025; Report Expiration: 03/06/2026
Sampling Date: 02/25/2025; Sampling Time: 9AM; Sampling Person: Victoria Miles
Harvest Date: 02/17/2025; Manufacturing Date: ; External Lot ID:
Date of Pickup: 02/25/2025 Time Collected: 11:30

MKYW241127

Plant, Flower - Cured



Microbials

Pass

Analyte	Result	Result Units	Status	Qualifier
E. Coli	<10	CFU/G	Pass	
Salmonella	Not Detected	in one gram	Pass	
Aspergillus terreus	Not Detected	in one gram	Pass	
Aspergillus fumigatus, Aspergillus flavus, and Aspergillus niger	Not Detected	in one gram	Pass	

Qualifiers:
Date Tested: 02/27/2025 12:00 am

TNTC = Too Numerous to Count. The lower limit of quantification for E. coli is 10 CFU/g unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: E. coli plating via 3M Petrifilm per SOP-LM-019, Salmonella spp. And Aspergillus spp. detection by Bio-Rad CFX96 Deep Well real-time PCR per SOP-LM-016 & SOP-LM-017. Methods used per AZDHS R9-17-404.04 and microbial limits set by AZDHS R9-17 Table 3.1. ADHS approved method for microbials for all listed organisms.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
<http://www.levelonelabs.com>
Lic# 00000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. Compliance details updated. All previously issued versions of this certificate are now void. CDG 3.6.25



Certificate of Analysis

Powered by Confident LIMS
5 of 5

Project Packs

2239 N Black Canyon Hwy
Phoenix, AZ 85009
adam@projectpacks.co
(530) 514-0500
Lic. #00000084ESFH12297246

Sample: 2502LVL0166.0826

Secondary License: ; Chain of Distribution:
Strain: Milky Wave; Batch Size: g; External Batch ID: MKYW241127
Sample Received: 02/25/2025; Report Created: 03/06/2025; Report Expiration: 03/06/2026
Sampling Date: 02/25/2025; Sampling Time: 9AM; Sampling Person: Victoria Miles
Harvest Date: 02/17/2025; Manufacturing Date: ; External Lot ID:
Date of Pickup: 02/25/2025 Time Collected: 11:30

MKYW241127

Plant, Flower - Cured



Heavy Metals

Pass

Analyte	Result	LOQ	Limit	Status	Qualifier
	PPM	PPM	PPM		
Arsenic	ND	0.106	0.400	Pass	
Cadmium	<0.106	0.106	0.400	Pass	
Lead	ND	0.106	1.000	Pass	
Mercury	<0.106	0.106	0.200	Pass	

LEVEL ONE

Qualifiers:
Date Tested: 02/28/2025 12:00 am

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
<http://www.levelonelabs.com>
Lic# 00000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. Compliance details updated. All previously issued versions of this certificate are now void. CDG 3.6.25