



Made Ultra
2239 N Black Cyn Hwy
Phoenix
AZ
85009
License #: 00000084ESFH12297246
Sample ID: 2606SMAZ1414.4984
Batch #: PEDE.063026.M1



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 26686

Ultra Made - 2g AIO

Batch #: PEDE.063026.M1

Strain: Peach Lemonade

Parent Batch #: 061126D

Production Method: Butane

Harvest Date: 04/01/2026

Received: 06/30/2026

Sample ID: 2606SMAZ1414.4984

Amount Received: 3.1 g

Sample Type: Vape

Sample Collected: 06/30/2026 13:45:00

Manufacture Date: 06/30/2026

Published: 07/20/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)

Tested

Microbial Contaminants

Pass

Residual Solvents

Not Tested

Pesticides, Fungicides,
and Growth Regulators

Not Tested

Mycotoxins

Not Tested

Heavy Metals

Not Tested

90.8010%
Total THC

0.2272%
Total CBD

0.6101%
CBN

2.3937%
CBG

Additional Analytes (Not Regulated)

Terpenes Total (Q3)

Not Tested

Moisture Analysis (Q3)

Not Tested

Water Activity (Q3)

Not Tested

Filth & Foreign (Q3)

Not Tested

Homogeneity (Q3)

Not Tested

Additional Microbial
Contaminants (Q3)

Not Tested

95.9750%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Made Ultra
 2239 N Black Cyn Hwy
 Phoenix
 AZ
 85009
 License #: 00000084ESFH12297246
 Sample ID: 2606SMAZ1414.4984
 Batch #: PEDE.063026.M1



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 26686

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 06/30/2026
 SOP: 418.AZ
 Batch Number: 6432
 Test ID: 146360

Sample Analysis

Date: 07/06/2026
 SOP: 417.AZ - HPLC
 Sample Weight: 0.042 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.6340	1.9050	2	1.0128	10.1280	
CBD	0.6340	1.9050	2	0.2272	2.2720	
CBDA	0.6340	1.9050	2	ND	ND	
CBDV	0.6340	1.9050	2	0.4541	4.5410	
CBG	0.6340	1.9050	2	2.3937	23.9370	
CBGA	0.6340	1.9050	2	ND	ND	
CBN	0.6340	1.9050	2	0.6101	6.1010	
d10-THC	0.6340	1.9050	2	ND	ND	
d8-THC	0.6340	1.9050	2	ND	ND	
d9-THC	0.6340	1.9050	2	90.6013	906.0130	
THCA	0.6340	1.9050	2	0.2276	2.2760	
THCV	0.6340	1.9050	2	0.4482	4.4820	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	90.8010	908.0100	N1
Total CBD	0.2272	2.2720	
Total Cannabinoids	95.9750	959.7500	Q3

Total THC = Δ8-THC + Δ9-THC + Δ10-THC + (0.877 x THCA)
 Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Made Ultra
2239 N Black Cyn Hwy
Phoenix
AZ
85009
License #: 00000084ESFH12297246
Sample ID: 2606SMAZ1414.4984
Batch #: PEDE.063026.M1



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 26686

Microbial Analysis

Pass

Sample Prep

Batch Date: 07/01/2026
SOP: 412.AZ
Batch Number: 6440
Test ID: 146372

Sample Analysis

Date: 07/02/2026
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.0020 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 07/01/2026
SOP: 406.AZ
Batch Number: 6438
Test ID: 146376

Sample Analysis

Date: 07/06/2026
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.0237 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 07/01/2026
SOP: 406.AZ
Batch Number: 6438
Test ID: 146380

Sample Analysis

Date: 07/06/2026
SOP: 406.AZ - qPCR (MG)
Sample Weight: g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Made Ultra
2239 N Black Cyn Hwy
Phoenix
AZ
85009
License #: 00000084ESFH12297246
Sample ID: 2606SMAZ1414.4984
Batch #: PEDE.063026.M1



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 26686

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 000156ESTDP70697204
Sample ID: 2606SMAZ1345.4757
Batch #: 061126D



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 25863

Distillate-061126D

Batch #: 061126D

Strain: Hybrid

Parent Batch #:

Production Method: Ethanol

Harvest Date: 04/01/2026

Received: 06/22/2026

Sample ID: 2606SMAZ1345.4757


Amount Received: 4.3 g

Sample Type: Distillate

Sample Collected: 06/22/2026 12:40:00

Manufacture Date: 06/11/2026

Published: 06/25/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)

Tested

Microbial Contaminants

Pass

Residual Solvents

Pass

96.0498%

Total THC

Pesticides, Fungicides,
and Growth Regulators

Pass

Mycotoxins

Pass

Heavy Metals

Pass

ND

Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3)

Not Tested

Moisture Analysis (Q3)

Not Tested

Water Activity (Q3)

Not Tested

0.5941%

CBN

Filth & Foreign (Q3)

Not Tested

Homogeneity (Q3)

Not Tested

Additional Microbial
Contaminants (Q3)

Not Tested

2.6660%

CBG

100.8150%

Total Cannabinoids (Q3)

96.0498%

July 1, 2026 Total THC (N1)

N1 - Until July 1st, 2026, the testing result is for informational purposes only and cannot be used to satisfy testing requirements. Starting July 1st, 2026, the testing result may be used to satisfy testing requirements.


Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 000156ESTDP70697204
Sample ID: 2606SMAZ1345.4757
Batch #: 061126D



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 25863

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 06/22/2026
SOP: 418.AZ
Batch Number: 6354
Test ID: 144764

Sample Analysis

Date: 06/24/2026
SOP: 417.AZ - HPLC
Sample Weight: 0.041 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.6500	1.9510	2	0.9990	9.9900	
CBD	0.6500	1.9510	2	ND	ND	
CBDA	0.6500	1.9510	2	ND	ND	
CBDV	0.6500	1.9510	2	ND	ND	
CBG	0.6500	1.9510	2	2.6660	26.6600	
CBGA	0.6500	1.9510	2	ND	ND	
CBN	0.6500	1.9510	2	0.5941	5.9410	
d10-THC	0.6500	1.9510	2	ND	ND	
d8-THC	0.6500	1.9510	2	ND	ND	
d9-THC	0.6500	1.9510	2	96.0498	960.4980	
THCA	0.6500	1.9510	2	ND	ND	
THCV	0.6500	1.9510	2	0.5061	5.0610	


Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	96.0498	960.4980	
Total CBD	ND	ND	
Total Cannabinoids	100.8150	1008.1500	Q3
July 1, 2026 Total THC	96.0498	960.4980	N1

July 1, 2026 Total THC = $\Delta 8\text{-THC} + \Delta 9\text{-THC} + \Delta 10\text{-THC} + (0.877 \times \text{THCA})$
Total THC = $\Delta 8\text{-THC} + \Delta 9\text{-THC} + (0.877 \times \text{THCA})$
Total CBD = $\text{CBD} + (0.877 \times \text{CBDA})$
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
N1 - Until July 1st, 2026, the testing result is for informational purposes only and cannot be used to satisfy testing requirements. Starting July 1st, 2026, the testing result may be used to satisfy testing requirements.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 000156ESTDP70697204
Sample ID: 2606SMAZ1345.4757
Batch #: 061126D



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 25863

Microbial Analysis

Pass

Sample Prep

Batch Date: 06/23/2026
SOP: 412.AZ
Batch Number: 6370
Test ID: 144787

Sample Analysis

Date: 06/24/2026
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.004 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 06/23/2026
SOP: 406.AZ
Batch Number: 6367
Test ID: 144788

Sample Analysis

Date: 06/25/2026
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.008 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 06/23/2026
SOP: 406.AZ
Batch Number: 6366
Test ID: 144791

Sample Analysis

Date: 06/25/2026
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.008 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 000156ESTDP70697204
Sample ID: 2606SMAZ1345.4757
Batch #: 061126D



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 25863

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 06/22/2026
SOP: 405.AZ
Batch Number: 6348
Test ID: 144765

Sample Analysis

Date: 06/23/2026
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.050 g


Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	133 / 400	1	1000	ND		Heptane	666 / 2000	1	5000	ND	
Acetonitrile	55 / 164	1	410	ND		Hexanes	39 / 116	1	290	ND	
Benzene	0.26 / 0.80	1	2	ND		Isopropyl acetate	666 / 2000	1	5000	ND	
Butanes	167 / 500	1	5000	ND		Methanol	400 / 1200	1	3000	ND	
Chloroform	8 / 24	1	60	ND		Pentanes	167 / 500	1	5000	ND	
Dichloromethane	80 / 240	1	600	ND		2-Propanol (IPA)	666 / 2000	1	5000	ND	
Ethanol	666 / 2000	1	5000	ND		Toluene	119 / 356	1	890	ND	
Ethyl acetate	666 / 2000	1	5000	ND		Xylenes	290 / 868	1	2170	ND	
Ethyl ether	666 / 2000	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 000156ESTDP70697204
Sample ID: 2606SMAZ1345.4757
Batch #: 061126D



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 25863

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 06/23/2026
SOP: 428.AZ
Batch Number: 6363
Test ID: 144766

Sample Analysis

Date: 06/23/2026
SOP: 428.AZ - ICP-MS
Sample Weight: 0.211 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.057	0.190	10	0.4	ND	
Cadmium	0.057	0.190	10	0.4	ND	V1
Lead	0.057	0.474	10	1	ND	V1
Mercury	0.057	0.095	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 06/22/2026
SOP: 432.AZ
Batch Number: 6359
Test ID: 144768

Sample Analysis


Date: 06/24/2026
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.501 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.99	9.98	1	20	ND	R1 V1
Aflatoxin B1	3.99	9.98	1		ND	
Aflatoxin B2	3.99	9.98	1		ND	
Aflatoxin G1	3.99	9.98	1		ND	V1, V1
Aflatoxin G2	3.99	4.99	1		ND	R1
Ochratoxin A	9.98	9.98	1	20	ND	I1 V1, L1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 000156ESTDP70697204
Sample ID: 2606SMAZ1345.4757
Batch #: 061126D



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 25863

**Pesticides, Fungicides, and
Growth Regulators**
LC-MS/MS **Pass**

Sample Prep

Batch Date: 06/22/2026
SOP: 432.AZ
Batch Number: 6359
Test ID: 144767

Sample Analysis

Date: 06/24/2026
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.501 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.083 / 0.250	1	0.5	ND		Hexythiazox	0.167 / 0.499	1	1	ND	
Acephate	0.067 / 0.200	1	0.4	ND		Imazalil	0.033 / 0.100	1	0.2	ND	
Acetamiprid	0.033 / 0.100	1	0.2	ND		Imidacloprid	0.067 / 0.200	1	0.4	ND	
Aldicarb	0.067 / 0.200	1	0.4	ND		Kresoxim-methyl	0.067 / 0.200	1	0.4	ND	
Azoxystrobin	0.033 / 0.100	1	0.2	ND		Malathion	0.033 / 0.100	1	0.2	ND	
Bifenazate	0.033 / 0.100	1	0.2	ND	V1	Metaxyl	0.033 / 0.100	1	0.2	ND	
Bifenthrin	0.033 / 0.100	1	0.2	ND		Methiocarb	0.033 / 0.100	1	0.2	ND	
Boscalid	0.067 / 0.200	1	0.4	ND		Methomyl	0.067 / 0.200	1	0.4	ND	
Carbaryl	0.033 / 0.100	1	0.2	ND		Myclobutanil	0.033 / 0.100	1	0.2	ND	
Carbofuran	0.033 / 0.100	1	0.2	ND		Naled	0.083 / 0.250	1	0.5	ND	
Chlorantraniliprole	0.033 / 0.100	1	0.2	ND		Oxamyl	0.167 / 0.499	1	1	ND	
Chlorfenapyr	0.167 / 0.499	1	1	ND	I1	Paclobutrazol	0.067 / 0.200	1	0.4	ND	
Chlorpyrifos	0.033 / 0.100	1	0.2	ND		Permethrins	0.033 / 0.100	1	0.2	ND	
Clofentezine	0.033 / 0.100	1	0.2	ND		Phosmet	0.033 / 0.100	1	0.2	ND	
Cyfluthrin	0.167 / 0.499	1	1	ND		Piperonyl Butoxide	0.332 / 0.998	1	2	ND	
Cypermethrin	0.167 / 0.499	1	1	ND		Prallethrin	0.033 / 0.100	1	0.2	ND	
Daminozide	0.167 / 0.499	1	1	ND		Propiconazole	0.067 / 0.200	1	0.4	ND	
Diazinon	0.033 / 0.100	1	0.2	ND		Propoxur	0.033 / 0.100	1	0.2	ND	
Dichlorvos	0.017 / 0.050	1	0.1	ND		Pyrethrins	0.139 / 0.418	1	1	ND	
Dimethoate	0.033 / 0.100	1	0.2	ND		Pyridaben	0.033 / 0.100	1	0.2	ND	
Ethoprophos	0.033 / 0.100	1	0.2	ND		Spinosad	0.033 / 0.100	1	0.2	ND	
Etofenprox	0.067 / 0.200	1	0.4	ND		Spiromesifen	0.033 / 0.100	1	0.2	ND	
Etoxazole	0.033 / 0.100	1	0.2	ND		Spirotetramat	0.033 / 0.100	1	0.2	ND	
Fenoxycarb	0.033 / 0.100	1	0.2	ND		Spiroxamine	0.067 / 0.200	1	0.4	ND	
Fenpyroximate	0.067 / 0.200	1	0.4	ND		Tebuconazole	0.067 / 0.200	1	0.4	ND	
Fipronil	0.067 / 0.200	1	0.4	ND		Thiacloprid	0.033 / 0.100	1	0.2	ND	
Fonicamid	0.167 / 0.499	1	1	ND		Thiamethoxam	0.033 / 0.100	1	0.2	ND	
Fludioxonil	0.067 / 0.200	1	0.4	ND		Trifloxystrobin	0.033 / 0.100	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 000156ESTDP70697204
Sample ID: 2606SMAZ1345.4757
Batch #: 061126D



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 25863

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- N1** Until July 1st, 2026, the testing result is for informational purposes only and cannot be used to satisfy testing requirements. Starting July 1st, 2026, the testing result may be used to satisfy testing requirements.
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 000156ESTDP70697204
Sample ID: 2606SMAZ1345.4757
Batch #: 061126D



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 25863

Notes:




Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>