

Mohave Cannabis Co.  
P.O. Box 8513  
Ft. Mohave, AZ 86427  
(928) 201-5950  
Lic#: 00000111DCCI00384281

Sample: S308003-02  
CC ID#: 2307C4L0080.2183  
Lot#: LAB72723MOTOPR  
Batch#: LAB 252 MOTO PR  
Batch Size: N/A

FINAL

Sample Name: Mohave Preroll Moto Breath  
Strain Name: Motor Breath  
Matrix: Preroll

Sample Received: 08/01/2023  
Report Created: 08/07/2023



### Potency Results

|                  |                  |              |            |
|------------------|------------------|--------------|------------|
| <b>24.9%</b>     | <b>&lt;LOQ%</b>  | <b>RATIO</b> |            |
| <b>Total THC</b> | <b>Total CBD</b> | <b>1</b>     | <b>0</b>   |
|                  |                  | <b>THC</b>   | <b>CBD</b> |

Total THC= THCa \* 0.877 + d9-THC  
Total CBD= CBDa \* 0.877 + CBD

### SAFETY

|                   |                          |                   |                   |               |
|-------------------|--------------------------|-------------------|-------------------|---------------|
| <b>Microbials</b> | <b>Residual Solvents</b> | <b>Mycotoxins</b> | <b>Pesticides</b> | <b>Metals</b> |
| <b>PASS</b>       | <b>NOT TESTED</b>        | <b>NOT TESTED</b> | <b>PASS</b>       | <b>PASS</b>   |



Jillian Blaney  
Technical Laboratory Director

Mohave Cannabis Co.  
P.O. Box 8513  
Ft. Mohave, AZ 86427  
(928) 201-5950  
Lic#: 00000111DCCI00384281

Sample: S308003-02  
CC ID#: 2307C4L0080.2183  
Lot#: LAB72723MOTOPR  
Batch#: LAB 252 MOTO PR  
Batch Size: N/A

FINAL

Sample Name: Mohave Preroll Moto Breath  
Strain Name: Motor Breath  
Matrix: Preroll

Sample Received: 08/01/2023  
Report Created: 08/07/2023

### Cannabinoids by HPLC-DAD - Compliance

Date Analyzed: 08/02/2023 Analyst Initials: DRF

| Analyte             | LOQ   | Mass | Mass   | Q  |
|---------------------|-------|------|--------|----|
|                     | %     | %    | mg/g   |    |
| THCA                | 0.594 | 26.8 | 268.00 |    |
| d9-THC              | 0.594 | 1.39 | 13.90  |    |
| d8-THC              | 0.594 | <LOQ | <LOQ   |    |
| CBDA                | 0.594 | <LOQ | <LOQ   |    |
| CBD                 | 0.594 | <LOQ | <LOQ   |    |
| CBG                 | 0.594 | <LOQ | <LOQ   |    |
| CBN                 | 0.594 | <LOQ | <LOQ   |    |
| CBC                 | 0.594 | <LOQ | <LOQ   |    |
| Sum of Cannabinoids | 0.594 | 28.2 | 282.00 | Q3 |
| Total THC           | 0.594 | 24.9 | 249.00 |    |
| Total CBD           | 0.594 | <LOQ | <LOQ   |    |

Total THC= THCa \* 0.877 + d9-THC. Total CBD= CBDA \* 0.877 + CBD.  
LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.  
Cannabinoids method: HPLC-DAD.



Jillian Blaney  
Technical Laboratory Director

Mohave Cannabis Co.

P.O. Box 8513  
Ft. Mohave, AZ 86427  
(928) 201-5950  
Lic#: 00000111DCCI00384281

Sample: S308003-02

CC ID#: 2307C4L0080.2183  
Lot#: LAB72723MOTOPR  
Batch#: LAB 252 MOTO PR  
Batch Size: N/A

FINAL

Sample Name: Mohave Preroll Moto Breath

Strain Name: Motor Breath

Matrix: Preroll

Sample Received: 08/01/2023

Report Created: 08/07/2023

**Pesticides by LC/MS/MS - Compliance**

**Pass**

Date Analyzed: 08/04/2023 Analyst Initials: JCB

| Analyte             | LOQ   | Limit | Units | Q      | Status | Analyte            | LOQ   | Limit | Units | Q      | Status |
|---------------------|-------|-------|-------|--------|--------|--------------------|-------|-------|-------|--------|--------|
|                     | ppm   | ppm   | ppm   |        |        |                    | ppm   | ppm   | ppm   |        |        |
| Abamectin           | 0.119 | 0.5   | <LOQ  | M1     | Pass   | Hexythiazox        | 0.247 | 1.0   | <LOQ  |        | Pass   |
| Acephate            | 0.099 | 0.4   | <LOQ  |        | Pass   | Imazalil           | 0.049 | 0.2   | <LOQ  | V1, M1 | Pass   |
| Acequinocyl         | 0.495 | 2.0   | <LOQ  | M1     | Pass   | Imidacloprid       | 0.099 | 0.4   | <LOQ  |        | Pass   |
| Acetamiprid         | 0.049 | 0.2   | <LOQ  |        | Pass   | Kresoxim-methyl    | 0.099 | 0.4   | <LOQ  |        | Pass   |
| Aldicarb            | 0.099 | 0.4   | <LOQ  |        | Pass   | Malathion          | 0.049 | 0.2   | <LOQ  |        | Pass   |
| Azoxystrobin        | 0.049 | 0.2   | <LOQ  |        | Pass   | Metaxyl            | 0.049 | 0.2   | <LOQ  |        | Pass   |
| Bifenazate          | 0.049 | 0.2   | <LOQ  |        | Pass   | Methiocarb         | 0.049 | 0.2   | <LOQ  |        | Pass   |
| Bifenthrin          | 0.049 | 0.2   | <LOQ  | M1     | Pass   | Methomyl           | 0.099 | 0.4   | <LOQ  |        | Pass   |
| Boscalid            | 0.099 | 0.4   | <LOQ  | M1     | Pass   | Myclobutanil       | 0.049 | 0.2   | <LOQ  |        | Pass   |
| Carbaryl            | 0.049 | 0.2   | <LOQ  | L1     | Pass   | Naled              | 0.124 | 0.5   | <LOQ  | L1, V1 | Pass   |
| Carbofuran          | 0.049 | 0.2   | <LOQ  |        | Pass   | Oxamyl             | 0.247 | 1.0   | <LOQ  |        | Pass   |
| Chlorantraniliprole | 0.049 | 0.2   | <LOQ  | M1, V1 | Pass   | Paclobutrazol      | 0.099 | 0.4   | <LOQ  | M1     | Pass   |
| Chlorfenapyr        | 0.495 | 1.0   | <LOQ  |        | Pass   | Permethrins        | 0.049 | 0.2   | <LOQ  | M1     | Pass   |
| Chlorpyrifos        | 0.049 | 0.2   | <LOQ  |        | Pass   | Phosmet            | 0.049 | 0.2   | <LOQ  |        | Pass   |
| Clofentezine        | 0.049 | 0.2   | <LOQ  |        | Pass   | Piperonyl butoxide | 0.495 | 2.0   | <LOQ  |        | Pass   |
| Cyfluthrin          | 0.495 | 1.0   | <LOQ  | M1     | Pass   | Prallethrin        | 0.049 | 0.2   | <LOQ  | L1     | Pass   |
| Cypermethrin        | 0.247 | 1.0   | <LOQ  |        | Pass   | Propiconazole      | 0.099 | 0.4   | <LOQ  |        | Pass   |
| Daminozide          | 0.495 | 1.0   | <LOQ  |        | Pass   | Propoxur           | 0.049 | 0.2   | <LOQ  |        | Pass   |
| Diazinon            | 0.049 | 0.2   | <LOQ  |        | Pass   | Pyrethrins         | 0.159 | 1.0   | <LOQ  |        | Pass   |
| Dichlorvos          | 0.049 | 0.1   | <LOQ  |        | Pass   | Pyridaben          | 0.049 | 0.2   | <LOQ  |        | Pass   |
| Dimethoate          | 0.049 | 0.2   | <LOQ  |        | Pass   | Spinosad           | 0.049 | 0.2   | <LOQ  | V1     | Pass   |
| Ethoprophos         | 0.049 | 0.2   | <LOQ  |        | Pass   | Spiromesifen       | 0.049 | 0.2   | <LOQ  |        | Pass   |
| Etofenprox          | 0.099 | 0.4   | <LOQ  | L1     | Pass   | Spirotetramat      | 0.049 | 0.2   | <LOQ  |        | Pass   |
| Etoxazole           | 0.049 | 0.2   | <LOQ  |        | Pass   | Spiroxamine        | 0.099 | 0.4   | <LOQ  | L1     | Pass   |
| Fenoxycarb          | 0.049 | 0.2   | <LOQ  | M1     | Pass   | Tebuconazole       | 0.099 | 0.4   | <LOQ  |        | Pass   |
| Fenpyroximate       | 0.099 | 0.4   | <LOQ  |        | Pass   | Thiacloprid        | 0.049 | 0.2   | <LOQ  |        | Pass   |
| Fipronil            | 0.099 | 0.4   | <LOQ  | L1     | Pass   | Thiamethoxam       | 0.049 | 0.2   | <LOQ  |        | Pass   |
| Flonicamid          | 0.247 | 1.0   | <LOQ  |        | Pass   | Trifloxystrobin    | 0.049 | 0.2   | <LOQ  | M1     | Pass   |
| Fludioxonil         | 0.099 | 0.4   | <LOQ  | M2     | Pass   |                    |       |       |       |        |        |

LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Pesticides method: LC/MS/MS.

Mohave Cannabis Co.  
P.O. Box 8513  
Ft. Mohave, AZ 86427  
(928) 201-5950  
Lic#: 00000111DCCI00384281

Sample: S308003-02  
CC ID#: 2307C4L0080.2183  
Lot#: LAB72723MOTOPR  
Batch#: LAB 252 MOTO PR  
Batch Size: N/A

FINAL

Sample Name: Mohave Preroll Moto Breath  
Strain Name: Motor Breath  
Matrix: Preroll

Sample Received: 08/01/2023  
Report Created: 08/07/2023

**Metals by ICP-MS - Compliance**

Pass

Date Analyzed: 08/04/2023 Analyst Initials: SML

| Analyte | LOQ   | Limit | Mass | Q | Status |
|---------|-------|-------|------|---|--------|
|         | ppm   | ppm   | ppm  |   |        |
| Arsenic | 0.100 | 0.405 | <LOQ |   | Pass   |
| Cadmium | 0.100 | 0.405 | <LOQ |   | Pass   |
| Lead    | 0.399 | 1.05  | <LOQ |   | Pass   |
| Mercury | 0.399 | 1.25  | <LOQ |   | Pass   |

LOQ = Limit of Quantitation; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Jillian Blaney  
Technical Laboratory Director

Mohave Cannabis Co.  
P.O. Box 8513  
Ft. Mohave, AZ 86427  
(928) 201-5950  
Lic#: 00000111DCCI00384281

Sample: S308003-02  
CC ID#: 2307C4L0080.2183  
Lot#: LAB72723MOTOPR  
Batch#: LAB 252 MOTO PR  
Batch Size: N/A

FINAL

Sample Name: Mohave Preroll Moto Breath  
Strain Name: Motor Breath  
Matrix: Preroll

Sample Received: 08/01/2023  
Report Created: 08/07/2023

**Microbials**

**Pass**

**E. coli by 3M Petrifilm- Compliance Plate**

Date Analyzed: 08/04/2023 Analyst Initials: KAM

| Analyte | LOQ   | Limit | Result | Q | Status |
|---------|-------|-------|--------|---|--------|
|         | CFU/g | CFU/g | CFU/g  |   |        |
| E. coli | 10    | 100   | <10    |   | Pass   |

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Aspergillus includes species flavus, fumigatus, niger, and terreus. Salmonella and Aspergillus by Medicinal Genomics.

**Aspergillus and Salmonella by qPCR - Compliance qPCR**

Date Analyzed: 08/04/2023 Analyst Initials: KAM

| Analyte         | Result       | Q | Status |
|-----------------|--------------|---|--------|
|                 | in one gram  |   |        |
| Salmonella spp. | Not Detected |   | Pass   |
| Aspergillus     | Not Detected |   | Pass   |

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Aspergillus includes species flavus, fumigatus, niger, and terreus. Salmonella and Aspergillus by Medicinal Genomics.



Jillian Blaney  
Technical Laboratory Director

Mohave Cannabis Co.  
P.O. Box 8513  
Ft. Mohave, AZ 86427  
(928) 201-5950  
Lic#: 00000111DCCI00384281

Sample: S308003-02  
CC ID#: 2307C4L0080.2183  
Lot#: LAB72723MOTOPR  
Batch#: LAB 252 MOTO PR  
Batch Size: N/A

FINAL

Sample Name: Mohave Preroll Moto Breath  
Strain Name: Motor Breath  
Matrix: Preroll

Sample Received: 08/01/2023  
Report Created: 08/07/2023

**Notes and Definitions**

| Item   | Definition  |
|--------|---|
| D1     | LOQ and sample results were adjusted to reflect sample dilution.  |
| I1     | Interference. Relative intensity of a characteristic ion in the sample analyte exceeded 30% of the relative intensity in the reference spectrum.  |
| L1     | The percent recovery of the LCS was above the control limit for the test but analyte was not detected above the Action Limit in Table 3.1.  |
| M1     | Matrix Spike recovery was higher than control limit but recovery of the LCS was within control limits.  |
| M2     | Matrix Spike recovery was lower than control limit but recovery of the LCS was within control limits.   |
| Q3     | Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317. Testing result is not accredited under ISO 17025. |
| V1     | CCV recovery exceeded control limits but the sample analyte concentration was below maximum allowable concentrations in table 3.1   |
| ND     | Analyte NOT DETECTED at or above the reporting limit.   |
| RPD    | Relative Percent Difference   |
| %REC   | Percent Recovery  |
| Source | Sample that was matrix spiked or duplicated.  |



Jillian Blaney  
Technical Laboratory Director