



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2401SMAZ0117.0385
 Batch #: A501240120



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3790

Orange Creamsicle, Sunny Sativa - 1000mg

Batch #: A501240120
 Strain: Blue Dream
 Parent Batch #: OGZD-VE123S
 Production Method: CO2
 Harvest Date:
 Received: 01/25/2024

Sample ID: 2401SMAZ0117.0385
 Amount Received: 55.5 g
 Sample Type: Soft Chew
 Sample Collected: 01/25/2024 11:29:00
 Manufacture Date:
 Published: 01/31/2024



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Not Tested
Pesticides, Fungicides, and Growth Regulators Not Tested	Mycotoxins Not Tested	Heavy Metals Not Tested

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

1.501% Total THC
0.005% Total CBD
0.007% CBN
0.029% CBG
1.569% Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2401SMAZ0117.0385
 Batch #: A501240120



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3790

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 01/25/2024
 SOP: 418.AZ
 Batch Number: 800

Sample Analysis

Date: 01/26/2024
 SOP: 417.AZ - HPLC
 Sample Weight: 1.008 g
 Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.006	0.019	2	0.016	0.158	0.964	9.638	
CBD	0.006	0.019	2	0.005	0.046	0.281	2.806	
CBDA	0.006	0.019	2	ND	ND	ND	ND	
CBDV	0.006	0.019	2	ND	ND	ND	ND	
CBG	0.006	0.019	2	0.029	0.290	1.769	17.690	
CBGA	0.006	0.019	2	ND	ND	ND	ND	
CBN	0.006	0.019	2	0.007	0.066	0.403	4.026	
d8-THC	0.006	0.019	2	ND	ND	ND	ND	
d9-THC	0.006	0.019	2	1.501	15.010	91.561	915.610	
THCA	0.006	0.019	2	ND	ND	ND	ND	
THCV	0.006	0.019	2	0.012	0.117	0.714	7.137	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	1.501	15.010	91.561	915.610	
Total CBD	0.005	0.046	0.281	2.806	
Total Cannabinoids	1.569	15.687	95.691	956.907	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
 Serving Weight: 6.1 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2401SMAZ0117.0385
 Batch #: A501240120



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3790

Microbial Analysis
 Pass

Sample Prep

Batch Date: 01/29/2024
 SOP: 431.AZ
 Batch Number: 811

Sample Analysis

Date: 01/30/2024
 SOP: 431.AZ - TEMPO (MPN)
 Sample Weight: 1.061 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 01/29/2024
 SOP: 406.AZ
 Batch Number: 807

Sample Analysis

Date: 01/31/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.024 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2401SMAZ0117.0385
 Batch #: A501240120



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3790

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2401SMAZ0117.0385
 Batch #: A501240120



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3790

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2401SMAZ0024.0074
 Batch #: OGZD-VE123S



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3367

Sativa Distillate

Batch #: OGZD-VE123S
 Strain: Blue Dream
 Parent Batch #: OGZD-VE123S
 Production Method: CO2
 Harvest Date:
 Received: 01/08/2024

Sample ID: 2401SMAZ0024.0074
 Amount Received: 7 g
 Sample Type: Distillate
 Sample Collected: 01/08/2024 10:05:00
 Manufacture Date:
 Published: 01/10/2024



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

89.372% Total THC
0.258% Total CBD
0.265% CBN
1.670% CBG
93.132% Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2401SMAZ0024.0074
 Batch #: OGZD-VE123S



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3367

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 01/08/2024
 SOP: 418.AZ
 Batch Number: 685

Sample Analysis

Date: 01/09/2024
 SOP: 417.AZ - HPLC
 Sample Weight: 0.040 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.322	0.977	1	0.901	9.007	
CBD	0.322	0.977	1	0.258	2.580	
CBDA	0.322	0.977	1	ND	ND	
CBDV	0.322	0.977	1	ND	ND	
CBG	0.322	0.977	1	1.670	16.703	
CBGA	0.322	0.977	1	ND	ND	
CBN	0.322	0.977	1	0.265	2.655	
d8-THC	0.322	0.977	1	ND	ND	
d9-THC	0.322	0.977	1	89.372	893.723	
THCA	0.322	0.977	1	ND	ND	
THCV	0.322	0.977	1	0.666	6.656	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	89.372	893.723	
Total CBD	0.258	2.580	
Total Cannabinoids	93.132	931.324	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2401SMAZ0024.0074
 Batch #: OGZD-VE123S



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3367

Microbial Analysis
Pass

Sample Prep

Batch Date: 01/09/2024
 SOP: 431.AZ
 Batch Number: 687

Sample Analysis

Date: 01/10/2024
 SOP: 431.AZ - TEMPO (MPN)
 Sample Weight: 1.004 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 01/09/2024
 SOP: 406.AZ
 Batch Number: 686

Sample Analysis

Date: 01/10/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.008 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 01/09/2024
 SOP: 406.AZ
 Batch Number: 686

Sample Analysis

Date: 01/10/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.008 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2401SMAZ0024.0074
 Batch #: OGZD-VE123S



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3367

Residual Solvents

HS-GC-MS **Pass**

Sample Prep

Batch Date: 01/08/2024
 SOP: 405.AZ
 Batch Number: 681

Sample Analysis

Date: 01/09/2024
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.053 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	62 / 189	1	1000	ND		Heptane	315 / 943	1	5000	ND	
Acetonitrile	26 / 77	1	410	ND		Hexanes	45 / 137	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	315 / 943	1	5000	ND	
Butanes	157 / 472	1	5000	ND	M2	Methanol	189 / 566	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	315 / 943	1	5000	ND	
Dichloromethane	38 / 113	1	600	ND		2-Propanol (IPA)	315 / 943	1	5000	ND	
Ethanol	315 / 943	1	5000	ND		Toluene	57 / 168	1	890	ND	
Ethyl acetate	315 / 943	1	5000	ND		Xylenes	274 / 819	1	2170	ND	
Ethyl ether	315 / 943	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2401SMAZ0024.0074
 Batch #: OGZD-VE123S



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3367

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 01/10/2024
 SOP: 428.AZ
 Batch Number: 701

Sample Analysis
 Date: 01/10/2024
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.232 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.017	0.172	10	0.4	ND	
Cadmium	0.017	0.172	10	0.4	ND	
Lead	0.017	0.431	10	1	ND	
Mercury	0.017	0.086	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 01/07/2024
 SOP: 432.AZ
 Batch Number: 679

Sample Analysis
 Date: 01/09/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.521 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.84	9.60	1	20	ND	L1
Aflatoxin B1	3.84	8.49	1		ND	I1, L1
Aflatoxin B2	3.84	8.49	1		ND	I1
Aflatoxin G1	3.84	8.49	1		ND	
Aflatoxin G2	3.84	4.24	1		ND	I1
Ochratoxin A	9.60	8.49	1	20	ND	I1

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2401SMAZ0024.0074
 Batch #: OGZD-VE123S



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3367

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 01/07/2024
 SOP: 432.AZ
 Batch Number: 679

Sample Analysis

Date: 01/09/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.521 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.080 / 0.240	1	0.5	ND		Hexythiazox	0.160 / 0.480	1	1	ND	M2
Acephate	0.064 / 0.192	1	0.4	ND		Imazalil	0.032 / 0.096	1	0.2	ND	
Acetamiprid	0.032 / 0.096	1	0.2	ND		Imidacloprid	0.064 / 0.192	1	0.4	ND	
Aldicarb	0.064 / 0.192	1	0.4	ND		Kresoxim-methyl	0.064 / 0.192	1	0.4	ND	
Azoxystrobin	0.032 / 0.096	1	0.2	ND		Malathion	0.032 / 0.096	1	0.2	ND	
Bifenazate	0.032 / 0.096	1	0.2	ND	M1	Metalaxyl	0.032 / 0.096	1	0.2	ND	
Bifenthrin	0.032 / 0.096	1	0.2	ND	L1 M2 V1	Methiocarb	0.032 / 0.096	1	0.2	ND	I1
Boscalid	0.064 / 0.192	1	0.4	ND		Methomyl	0.064 / 0.192	1	0.4	ND	
Carbaryl	0.032 / 0.096	1	0.2	ND		Myclobutanil	0.032 / 0.096	1	0.2	ND	
Carbofuran	0.032 / 0.096	1	0.2	ND		Naled	0.080 / 0.240	1	0.5	ND	
Chlorantraniliprole	0.032 / 0.096	1	0.2	ND		Oxamyl	0.160 / 0.480	1	1	ND	
Chlorfenapyr	0.160 / 0.480	1	1	ND	I1, M2	Paclobutrazol	0.064 / 0.192	1	0.4	ND	L1 M2 V1
Chlorpyrifos	0.032 / 0.096	1	0.2	ND	M2	Permethrins	0.032 / 0.096	1	0.2	ND	M2 V1
Clofentezine	0.032 / 0.096	1	0.2	ND	M2	Phosmet	0.032 / 0.096	1	0.2	ND	
Cyfluthrin	0.160 / 0.480	1	1	ND	I1, L1 V1	Piperonyl Butoxide	0.320 / 0.960	1	2	ND	
Cypermethrin	0.160 / 0.480	1	1	ND	M2 V1	Prallethrin	0.032 / 0.096	1	0.2	ND	
Daminozide	0.160 / 0.480	1	1	ND		Propiconazole	0.064 / 0.192	1	0.4	ND	L1 V1
Diazinon	0.032 / 0.096	1	0.2	ND		Propoxur	0.032 / 0.096	1	0.2	ND	
Dichlorvos	0.016 / 0.048	1	0.1	ND		Pyrethrins	0.134 / 0.402	1	1	ND	
Dimethoate	0.032 / 0.096	1	0.2	ND		Pyridaben	0.032 / 0.096	1	0.2	ND	
Ethoprophos	0.032 / 0.096	1	0.2	ND		Spinosad	0.032 / 0.096	1	0.2	ND	
Etofenprox	0.064 / 0.192	1	0.4	ND	I1	Spiromesifen	0.032 / 0.096	1	0.2	ND	
Etoxazole	0.032 / 0.096	1	0.2	ND		Spirotetramat	0.032 / 0.096	1	0.2	ND	
Fenoxycarb	0.032 / 0.096	1	0.2	ND	M2	Spiroxamine	0.064 / 0.192	1	0.4	ND	
Fenpyroximate	0.064 / 0.192	1	0.4	ND		Tebuconazole	0.064 / 0.192	1	0.4	ND	L1 M2 V1
Fipronil	0.064 / 0.192	1	0.4	ND	M1	Thiacloprid	0.032 / 0.096	1	0.2	ND	
Fonicamid	0.160 / 0.480	1	1	ND		Thiamethoxam	0.032 / 0.096	1	0.2	ND	
Fludioxonil	0.064 / 0.192	1	0.4	ND		Trifloxystrobin	0.032 / 0.096	1	0.2	ND	M2

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2401SMAZ0024.0074
 Batch #: OGZD-VE123S



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3367

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2401SMAZ0024.0074
 Batch #: OGZD-VE123S



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3367

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>