



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2311SMAZ1767.6969
 Batch #: A151231115



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 2113

Peg's Raspberry Orange RSO - 100 mg

Batch #: A151231115 Sample ID: 2311SMAZ1767.6969
 Strain: Triangle OG Amount Received: 59.4 g
 Parent Batch #: OGZR-919 Sample Type: Soft Chew
 Sample Collected: 11/20/2023 11:05:00 Received: 11/20/2023
 Published: 11/30/2023



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Not Tested	0.167% Total THC
Pesticides, Fungicides, and Growth Regulators Not Tested	Mycotoxins Not Tested	Heavy Metals Not Tested	ND Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested	0.004% CBN
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested	0.008% CBG
			0.178% Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2311SMAZ1767.6969
 Batch #: A151231115



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 2113

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 11/20/2023
 SOP: 418.AZ
 Batch Number: 414

Sample Analysis

Date: 11/28/2023
 SOP: 417.AZ - HPLC
 Sample Weight: 1.041 g
 Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.003	0.009	1	ND	ND	ND	ND	M3
CBD	0.003	0.009	1	ND	ND	ND	ND	M3
CBDA	0.003	0.009	1	ND	ND	ND	ND	M3
CBDV	0.003	0.009	1	ND	ND	ND	ND	M3
CBG	0.003	0.009	1	0.008	0.076	0.451	4.514	M3
CBGA	0.003	0.009	1	ND	ND	ND	ND	M3
CBN	0.003	0.009	1	0.004	0.038	0.226	2.257	M3
d8-THC	0.003	0.009	1	ND	ND	ND	ND	M3
d9-THC	0.003	0.009	1	0.167	1.670	9.920	99.198	M3
THCA	0.003	0.009	1	ND	ND	ND	ND	M3
THCV	0.003	0.009	1	<LOQ	<LOQ	<LOQ	<LOQ	M3

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	0.167	1.670	9.920	99.198	
Total CBD	ND	ND	ND	ND	
Total Cannabinoids	0.178	1.783	10.591	105.910	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
 Serving Weight: 5.94 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2311SMAZ1767.6969
 Batch #: A151231115



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 2113

Microbial Analysis
Pass

Sample Prep

Batch Date: 11/28/2023
 SOP: 431.AZ
 Batch Number: 428

Sample Analysis

Date: 11/28/2023
 SOP: 431.AZ - TEMPO (MPN)
 Sample Weight: 1.062 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 11/28/2023
 SOP: 406.AZ
 Batch Number: 425

Sample Analysis

Date: 11/29/2023
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.016 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2311SMAZ1767.6969
 Batch #: A151231115



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 2113

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Notes:

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC (Ogeez)
 2050 W Price St
 Tucson, AZ 85705
 License #: 00000039DCVR00320237
 Sample ID: 2311SMAZ0294.0940
 Batch #: OGZR-919



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 1748

RSO Extract

Batch #: OGZR-919
 Strain: Triangle OG
 Parent Batch #:
 Sample Collected: 11/09/2023 10:55:00
 Published: 11/15/2023

Sample ID: 2311SMAZ0294.0940
 Amount Received: 7.2 g
 Sample Type: RSO
 Received: 11/10/2023



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass	74.024% Total THC	
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass		0.217% Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested	1.483% CBN
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested		3.395% CBG
			79.527% Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC (Ogeez)
 2050 W Price St
 Tucson, AZ 85705
 License #: 00000039DCVR00320237
 Sample ID: 2311SMAZ0294.0940
 Batch #: OGZR-919



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 1748

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 11/09/2023
 SOP: 418.AZ
 Batch Number: 339

Sample Analysis

Date: 11/15/2023
 SOP: 417.AZ - HPLC
 Sample Weight: 0.0432 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.298	0.905	1	ND	ND	
CBD	0.298	0.905	1	0.217	2.166	
CBDA	0.298	0.905	1	ND	ND	
CBDV	0.298	0.905	1	ND	ND	
CBG	0.298	0.905	1	3.395	33.952	
CBGA	0.298	0.905	1	ND	ND	
CBN	0.298	0.905	1	1.483	14.826	
d8-THC	0.298	0.905	1	ND	ND	
d9-THC	0.298	0.905	1	73.927	739.271	
THCA	0.298	0.905	1	0.110	1.104	
THCV	0.298	0.905	1	0.395	3.952	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	74.024	740.239	
Total CBD	0.217	2.166	
Total Cannabinoids	79.527	795.270	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC (Ogeez)
 2050 W Price St
 Tucson, AZ 85705
 License #: 00000039DCVR00320237
 Sample ID: 2311SMAZ0294.0940
 Batch #: OGZR-919



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 1748

Microbial Analysis
Pass

Sample Prep

Batch Date: 11/12/2023
 SOP: 431.AZ
 Batch Number: 348

Sample Analysis

Date: 11/15/2023
 SOP: 431.AZ - TEMPO (MPN)
 Sample Weight: 1.032 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 11/12/2023
 SOP: 406.AZ
 Batch Number: 352

Sample Analysis

Date: 11/15/2023
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.011 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 11/12/2023
 SOP: 406.AZ
 Batch Number: 352

Sample Analysis

Date: 11/15/2023
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.011 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC (Ogeez)
 2050 W Price St
 Tucson, AZ 85705
 License #: 00000039DCVR00320237
 Sample ID: 2311SMAZ0294.0940
 Batch #: OGZR-919



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 1748


Residual Solvents

HS-GC-MS **Pass**

Sample Prep
 Batch Date: 11/10/2023
 SOP: 405.AZ
 Batch Number: 343

Sample Analysis
 Date: 11/15/2023
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.051 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	65 / 196	1	1000	ND		Heptane	327 / 980	1	5000	ND	
Acetonitrile	27 / 80	1	410	ND		Hexanes	47 / 142	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	327 / 980	1	5000	ND	
Butanes	163 / 490	1	5000	ND		Methanol	196 / 588	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	327 / 980	1	5000	ND	
Dichloromethane	39 / 118	1	600	ND		2-Propanol (IPA)	327 / 980	1	5000	ND	
Ethanol	327 / 980	1	5000	ND		Toluene	59 / 175	1	890	ND	
Ethyl acetate	327 / 980	1	5000	ND		Xylenes	284 / 851	1	2170	ND	
Ethyl ether	327 / 980	1	5000	ND							



Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC (Ogeez)
 2050 W Price St
 Tucson, AZ 85705
 License #: 00000039DCVR00320237
 Sample ID: 2311SMAZ0294.0940
 Batch #: OGZR-919



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 1748

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 11/15/2023
 SOP: 428.AZ
 Batch Number: 376

Sample Analysis
 Date: 11/15/2023
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.2134 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.019	0.188	10	0.4	<LOQ	
Cadmium	0.019	0.188	10	0.4	ND	
Lead	0.019	0.469	10	1	<LOQ	
Mercury	0.019	0.094	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 11/10/2023
 SOP: 432.AZ
 Batch Number: 342

Sample Analysis
 Date: 11/15/2023
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.5082 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.94	9.84	1	20	ND	V1
Aflatoxin B1	3.94	8.68	1	0	ND	
Aflatoxin B2	3.94	8.68	1	0	ND	I1, V1
Aflatoxin G1	3.94	8.68	1	0	ND	I1
Aflatoxin G2	3.94	4.34	1	0	ND	I1
Ochratoxin A	9.84	8.68	1	20	ND	I1

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC (Ogeez)
 2050 W Price St
 Tucson, AZ 85705
 License #: 00000039DCVR00320237
 Sample ID: 2311SMAZ0294.0940
 Batch #: OGZR-919



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 1748

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 11/10/2023
 SOP: 432.AZ
 Batch Number: 342

Sample Analysis

Date: 11/15/2023
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.5082 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.082 / 0.246	1	0.5	ND	M2	Hexythiazox	0.164 / 0.492	1	1	ND	M2
Acephate	0.066 / 0.197	1	0.4	ND		Imazalil	0.032 / 0.098	1	0.2	ND	M2
Acetamiprid	0.032 / 0.098	1	0.2	ND	M2	Imidacloprid	0.066 / 0.197	1	0.4	ND	
Aldicarb	0.066 / 0.197	1	0.4	ND		Kresoxim-methyl	0.066 / 0.197	1	0.4	ND	M2
Azoxystrobin	0.032 / 0.098	1	0.2	ND	M2	Malathion	0.032 / 0.098	1	0.2	ND	I1
Bifenazate	0.032 / 0.098	1	0.2	ND		Metaxyl	0.032 / 0.098	1	0.2	ND	M2
Bifenthrin	0.032 / 0.098	1	0.2	ND	M2	Methiocarb	0.032 / 0.098	1	0.2	ND	M2
Boscalid	0.066 / 0.197	1	0.4	ND	M2	Methomyl	0.066 / 0.197	1	0.4	ND	
Carbaryl	0.032 / 0.098	1	0.2	ND	M2	Myclobutanil	0.032 / 0.098	1	0.2	ND	I1, M2
Carbofuran	0.032 / 0.098	1	0.2	ND	M2	Naled	0.082 / 0.246	1	0.5	ND	M2
Chlorantraniliprole	0.032 / 0.098	1	0.2	ND	M2	Oxamyl	0.164 / 0.492	1	1	ND	
Chlorfenapyr	0.164 / 0.492	1	1	ND	M2	Pacllobutrazol	0.066 / 0.197	1	0.4	ND	M2
Chlorpyrifos	0.032 / 0.098	1	0.2	ND	M2	Permethrins	0.032 / 0.098	1	0.2	ND	M2
Clofentezine	0.032 / 0.098	1	0.2	ND	M2	Phosmet	0.032 / 0.098	1	0.2	ND	M2
Cyfluthrin	0.164 / 0.492	1	1	ND	M2	Piperonyl Butoxide	0.328 / 0.984	1	2	ND	M2
Cypermethrin	0.164 / 0.492	1	1	ND	M2	Prallethrin	0.032 / 0.098	1	0.2	ND	M2
Daminozide	0.164 / 0.492	1	1	ND	M2	Propiconazole	0.066 / 0.197	1	0.4	ND	M2
Diazinon	0.032 / 0.098	1	0.2	ND	M2	Propoxur	0.032 / 0.098	1	0.2	ND	M2
Dichlorvos	0.017 / 0.049	1	0.1	ND	I1, M2	Pyrethrins	0.137 / 0.412	1	1	ND	I1, M2
Dimethoate	0.032 / 0.098	1	0.2	ND		Pyridaben	0.032 / 0.098	1	0.2	ND	M2
Ethoprophos	0.032 / 0.098	1	0.2	ND	M2 R1	Spinosad	0.032 / 0.098	1	0.2	ND	M2
Etofenprox	0.066 / 0.197	1	0.4	ND	M2	Spiromesifen	0.032 / 0.098	1	0.2	ND	M2
Etoxazole	0.032 / 0.098	1	0.2	ND	M2	Spirotetramat	0.032 / 0.098	1	0.2	ND	
Fenoxycarb	0.032 / 0.098	1	0.2	ND	M2	Spiroxamine	0.066 / 0.197	1	0.4	ND	
Fenpyroximate	0.066 / 0.197	1	0.4	ND	M2	Tebuconazole	0.066 / 0.197	1	0.4	ND	M2
Fipronil	0.066 / 0.197	1	0.4	ND	I1	Thiacloprid	0.032 / 0.098	1	0.2	ND	M2
Fonicamid	0.164 / 0.492	1	1	ND		Thiamethoxam	0.032 / 0.098	1	0.2	ND	
Fludioxonil	0.066 / 0.197	1	0.4	ND	M2	Trifloxystrobin	0.032 / 0.098	1	0.2	ND	M2

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC (Ogeez)
 2050 W Price St
 Tucson, AZ 85705
 License #: 00000039DCVR00320237
 Sample ID: 2311SMAZ0294.0940
 Batch #: OGZR-919



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 1748

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Notes:

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>