



MDM Prime LLC  
 2015 N Forbes  
 Suite 110  
 Tucson, AZ 85745  
 License #: 00000039DCVR00320237  
 Sample ID: 2312SMAZ1844.7173  
 Batch #: A002231130



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 2390

## The Creams, Sunny Sativa - 100 mg

Batch #: A002231130      Sample ID: 2312SMAZ1844.7173  
 Strain: Blue Dream      Amount Received: 62.2 g  
 Parent Batch #: OGZD-VE423S      Sample Type: Soft Chew  
 Sample Collected: 12/06/2023 10:17:00      Received: 12/06/2023  
 Published: 12/12/2023



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Not Tested</b>	<b>0.181%</b> Total THC
Pesticides, Fungicides, and Growth Regulators <b>Not Tested</b>	Mycotoxins <b>Not Tested</b>	Heavy Metals <b>Not Tested</b>	<b>&lt;LOQ</b> Total CBD

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) <b>Not Tested</b>	Moisture Analysis (Q3) <b>Not Tested</b>	Water Activity (Q3) <b>Not Tested</b>	<b>0.002%</b> CBN
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>	<b>0.004%</b> CBG
			<b>0.189%</b> Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC  
 2015 N Forbes  
 Suite 110  
 Tucson, AZ 85745  
 License #: 00000039DCVR00320237  
 Sample ID: 2312SMAZ1844.7173  
 Batch #: A002231130



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 2390

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 12/07/2023  
 SOP: 418.AZ  
 Batch Number: 502

**Sample Analysis**

Date: 12/12/2023  
 SOP: 417.AZ - HPLC  
 Sample Weight: 1.056 g  
 Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.003	0.009	1	0.001	0.013	0.081	0.809	
CBD	0.003	0.009	1	<LOQ	<LOQ	<LOQ	<LOQ	
CBDA	0.003	0.009	1	ND	ND	ND	ND	
CBDV	0.003	0.009	1	ND	ND	ND	ND	
CBG	0.003	0.009	1	0.004	0.037	0.230	2.301	
CBGA	0.003	0.009	1	ND	ND	ND	ND	
CBN	0.003	0.009	1	0.002	0.016	0.100	0.995	
d8-THC	0.003	0.009	1	ND	ND	ND	ND	
d9-THC	0.003	0.009	1	0.181	1.806	11.233	112.333	
THCA	0.003	0.009	1	ND	ND	ND	ND	
THCV	0.003	0.009	1	0.002	0.020	0.124	1.244	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	0.181	1.806	11.233	112.333	
Total CBD	<LOQ	<LOQ	<LOQ	<LOQ	
Total Cannabinoids	0.189	1.892	11.768	117.682	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation  
 Serving Weight: 6.22 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC  
 2015 N Forbes  
 Suite 110  
 Tucson, AZ 85745  
 License #: 00000039DCVR00320237  
 Sample ID: 2312SMAZ1844.7173  
 Batch #: A002231130



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 2390

**Microbial Analysis**  
**Pass**

**Sample Prep**

Batch Date: 12/07/2023  
 SOP: 431.AZ  
 Batch Number: 500

**Sample Analysis**

Date: 12/12/2023  
 SOP: 431.AZ - TEMPO (MPN)  
 Sample Weight: 1.048 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

**Sample Prep**

Batch Date: 12/07/2023  
 SOP: 406.AZ  
 Batch Number: 498

**Sample Analysis**

Date: 12/12/2023  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.025 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC  
 2015 N Forbes  
 Suite 110  
 Tucson, AZ 85745  
 License #: 00000039DCVR00320237  
 Sample ID: 2312SMAZ1844.7173  
 Batch #: A002231130



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 2390

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

## Notes:

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC (Ogeez)  
 2050 W Price St  
 Tucson, AZ 85705  
 License #: 00000039DCVR00320237  
 Sample ID: 2311SMAZ0257.0797  
 Batch #: OGZD-VE423S



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 1501

## Sativa Distillate

Batch #: OGZD-VE423S  
 Strain: Blue Dream  
 Parent Batch #:  
 Sample Collected: 11/03/2023 11:58:00  
 Published: 11/09/2023

Sample ID: 2311SMAZ0257.0797  
 Amount Received: 6.8 g  
 Sample Type: Distillate  
 Received: 11/03/2023



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) <b>Not Tested</b>	Moisture Analysis (Q3) <b>Not Tested</b>	Water Activity (Q3) <b>Not Tested</b>
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	

<b>93.999%</b> Total THC
<b>0.242%</b> Total CBD
<b>0.404%</b> CBN
<b>1.774%</b> CBG
<b>98.258%</b> Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC (Ogeez)  
 2050 W Price St  
 Tucson, AZ 85705  
 License #: 00000039DCVR00320237  
 Sample ID: 2311SMAZ0257.0797  
 Batch #: OGZD-VE423S



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 1501

**Cannabinoid Profile**

HPLC                      **Tested**

**Sample Prep**

Batch Date: 11/06/2023  
 SOP: 418.AZ  
 Batch Number: 308

**Sample Analysis**

Date: 11/09/2023  
 SOP: 417.AZ - HPLC  
 Sample Weight: 0.040 g  
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.322	0.977	1	0.705	7.045	
CBD	0.322	0.977	1	0.242	2.425	
CBDA	0.322	0.977	1	ND	ND	
CBDV	0.322	0.977	1	ND	ND	
CBG	0.322	0.977	1	1.774	17.738	
CBGA	0.322	0.977	1	ND	ND	
CBN	0.322	0.977	1	0.404	4.040	
d8-THC	0.322	0.977	1	ND	ND	
d9-THC	0.322	0.977	1	93.999	939.985	
THCA	0.322	0.977	1	ND	ND	
THCV	0.322	0.977	1	1.135	11.348	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	93.999	939.985	
Total CBD	0.242	2.425	
Total Cannabinoids	98.258	982.581	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC (Ogeez)  
 2050 W Price St  
 Tucson, AZ 85705  
 License #: 00000039DCVR00320237  
 Sample ID: 2311SMAZ0257.0797  
 Batch #: OGZD-VE423S



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 1501

**Microbial Analysis**  
**Pass**

**Sample Prep**

Batch Date: 11/07/2023  
 SOP: 431.AZ  
 Batch Number: 319

**Sample Analysis**

Date: 11/09/2023  
 SOP: 431.AZ - TEMPO (MPN)  
 Sample Weight: 1.098 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

**Sample Prep**

Batch Date: 11/07/2023  
 SOP: 406.AZ  
 Batch Number: 316

**Sample Analysis**

Date: 11/09/2023  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.011 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Sample Prep**

Batch Date: 11/07/2023  
 SOP: 406.AZ  
 Batch Number: 316

**Sample Analysis**

Date: 11/09/2023  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.011 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC (Ogeez)  
 2050 W Price St  
 Tucson, AZ 85705  
 License #: 00000039DCVR00320237  
 Sample ID: 2311SMAZ0257.0797  
 Batch #: OGZD-VE423S



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 1501

**Residual Solvents**  
 HS-GC-MS **Pass**

**Sample Prep**  
 Batch Date: 11/07/2023  
 SOP: 405.AZ  
 Batch Number: 315

**Sample Analysis**  
 Date: 11/09/2023  
 SOP: 405.AZ - HS-GC-MS  
 Sample Weight: 0.050 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	66 / 200	1	1000	ND		Heptane	334 / 1000	1	5000	ND	
Acetonitrile	28 / 82	1	410	ND		Hexanes	48 / 145	1	290	ND	
Benzene	0.14 / 0.40	1	2	ND		Isopropyl acetate	334 / 1000	1	5000	ND	
Butanes	166 / 500	1	5000	ND		Methanol	200 / 600	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	334 / 1000	1	5000	ND	
Dichloromethane	40 / 120	1	600	ND		2-Propanol (IPA)	334 / 1000	1	5000	ND	
Ethanol	334 / 1000	1	5000	ND		Toluene	60 / 178	1	890	ND	
Ethyl acetate	334 / 1000	1	5000	ND		Xylenes	290 / 868	1	2170	ND	
Ethyl ether	334 / 1000	1	5000	ND							

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>





MDM Prime LLC (Ogeez)  
 2050 W Price St  
 Tucson, AZ 85705  
 License #: 00000039DCVR00320237  
 Sample ID: 2311SMAZ0257.0797  
 Batch #: OGZD-VE423S



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 1501

**Heavy Metals**

ICP-MS **Pass**

**Sample Prep**  
 Batch Date: 11/09/2023  
 SOP: 428.AZ  
 Batch Number: 331

**Sample Analysis**  
 Date: 11/09/2023  
 SOP: 428.AZ - ICP-MS  
 Sample Weight: 0.226 g  
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.018	0.177	10	0.4	ND	
Cadmium	0.018	0.177	10	0.4	ND	M1
Lead	0.018	0.443	10	1	ND	
Mercury	0.018	0.088	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS **Pass**

**Sample Prep**  
 Batch Date: 11/06/2023  
 SOP: 432.AZ  
 Batch Number: 307

**Sample Analysis**  
 Date: 11/09/2023  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.564 g  
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.55	8.87	1	20	ND	M2 R1 V1
Aflatoxin B1	3.55	9.54	1	0	ND	I1, M2
Aflatoxin B2	3.55	9.54	1	0	ND	M2 V1
Aflatoxin G1	3.55	9.54	1	0	ND	
Aflatoxin G2	3.55	4.77	1	0	ND	M2 R1
Ochratoxin A	8.87	9.54	1	20	ND	I1, R1 V1

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC (Ogeez)  
 2050 W Price St  
 Tucson, AZ 85705  
 License #: 00000039DCVR00320237  
 Sample ID: 2311SMAZ0257.0797  
 Batch #: OGZD-VE423S



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 1501

**Pesticides, Fungicides, and  
 Growth Regulators**  
 LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 11/06/2023  
 SOP: 432.AZ  
 Batch Number: 307

**Sample Analysis**

Date: 11/09/2023  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.564 g  
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.074 / 0.222	1	0.5	ND	M2 V1	Hexythiazox	0.148 / 0.443	1	1	ND	M2
Acephate	0.059 / 0.177	1	0.4	ND		Imazalil	0.029 / 0.089	1	0.2	ND	
Acetamiprid	0.029 / 0.089	1	0.2	ND	M2	Imidacloprid	0.059 / 0.177	1	0.4	ND	M2
Aldicarb	0.059 / 0.177	1	0.4	ND		Kresoxim-methyl	0.059 / 0.177	1	0.4	ND	M2
Azoxystrobin	0.029 / 0.089	1	0.2	ND	M2	Malathion	0.029 / 0.089	1	0.2	ND	
Bifenazate	0.029 / 0.089	1	0.2	ND	M2	Metaxyl	0.029 / 0.089	1	0.2	ND	
Bifenthrin	0.029 / 0.089	1	0.2	ND	M2 V1	Methiocarb	0.029 / 0.089	1	0.2	ND	M2
Boscalid	0.059 / 0.177	1	0.4	ND	M2	Methomyl	0.059 / 0.177	1	0.4	ND	
Carbaryl	0.029 / 0.089	1	0.2	ND	M2	Myclobutanil	0.029 / 0.089	1	0.2	ND	I1, M2
Carbofuran	0.029 / 0.089	1	0.2	ND	M2	Naled	0.074 / 0.222	1	0.5	ND	M2
Chlorantraniliprole	0.029 / 0.089	1	0.2	ND	M2	Oxamyl	0.148 / 0.443	1	1	ND	M2
Chlorfenapyr	0.148 / 0.443	1	1	ND	I1, M2	Paclobutrazol	0.059 / 0.177	1	0.4	ND	M2
Chlorpyrifos	0.029 / 0.089	1	0.2	ND	M2	Permethrins	0.029 / 0.089	1	0.2	ND	I1, M2
Clofentezine	0.029 / 0.089	1	0.2	ND	M2	Phosmet	0.029 / 0.089	1	0.2	ND	M2
Cyfluthrin	0.148 / 0.443	1	1	ND	I1, M2 V1	Piperonyl Butoxide	0.295 / 0.887	1	2	ND	M2
Cypermethrin	0.148 / 0.443	1	1	ND	M2 V1	Prallethrin	0.029 / 0.089	1	0.2	ND	M2
Daminozide	0.148 / 0.443	1	1	ND	M2	Propiconazole	0.059 / 0.177	1	0.4	ND	M2
Diazinon	0.029 / 0.089	1	0.2	ND	M2	Propoxur	0.029 / 0.089	1	0.2	ND	M2
Dichlorvos	0.015 / 0.044	1	0.1	ND	M2	Pyrethrins	0.124 / 0.371	1	1	ND	I1, M2
Dimethoate	0.029 / 0.089	1	0.2	ND		Pyridaben	0.029 / 0.089	1	0.2	ND	M2
Ethoprophos	0.029 / 0.089	1	0.2	ND	M2	Spinosad	0.029 / 0.089	1	0.2	ND	M2
Etofenprox	0.059 / 0.177	1	0.4	ND	M2	Spiromesifen	0.029 / 0.089	1	0.2	ND	M2
Etoxazole	0.029 / 0.089	1	0.2	ND	M2	Spirotetramat	0.029 / 0.089	1	0.2	ND	
Fenoxycarb	0.029 / 0.089	1	0.2	ND	M2	Spiroxamine	0.059 / 0.177	1	0.4	ND	
Fenpyroximate	0.059 / 0.177	1	0.4	ND	M2	Tebuconazole	0.059 / 0.177	1	0.4	ND	M2
Fipronil	0.059 / 0.177	1	0.4	ND		Thiacloprid	0.029 / 0.089	1	0.2	ND	M2
Fonicamid	0.148 / 0.443	1	1	ND		Thiamethoxam	0.029 / 0.089	1	0.2	ND	
Fludioxonil	0.059 / 0.177	1	0.4	ND	M2	Trifloxystrobin	0.029 / 0.089	1	0.2	ND	M2

**Ahmed Munshi**  
 Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC (Ogeez)  
2050 W Price St  
Tucson, AZ 85705  
License #: 00000039DCVR00320237  
Sample ID: 2311SMAZ0257.0797  
Batch #: OGZD-VE423S



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 1501

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

## Notes:

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>