



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2311SMAZ1780.6990
 Batch #: A155231117



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 2201

Vegan Sweet Clementine Live Rosin -100 mg

Batch #: A155231117 Sample ID: 2311SMAZ1780.6990
 Strain: GMO Amount Received: 62.6 g
 Parent Batch #: OGZLR-4023 Sample Type: Soft Chew
 Sample Collected: 11/22/2023 11:05:00 Received: 11/30/2023
 Published: 12/04/2023



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Not Tested	0.173% Total THC
Pesticides, Fungicides, and Growth Regulators Not Tested	Mycotoxins Not Tested	Heavy Metals Not Tested	ND Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested	ND CBN
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested	0.014% CBG
			0.189% Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2311SMAZ1780.6990
 Batch #: A155231117



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 2201

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 11/28/2023
 SOP: 418.AZ
 Batch Number: 438

Sample Analysis

Date: 11/30/2023
 SOP: 417.AZ - HPLC
 Sample Weight: 1.001 g
 Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.003	0.010	1	0.002	0.019	0.119	1.189	
CBD	0.003	0.010	1	ND	ND	ND	ND	
CBDA	0.003	0.010	1	ND	ND	ND	ND	
CBDV	0.003	0.010	1	ND	ND	ND	ND	
CBG	0.003	0.010	1	0.014	0.141	0.883	8.827	
CBGA	0.003	0.010	1	ND	ND	ND	ND	
CBN	0.003	0.010	1	ND	ND	ND	ND	
d8-THC	0.003	0.010	1	ND	ND	ND	ND	
d9-THC	0.003	0.010	1	0.173	1.733	10.849	108.486	
THCA	0.003	0.010	1	ND	ND	ND	ND	
THCV	0.003	0.010	1	<LOQ	<LOQ	<LOQ	<LOQ	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	0.173	1.733	10.849	108.486	
Total CBD	ND	ND	ND	ND	
Total Cannabinoids	0.189	1.893	11.850	118.502	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
 Serving Weight: 6.26 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2311SMAZ1780.6990
 Batch #: A155231117



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 2201

Microbial Analysis
 Pass

Sample Prep

Batch Date: 11/28/2023
 SOP: 431.AZ
 Batch Number: 433

Sample Analysis

Date: 11/30/2023
 SOP: 431.AZ - TEMPO (MPN)
 Sample Weight: 1.016 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 11/28/2023
 SOP: 406.AZ
 Batch Number: 425

Sample Analysis

Date: 11/30/2023
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.027 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2311SMAZ1780.6990
 Batch #: A155231117



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 2201

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Notes:

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC (Ogeez)
 2050 W Price St
 Tucson, AZ 85705
 License #: 00000039DCVR00320237
 Sample ID: 2310SMAZ0169.0468
 Batch #: OGZLR-4023



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 893

Live Rosin

Batch #: OGZLR-4023
 Strain: GMO
 Parent Batch #:
 Sample Collected: 10/18/2023 09:00:00
 Published: 10/23/2023

Sample ID: 2310SMAZ0169.0468
 Amount Received: 6.6 g
 Sample Type: Live Rosin
 Received: 10/18/2023



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	

77.884% Total THC
0.130% Total CBD
ND CBN
5.990% CBG
85.180% Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC (Ogeez)
 2050 W Price St
 Tucson, AZ 85705
 License #: 00000039DCVR00320237
 Sample ID: 2310SMAZ0169.0468
 Batch #: OGZLR-4023



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 893

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 10/18/2023
 SOP: 418.AZ
 Batch Number: 180

Sample Analysis

Date: 10/23/2023
 SOP: 417.AZ - HPLC
 Sample Weight: 0.041 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.314	0.953	1	0.827	8.273	
CBD	0.314	0.953	1	0.130	1.295	
CBDA	0.314	0.953	1	ND	ND	
CBDV	0.314	0.953	1	ND	ND	
CBG	0.314	0.953	1	5.990	59.895	
CBGA	0.314	0.953	1	ND	ND	
CBN	0.314	0.953	1	ND	ND	
d8-THC	0.314	0.953	1	ND	ND	
d9-THC	0.314	0.953	1	77.884	778.844	
THCA	0.314	0.953	1	ND	ND	
THCV	0.314	0.953	1	0.349	3.493	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	77.884	778.844	
Total CBD	0.130	1.295	
Total Cannabinoids	85.180	851.799	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC (Ogeez)
 2050 W Price St
 Tucson, AZ 85705
 License #: 00000039DCVR00320237
 Sample ID: 2310SMAZ0169.0468
 Batch #: OGZLR-4023



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 893

Microbial Analysis
 Pass

Sample Prep

Batch Date: 10/19/2023
 SOP: 431.AZ
 Batch Number: 195

Sample Analysis

Date: 10/23/2023
 SOP: 431.AZ - TEMPO (MPN)
 Sample Weight: 1.055 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

Sample Prep

Batch Date: 10/19/2023
 SOP: 406.AZ
 Batch Number: 196

Sample Analysis

Date: 10/23/2023
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.011 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 10/19/2023
 SOP: 406.AZ
 Batch Number: 196

Sample Analysis

Date: 10/23/2023
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.011 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC (Ogeez)
 2050 W Price St
 Tucson, AZ 85705
 License #: 00000039DCVR00320237
 Sample ID: 2310SMAZ0169.0468
 Batch #: OGZLR-4023



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 893

Residual Solvents

HS-GC-MS **Pass**

Sample Prep
 Batch Date: 10/18/2023
 SOP: 405.AZ
 Batch Number: 177

Sample Analysis
 Date: 10/23/2023
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.054 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	61 / 185	1	1000	<LOQ		Heptane	309 / 926	1	5000	ND	
Acetonitrile	26 / 76	1	410	ND		Hexanes	44 / 134	1	290	ND	
Benzene	0.13 / 0.37	1	2	ND		Isopropyl acetate	309 / 926	1	5000	ND	
Butanes	154 / 463	1	5000	ND		Methanol	185 / 556	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	309 / 926	1	5000	ND	
Dichloromethane	37 / 111	1	600	ND		2-Propanol (IPA)	309 / 926	1	5000	ND	
Ethanol	309 / 926	1	5000	ND		Toluene	56 / 165	1	890	ND	
Ethyl acetate	309 / 926	1	5000	ND		Xylenes	269 / 804	1	2170	ND	
Ethyl ether	309 / 926	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC (Ogeez)
 2050 W Price St
 Tucson, AZ 85705
 License #: 00000039DCVR00320237
 Sample ID: 2310SMAZ0169.0468
 Batch #: OGZLR-4023



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 893

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 10/23/2023
 SOP: 428.AZ
 Batch Number: 213

Sample Analysis
 Date: 10/23/2023
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.241 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.017	0.166	10	0.4	ND	
Cadmium	0.017	0.166	10	0.4	ND	
Lead	0.017	0.083	10	1	ND	
Mercury	0.017	0.415	10	0.2	<LOQ	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 10/19/2023
 SOP: 432.AZ
 Batch Number: 191

Sample Analysis
 Date: 10/23/2023
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.558 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.58	8.96	1	20	ND	
Aflatoxin B1	3.58	9.22	1	0	ND	
Aflatoxin B2	3.58	9.22	1	0	ND	
Aflatoxin G1	3.58	9.22	1	0	ND	
Aflatoxin G2	3.58	4.61	1	0	ND	
Ochratoxin A	8.96	9.22	1	20	ND	I1

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC (Ogeez)
 2050 W Price St
 Tucson, AZ 85705
 License #: 00000039DCVR00320237
 Sample ID: 2310SMAZ0169.0468
 Batch #: OGZLR-4023



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 893

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 10/19/2023
 SOP: 432.AZ
 Batch Number: 191

Sample Analysis

Date: 10/23/2023
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.558 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.074 / 0.224	1	0.5	ND	I1, M2	Hexythiazox	0.150 / 0.448	1	1	ND	M2
Acephate	0.060 / 0.179	1	0.4	ND		Imazalil	0.030 / 0.090	1	0.2	ND	I1, M2
Acetamiprid	0.030 / 0.090	1	0.2	ND		Imidacloprid	0.060 / 0.179	1	0.4	ND	
Aldicarb	0.060 / 0.179	1	0.4	ND		Kresoxim-methyl	0.060 / 0.179	1	0.4	ND	M2
Azoxystrobin	0.030 / 0.090	1	0.2	ND		Malathion	0.030 / 0.090	1	0.2	ND	
Bifenazate	0.030 / 0.090	1	0.2	ND		Metalaxyl	0.030 / 0.090	1	0.2	ND	
Bifenthrin	0.030 / 0.090	1	0.2	ND	I1, M2	Methiocarb	0.030 / 0.090	1	0.2	ND	
Boscalid	0.060 / 0.179	1	0.4	ND	M2	Methomyl	0.060 / 0.179	1	0.4	ND	
Carbaryl	0.030 / 0.090	1	0.2	ND		Myclobutanil	0.030 / 0.090	1	0.2	ND	M2
Carbofuran	0.030 / 0.090	1	0.2	ND		Naled	0.074 / 0.224	1	0.5	ND	M2
Chlorantraniliprole	0.030 / 0.090	1	0.2	ND		Oxamyl	0.150 / 0.448	1	1	ND	
Chlorfenapyr	0.150 / 0.448	1	1	ND	I1, M2 R1	Pacllobutrazol	0.060 / 0.179	1	0.4	ND	M2
Chlorpyrifos	0.030 / 0.090	1	0.2	ND		Permethrins	0.030 / 0.090	1	0.2	ND	M2
Clofentezine	0.030 / 0.090	1	0.2	ND	M2	Phosmet	0.030 / 0.090	1	0.2	ND	
Cyfluthrin	0.150 / 0.448	1	1	ND	M2	Piperonyl Butoxide	0.298 / 0.896	1	2	ND	
Cypermethrin	0.150 / 0.448	1	1	ND	M2	Prallethrin	0.030 / 0.090	1	0.2	ND	
Daminozide	0.150 / 0.448	1	1	ND		Propiconazole	0.060 / 0.179	1	0.4	ND	
Diazinon	0.030 / 0.090	1	0.2	ND	M2	Propoxur	0.030 / 0.090	1	0.2	ND	
Dichlorvos	0.015 / 0.045	1	0.1	ND	M2	Pyrethrins	0.125 / 0.375	1	1	ND	I1
Dimethoate	0.030 / 0.090	1	0.2	ND		Pyridaben	0.030 / 0.090	1	0.2	ND	
Ethoprophos	0.030 / 0.090	1	0.2	ND	M2	Spinosad	0.030 / 0.090	1	0.2	ND	M2
Etofenprox	0.060 / 0.179	1	0.4	ND	M2	Spiromesifen	0.030 / 0.090	1	0.2	ND	
Etoxazole	0.030 / 0.090	1	0.2	ND		Spirotetramat	0.030 / 0.090	1	0.2	ND	
Fenoxycarb	0.030 / 0.090	1	0.2	ND	M2	Spiroxamine	0.060 / 0.179	1	0.4	ND	
Fenpyroximate	0.060 / 0.179	1	0.4	ND	M2	Tebuconazole	0.060 / 0.179	1	0.4	ND	
Fipronil	0.060 / 0.179	1	0.4	ND	M1	Thiacloprid	0.030 / 0.090	1	0.2	ND	
Fonicamid	0.150 / 0.448	1	1	ND		Thiamethoxam	0.030 / 0.090	1	0.2	ND	
Fludioxonil	0.060 / 0.179	1	0.4	ND	M2	Trifloxystrobin	0.030 / 0.090	1	0.2	ND	M2

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC (Ogeez)
 2050 W Price St
 Tucson, AZ 85705
 License #: 00000039DCVR00320237
 Sample ID: 2310SMAZ0169.0468
 Batch #: OGZLR-4023



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 893

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Notes:

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>