



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2502SMAZ0173.0579
Batch #: A502250206



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 10808

Peg's Raspberry Orange RSO - 1000 mg

Batch #: A502250206

Strain: Chem Fire

Parent Batch #: OGZR-121

Production Method: Alcohol

Harvest Date: 12/13/2024

Received: 02/07/2025

Sample ID: 2502SMAZ0173.0579

Amount Received: 60.9 g

Sample Type: Soft Chew

Sample Collected: 02/07/2025 10:53:00

Manufacture Date: 02/06/2025

Published: 02/11/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)

Tested

Microbial Contaminants

Pass

Residual Solvents

Not Tested

102.068 mg/serving
1020.684 mg/container
Total THC

Pesticides, Fungicides,
and Growth Regulators

Not Tested

Mycotoxins

Not Tested

Heavy Metals

Not Tested

ND

Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3)

Not Tested

Moisture Analysis (Q3)

Not Tested

Water Activity (Q3)

Not Tested

0.493 mg/serving
4.933 mg/container
CBN

Filth & Foreign (Q3)

Not Tested

Homogeneity (Q3)

Not Tested

Additional Microbial
Contaminants (Q3)

Not Tested

1.638 mg/serving
16.382 mg/container
CBG

105.046 mg/serving
1050.464 mg/container
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2502SMAZ0173.0579
Batch #: A502250206



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 10808

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 02/07/2025
SOP: 418.AZ
Batch Number: 2658

Sample Analysis

Date: 02/10/2025
SOP: 417.AZ - HPLC
Sample Weight: 1.049 g
Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.006	0.019	2	0.006	0.060	0.365	3.654	
CBD	0.006	0.019	2	ND	ND	ND	ND	
CBDA	0.006	0.019	2	ND	ND	ND	ND	
CBDV	0.006	0.019	2	ND	ND	ND	ND	
CBG	0.006	0.019	2	0.027	0.269	1.638	16.382	
CBGA	0.006	0.019	2	ND	ND	ND	ND	
CBN	0.006	0.019	2	0.008	0.081	0.493	4.933	
d8-THC	0.006	0.019	2	ND	ND	ND	ND	
d9-THC	0.006	0.019	2	1.676	16.760	102.068	1020.684	
THCA	0.006	0.019	2	ND	ND	ND	ND	
THCV	0.006	0.019	2	0.008	0.079	0.481	4.811	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	1.676	16.760	102.068	1020.684	
Total CBD	ND	ND	ND	ND	
Total Cannabinoids	1.725	17.249	105.046	1050.464	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
Serving Weight: 6.09 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2502SMAZ0173.0579
Batch #: A502250206



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 10808

Microbial Analysis

Pass

Sample Prep

Batch Date: 02/10/2025
SOP: 412.AZ
Batch Number: 2666

Sample Analysis

Date: 02/11/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.074 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 02/10/2025
SOP: 406.AZ
Batch Number: 2665

Sample Analysis

Date: 02/11/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.002 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2502SMAZ0173.0579
Batch #: A502250206



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 10808

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2502SMAZ0173.0579
Batch #: A502250206



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 10808

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.
This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2501SMAZ0071.0251
Batch #: OGZR-121



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 10390

RSO Extract

Batch #: OGZR-121
Strain: Chem Fire
Parent Batch #: OGZR-121
Production Method: Alcohol
Harvest Date: 09/03/2024
Received: 01/20/2025

Sample ID: 2501SMAZ0071.0251
Amount Received: 7.5 g
Sample Type: RSO
Sample Collected: 01/20/2025 12:26:00
Manufacture Date: 12/13/2024
Published: 01/24/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

78.218%
Total THC

0.198%
Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

0.456%
CBN

1.255%
CBG

80.773%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2501SMAZ0071.0251
Batch #: OGZR-121



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 10390

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 01/21/2025
SOP: 418.AZ
Batch Number: 2541

Sample Analysis

Date: 01/21/2025
SOP: 417.AZ - HPLC
Sample Weight: 0.041 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.314	0.953	1	0.287	2.873	
CBD	0.314	0.953	1	0.198	1.976	
CBDA	0.314	0.953	1	ND	ND	
CBDV	0.314	0.953	1	ND	ND	
CBG	0.314	0.953	1	1.255	12.554	
CBGA	0.314	0.953	1	ND	ND	
CBN	0.314	0.953	1	0.456	4.557	
d8-THC	0.314	0.953	1	ND	ND	
d9-THC	0.314	0.953	1	78.218	782.175	
THCA	0.314	0.953	1	ND	ND	
THCV	0.314	0.953	1	0.360	3.598	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	78.218	782.175	
Total CBD	0.198	1.976	
Total Cannabinoids	80.773	807.733	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2501SMAZ0071.0251
Batch #: OGZR-121



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 10390

Microbial Analysis

Pass

Sample Prep

Batch Date: 01/21/2025
SOP: 412.AZ
Batch Number: 2536

Sample Analysis

Date: 01/22/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.052 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

Sample Prep

Batch Date: 01/21/2025
SOP: 406.AZ
Batch Number: 2535

Sample Analysis

Date: 01/22/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.006 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 01/21/2025
SOP: 406.AZ
Batch Number: 2535

Sample Analysis

Date: 01/22/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.006 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2501SMAZ0071.0251
Batch #: OGZR-121



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 10390

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 01/22/2025
SOP: 405.AZ
Batch Number: 2543

Sample Analysis

Date: 01/23/2025
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.054 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	61 / 185	1	1000	<LOQ		Heptane	309 / 926	1	5000	ND	
Acetonitrile	26 / 76	1	410	ND		Hexanes	44 / 134	1	290	ND	
Benzene	0.13 / 0.37	1	2	ND		Isopropyl acetate	309 / 926	1	5000	ND	
Butanes	154 / 463	1	5000	ND		Methanol	185 / 556	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	309 / 926	1	5000	ND	
Dichloromethane	37 / 111	1	600	ND		2-Propanol (IPA)	309 / 926	1	5000	ND	
Ethanol	309 / 926	1	5000	1561		Toluene	56 / 165	1	890	ND	
Ethyl acetate	309 / 926	1	5000	ND		Xylenes	269 / 804	1	2170	ND	
Ethyl ether	309 / 926	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2501SMAZ0071.0251
Batch #: OGZR-121



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 10390

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 01/21/2025
SOP: 428.AZ
Batch Number: 2538

Sample Analysis

Date: 01/21/2025
SOP: 428.AZ - ICP-MS
Sample Weight: 0.203 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.059	0.197	10	0.4	ND	
Cadmium	0.059	0.197	10	0.4	ND	
Lead	0.059	0.493	10	1	<LOQ	
Mercury	0.059	0.098	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 01/21/2025
SOP: 432.AZ
Batch Number: 2542

Sample Analysis

Date: 01/23/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.506 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.95	9.88	1	20	ND	R1
Aflatoxin B1	3.95	9.88	1		ND	
Aflatoxin B2	3.95	9.88	1		ND	I1, R1
Aflatoxin G1	3.95	9.88	1		ND	
Aflatoxin G2	3.95	4.94	1		ND	
Ochratoxin A	9.88	9.88	1	20	ND	I1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2501SMAZ0071.0251
Batch #: OGZR-121



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 10390

**Pesticides, Fungicides, and
Growth Regulators**
LC-MS/MS **Pass**

Sample Prep

Batch Date: 01/21/2025
SOP: 432.AZ
Batch Number: 2542

Sample Analysis

Date: 01/23/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.506 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.082 / 0.247	1	0.5	ND		Hexythiazox	0.165 / 0.494	1	1	ND	
Acephate	0.066 / 0.198	1	0.4	ND		Imazalil	0.033 / 0.099	1	0.2	ND	
Acetamiprid	0.033 / 0.099	1	0.2	ND		Imidacloprid	0.066 / 0.198	1	0.4	ND	
Aldicarb	0.066 / 0.198	1	0.4	ND		Kresoxim-methyl	0.066 / 0.198	1	0.4	ND	
Azoxystrobin	0.033 / 0.099	1	0.2	ND		Malathion	0.033 / 0.099	1	0.2	ND	
Bifenazate	0.033 / 0.099	1	0.2	ND		Metaxyl	0.033 / 0.099	1	0.2	ND	
Bifenthrin	0.033 / 0.099	1	0.2	ND		Methiocarb	0.033 / 0.099	1	0.2	ND	
Boscalid	0.066 / 0.198	1	0.4	ND		Methomyl	0.066 / 0.198	1	0.4	ND	
Carbaryl	0.033 / 0.099	1	0.2	ND		Myclobutanil	0.033 / 0.099	1	0.2	ND	
Carbofuran	0.033 / 0.099	1	0.2	ND		Naled	0.082 / 0.247	1	0.5	ND	
Chlorantraniliprole	0.033 / 0.099	1	0.2	ND	R1	Oxamyl	0.165 / 0.494	1	1	ND	
Chlorfenapyr	0.165 / 0.494	1	1	ND		Paclobutrazol	0.066 / 0.198	1	0.4	ND	
Chlorpyrifos	0.033 / 0.099	1	0.2	ND		Permethrins	0.033 / 0.099	1	0.2	ND	
Clofentezine	0.033 / 0.099	1	0.2	ND		Phosmet	0.033 / 0.099	1	0.2	ND	
Cyfluthrin	0.165 / 0.494	1	1	ND		Piperonyl Butoxide	0.329 / 0.988	1	2	ND	
Cypermethrin	0.165 / 0.494	1	1	ND		Prallethrin	0.033 / 0.099	1	0.2	ND	
Daminozide	0.165 / 0.494	1	1	ND		Propiconazole	0.066 / 0.198	1	0.4	ND	
Diazinon	0.033 / 0.099	1	0.2	ND		Propoxur	0.033 / 0.099	1	0.2	ND	
Dichlorvos	0.017 / 0.049	1	0.1	ND		Pyrethrins	0.138 / 0.414	1	1	ND	
Dimethoate	0.033 / 0.099	1	0.2	ND		Pyridaben	0.033 / 0.099	1	0.2	ND	
Ethoprophos	0.033 / 0.099	1	0.2	ND		Spinosad	0.033 / 0.099	1	0.2	ND	
Etofenprox	0.066 / 0.198	1	0.4	ND		Spiromesifen	0.033 / 0.099	1	0.2	ND	
Etoxazole	0.033 / 0.099	1	0.2	ND		Spirotetramat	0.033 / 0.099	1	0.2	ND	
Fenoxycarb	0.033 / 0.099	1	0.2	ND		Spiroxamine	0.066 / 0.198	1	0.4	ND	
Fenpyroximate	0.066 / 0.198	1	0.4	ND		Tebuconazole	0.066 / 0.198	1	0.4	ND	
Fipronil	0.066 / 0.198	1	0.4	ND	I1	Thiacloprid	0.033 / 0.099	1	0.2	ND	
Fonicamid	0.165 / 0.494	1	1	ND		Thiamethoxam	0.033 / 0.099	1	0.2	ND	
Fludioxonil	0.066 / 0.198	1	0.4	ND		Trifloxystrobin	0.033 / 0.099	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2501SMAZ0071.0251
Batch #: OGZR-121



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 10390

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2501SMAZ0071.0251
Batch #: OGZR-121



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 10390

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>