



MDM Prime LLC  
 2015 N Forbes  
 Suite 110  
 Tucson, AZ 85745  
 License #: 00000039DCVR00320237  
 Sample ID: 2602SMAZ0279.0998  
 Batch #: A502260205



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 21279

## Peg's Raspberry Orange RSO - 1000 mg

Batch #: A502260205

Strain: Hybrid

Parent Batch #: OGZR-500

Production Method: Alcohol

Harvest Date: 11/13/2024

Received: 02/09/2026

Sample ID: 2602SMAZ0279.0998

Amount Received: 59.4 g

Sample Type: Soft Chew

Sample Collected: 02/09/2026 14:06:00

Manufacture Date: 02/05/2026

Published: 02/12/2026



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3)  
**Tested**

Microbial Contaminants  
**Pass**

Residual Solvents  
**Not Tested**

Pesticides, Fungicides,  
 and Growth Regulators  
**Not Tested**

Mycotoxins  
**Not Tested**

Heavy Metals  
**Not Tested**

114.0539 mg/serving  
 1140.5394 mg/container  
**Total THC**

0.5584 mg/serving  
 5.5836 mg/container  
**Total CBD**

### Additional Analytes (Not Regulated)

Terpenes Total (Q3)  
**Not Tested**

Moisture Analysis (Q3)  
**Not Tested**

Water Activity (Q3)  
**Not Tested**

1.5385 mg/serving  
 15.3846 mg/container  
**CBN**

Filth & Foreign (Q3)  
**Not Tested**

Homogeneity (Q3)  
**Not Tested**

Additional Microbial  
 Contaminants (Q3)  
**Not Tested**

1.8770 mg/serving  
 18.7704 mg/container  
**CBG**

120.1543 mg/serving  
 1201.5432 mg/container  
**Total Cannabinoids (Q3)**

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC  
 2015 N Forbes  
 Suite 110  
 Tucson, AZ 85745  
 License #: 00000039DCVR00320237  
 Sample ID: 2602SMAZ0279.0998  
 Batch #: A502260205



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 21279

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 02/09/2026  
 SOP: 418.AZ  
 Batch Number: 5183  
 Test ID: 116205

**Sample Analysis**

Date: 02/10/2026  
 SOP: 417.AZ - HPLC  
 Sample Weight: 1.050 g  
 Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.0060	0.0190	2	0.0244	0.2440	1.4494	14.4936	M2
CBD	0.0060	0.0190	2	0.0094	0.0940	0.5584	5.5836	M2
CBDA	0.0060	0.0190	2	ND	ND	ND	ND	M2
CBDV	0.0060	0.0190	2	ND	ND	ND	ND	M2
CBG	0.0060	0.0190	2	0.0316	0.3160	1.8770	18.7704	M2
CBGA	0.0060	0.0190	2	ND	ND	ND	ND	M2
CBN	0.0060	0.0190	2	0.0259	0.2590	1.5385	15.3846	M2
d8-THC	0.0060	0.0190	2	ND	ND	ND	ND	M2
d9-THC	0.0060	0.0190	2	1.9201	19.2010	114.0539	1140.5394	M2
THCA	0.0060	0.0190	2	ND	ND	ND	ND	M2
THCV	0.0060	0.0190	2	0.0113	0.1130	0.6712	6.7122	M2

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	1.9201	19.2010	114.0539	1140.5394	
Total CBD	0.0094	0.0940	0.5584	5.5836	
Total Cannabinoids	2.0228	20.2280	120.1543	1201.5432	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation  
 Serving Weight: 5.94 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC  
 2015 N Forbes  
 Suite 110  
 Tucson, AZ 85745  
 License #: 00000039DCVR00320237  
 Sample ID: 2602SMAZ0279.0998  
 Batch #: A502260205



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 21279

**Microbial Analysis**  
**Pass**

**Sample Prep**

Batch Date: 02/10/2026  
 SOP: 412.AZ  
 Batch Number: 5192  
 Test ID: 116209

**Sample Analysis**

Date: 02/11/2026  
 SOP: 412.AZ - 3M Petrifilm  
 Sample Weight: 1.091 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10CFU/g	< 10CFU/g	Pass	

**Sample Prep**

Batch Date: 02/10/2026  
 SOP: 406.AZ  
 Batch Number: 5191  
 Test ID: 116211

**Sample Analysis**

Date: 02/12/2026  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.014 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC  
 2015 N Forbes  
 Suite 110  
 Tucson, AZ 85745  
 License #: 00000039DCVR00320237  
 Sample ID: 2602SMAZ0279.0998  
 Batch #: A502260205



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 21279

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC  
 2015 N Forbes  
 Suite 110  
 Tucson, AZ 85745  
 License #: 00000039DCVR00320237  
 Sample ID: 2602SMAZ0279.0998  
 Batch #: A502260205



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 21279

**Notes:**



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC  
 2015 N Forbes  
 Suite 110  
 Tucson, AZ 85745  
 License #: 00000039DCVR00320237  
 Sample ID: 2601SMAZ0143.0504  
 Batch #: OGZR-500



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 21233

## RSO Extract

Batch #: OGZR-500  
 Strain: Hybrid  
 Parent Batch #: L50010250909  
 Production Method: Alcohol  
 Harvest Date: 11/13/2024  
 Received: 01/22/2026

Sample ID: 2601SMAZ0143.0504  
 Amount Received: 7.3 g  
 Sample Type: RSO  
 Sample Collected: 01/22/2026 12:32:00  
 Manufacture Date: 10/16/2025  
 Published: 02/11/2026



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) <b>Not Tested</b>	Moisture Analysis (Q3) <b>Not Tested</b>	Water Activity (Q3) <b>Not Tested</b>
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>

<b>66.6884%</b> Total THC
<b>0.7923%</b> Total CBD
<b>1.6266%</b> CBN
<b>2.3856%</b> CBG
<b>72.5340%</b> Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC  
 2015 N Forbes  
 Suite 110  
 Tucson, AZ 85745  
 License #: 00000039DCVR00320237  
 Sample ID: 2601SMAZ0143.0504  
 Batch #: OGZR-500



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 21233

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 01/23/2026  
 SOP: 418.AZ  
 Batch Number: 5041  
 Test ID: 113124

**Sample Analysis**

Date: 01/26/2026  
 SOP: 417.AZ - HPLC  
 Sample Weight: 0.042 g  
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3070	0.9300	1	0.6383	6.3830	
CBD	0.3070	0.9300	1	0.7923	7.9230	
CBDA	0.3070	0.9300	1	ND	ND	
CBDV	0.3070	0.9300	1	ND	ND	
CBG	0.3070	0.9300	1	2.3856	23.8560	
CBGA	0.3070	0.9300	1	ND	ND	
CBN	0.3070	0.9300	1	1.6266	16.2660	
d8-THC	0.3070	0.9300	1	ND	ND	
d9-THC	0.3070	0.9300	1	66.6884	666.8840	
THCA	0.3070	0.9300	1	ND	ND	
THCV	0.3070	0.9300	1	0.4029	4.0290	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	66.6884	666.8840	
Total CBD	0.7923	7.9230	
Total Cannabinoids	72.5340	725.3400	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC  
 2015 N Forbes  
 Suite 110  
 Tucson, AZ 85745  
 License #: 00000039DCVR00320237  
 Sample ID: 2601SMAZ0143.0504  
 Batch #: OGZR-500



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 21233

**Microbial Analysis**  
**Pass**

**Sample Prep**

Batch Date: 01/26/2026  
 SOP: 412.AZ  
 Batch Number: 5051  
 Test ID: 112550

**Sample Analysis**

Date: 01/27/2026  
 SOP: 412.AZ - 3M Petrifilm  
 Sample Weight: 1.087 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

**Sample Prep**

Batch Date: 01/26/2026  
 SOP: 406.AZ  
 Batch Number: 5047  
 Test ID: 112551

**Sample Analysis**

Date: 01/27/2026  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.001 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Sample Prep**

Batch Date: 01/26/2026  
 SOP: 406.AZ  
 Batch Number: 5047  
 Test ID: 112554

**Sample Analysis**

Date: 01/27/2026  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.001 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC  
 2015 N Forbes  
 Suite 110  
 Tucson, AZ 85745  
 License #: 00000039DCVR00320237  
 Sample ID: 2601SMAZ0143.0504  
 Batch #: OGZR-500



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 21233

**Residual Solvents**  
 HS-GC-MS **Pass**

**Sample Prep**  
 Batch Date: 01/23/2026  
 SOP: 405.AZ  
 Batch Number: 5038  
 Test ID: 112537

**Sample Analysis**  
 Date: 01/26/2026  
 SOP: 405.AZ - HS-GC-MS  
 Sample Weight: 0.053 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	62 / 189	1	1000	<LOQ		Heptane	315 / 943	1	5000	ND	
Acetonitrile	26 / 77	1	410	ND		Hexanes	45 / 137	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	315 / 943	1	5000	ND	
Butanes	157 / 472	1	5000	ND		Methanol	189 / 566	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	315 / 943	1	5000	ND	
Dichloromethane	38 / 113	1	600	ND		2-Propanol (IPA)	315 / 943	1	5000	ND	
Ethanol	315 / 943	1	5000	ND		Toluene	57 / 168	1	890	ND	
Ethyl acetate	315 / 943	1	5000	ND		Xylenes	274 / 819	1	2170	ND	
Ethyl ether	315 / 943	1	5000	ND							

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC  
 2015 N Forbes  
 Suite 110  
 Tucson, AZ 85745  
 License #: 00000039DCVR00320237  
 Sample ID: 2601SMAZ0143.0504  
 Batch #: OGZR-500



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 21233

**Heavy Metals**

ICP-MS **Pass**

**Sample Prep**  
 Batch Date: 01/22/2026  
 SOP: 428.AZ  
 Batch Number: 5026  
 Test ID: 112538

**Sample Analysis**  
 Date: 01/23/2026  
 SOP: 428.AZ - ICP-MS  
 Sample Weight: 0.210 g  
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.057	0.191	10	0.4	ND	
Cadmium	0.057	0.191	10	0.4	ND	
Lead	0.057	0.476	10	1	<LOQ	
Mercury	0.057	0.095	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS **Pass**

**Sample Prep**  
 Batch Date: 01/23/2026  
 SOP: 432.AZ  
 Batch Number: 5040  
 Test ID: 112540

**Sample Analysis**  
 Date: 01/27/2026  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.541 g  
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.70	9.24	1	20	ND	R1
Aflatoxin B1	3.70	9.24	1		ND	I1, R1
Aflatoxin B2	3.70	9.24	1		ND	I1
Aflatoxin G1	3.70	9.24	1		ND	
Aflatoxin G2	3.70	4.62	1		ND	
Ochratoxin A	9.24	9.24	1	20	ND	I1, L1 V1

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC  
 2015 N Forbes  
 Suite 110  
 Tucson, AZ 85745  
 License #: 00000039DCVR00320237  
 Sample ID: 2601SMAZ0143.0504  
 Batch #: OGZR-500



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 21233

**Pesticides, Fungicides, and  
 Growth Regulators**  
 LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 01/23/2026  
 SOP: 432.AZ  
 Batch Number: 5040  
 Test ID: 112539

**Sample Analysis**

Date: 01/27/2026  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.541 g  
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.077 / 0.231	1	0.5	ND	I1, L1	Hexythiazox	0.154 / 0.462	1	1	ND	
Acephate	0.062 / 0.185	1	0.4	ND	L1	Imazalil	0.030 / 0.092	1	0.2	ND	
Acetamiprid	0.030 / 0.092	1	0.2	ND	L1	Imidacloprid	0.062 / 0.185	1	0.4	ND	
Aldicarb	0.062 / 0.185	1	0.4	ND		Kresoxim-methyl	0.062 / 0.185	1	0.4	ND	
Azoxystrobin	0.030 / 0.092	1	0.2	ND		Malathion	0.030 / 0.092	1	0.2	ND	L1
Bifenazate	0.030 / 0.092	1	0.2	ND		Metaxyl	0.030 / 0.092	1	0.2	ND	
Bifenthrin	0.030 / 0.092	1	0.2	ND		Methiocarb	0.030 / 0.092	1	0.2	ND	
Boscalid	0.062 / 0.185	1	0.4	ND		Methomyl	0.062 / 0.185	1	0.4	ND	V1
Carbaryl	0.030 / 0.092	1	0.2	ND	L1	Myclobutanil	0.030 / 0.092	1	0.2	ND	L1 V1
Carbofuran	0.030 / 0.092	1	0.2	ND		Naled	0.077 / 0.231	1	0.5	ND	
Chlorantraniliprole	0.030 / 0.092	1	0.2	ND		Oxamyl	0.154 / 0.462	1	1	ND	
Chlorfenapyr	0.154 / 0.462	1	1	ND	L1	Paclobutrazol	0.062 / 0.185	1	0.4	ND	L1 V1
Chlorpyrifos	0.030 / 0.092	1	0.2	ND		Permethrins	0.030 / 0.092	1	0.2	ND	
Clofentezine	0.030 / 0.092	1	0.2	ND	L1	Phosmet	0.030 / 0.092	1	0.2	ND	L1 V1
Cyfluthrin	0.154 / 0.462	1	1	ND		Piperonyl Butoxide	0.308 / 0.924	1	2	ND	
Cypermethrin	0.154 / 0.462	1	1	ND		Prallethrin	0.030 / 0.092	1	0.2	ND	
Daminozide	0.154 / 0.462	1	1	ND	L1	Propiconazole	0.062 / 0.185	1	0.4	ND	L1 V1
Diazinon	0.030 / 0.092	1	0.2	ND		Propoxur	0.030 / 0.092	1	0.2	ND	
Dichlorvos	0.016 / 0.046	1	0.1	ND		Pyrethrins	0.129 / 0.387	1	1	ND	
Dimethoate	0.030 / 0.092	1	0.2	ND		Pyridaben	0.030 / 0.092	1	0.2	ND	
Ethoprophos	0.030 / 0.092	1	0.2	ND		Spinosad	0.030 / 0.092	1	0.2	ND	
Etofenprox	0.062 / 0.185	1	0.4	ND	L1	Spiromesifen	0.030 / 0.092	1	0.2	ND	
Etoxazole	0.030 / 0.092	1	0.2	ND		Spirotetramat	0.030 / 0.092	1	0.2	ND	L1 V1
Fenoxycarb	0.030 / 0.092	1	0.2	ND		Spiroxamine	0.062 / 0.185	1	0.4	ND	
Fenpyroximate	0.062 / 0.185	1	0.4	ND		Tebuconazole	0.062 / 0.185	1	0.4	ND	L1 V1
Fipronil	0.062 / 0.185	1	0.4	ND	I1, L1	Thiacloprid	0.030 / 0.092	1	0.2	ND	
Fonicamid	0.154 / 0.462	1	1	ND	L1 V1	Thiamethoxam	0.030 / 0.092	1	0.2	ND	V1
Fludioxonil	0.062 / 0.185	1	0.4	ND		Trifloxystrobin	0.030 / 0.092	1	0.2	ND	

**Ahmed Munshi**  
 Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC  
 2015 N Forbes  
 Suite 110  
 Tucson, AZ 85745  
 License #: 00000039DCVR00320237  
 Sample ID: 2601SMAZ0143.0504  
 Batch #: OGZR-500



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 21233

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC  
 2015 N Forbes  
 Suite 110  
 Tucson, AZ 85745  
 License #: 00000039DCVR00320237  
 Sample ID: 2601SMAZ0143.0504  
 Batch #: OGZR-500



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 21233

**Notes:** 2/11/2026 Revision:

Added manufacture date and harvest date; production method revised from "Butane" to "Alcohol"



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>

## Final Product Information:

<i>Product Form</i>	RSO
<i>Strain</i>	Hybrid RSO
<i>Batch Number</i>	L50010250909
<i>Date of Manufacture</i>	10/16/2025

## Starting Material Information:

<i>Type</i>	Flower
<i>Batch Number(s)</i>	Lemon Citron-LNC101424 Humbolt Dream- HDM101624 GG4- GGF10092024
<i>Harvest Date(s)</i>	11/13/2024
<i>Type of Extraction</i>	Alcohol
<i>Manufactured/Cultivated By</i>	<b>Health Center of Navajo Inc.</b> DBA:PTS 000000068DCJU00476804/00000091E SHS96689917

## Finished Product Distribution Chain:

<i>Manufactured/Cultivated By</i>	<b>Health Center of Navajo Inc.</b> DBA:PTS 000000068DCJU00476804/0000009 1ESHS96689917
<i>Packaged By</i>	<b>Health Center of Navajo Inc.</b> DBA:PTS 000000068DCJU00476804/00000091ESHS9 6689917
<i>Distributed By</i>	<b>Rainbow Collective</b> <b>Ogeez</b> <b>2050 W Price St, Tucson, AZ, 85705</b> <b>4220 E Speedway Blvd, Tucson, AZ,</b> <b>85712</b> <b>License # 00000039DCVR00320237</b>

**Arizona Dept. of Health Services**  
**Warning**

Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child