



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2604SMAZ0921.3357
Batch #: A504260421



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 24089

Sugar Free, Mango Passionfruit Sativa - 1000mg

Batch #: A504260421

Strain: Blue Dream

Parent Batch #: OGZD-VE102S

Production Method: Alcohol

Harvest Date: 09/15/2025

Received: 04/29/2026

Sample ID: 2604SMAZ0921.3357

Amount Received: 51.7 g

Sample Type: Soft Chew

Sample Collected: 04/29/2026 11:54:00

Manufacture Date: 04/21/2026

Published: 05/04/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)

Tested

Microbial Contaminants

Pass

Residual Solvents

Not Tested

Pesticides, Fungicides,
and Growth Regulators

Not Tested

Mycotoxins

Not Tested

Heavy Metals

Not Tested

103.1673 mg/serving
1031.6735 mg/container
Total THC

3.0968 mg/serving
30.9683 mg/container
Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3)

Not Tested

Moisture Analysis (Q3)

Not Tested

Water Activity (Q3)

Not Tested

Filth & Foreign (Q3)

Not Tested

Homogeneity (Q3)

Not Tested

Additional Microbial
Contaminants (Q3)

Not Tested

0.2326 mg/serving
2.3265 mg/container
CBN

0.1034 mg/serving
1.0340 mg/container
CBG

107.6497 mg/serving
1076.4974 mg/container
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2604SMAZ0921.3357
Batch #: A504260421



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 24089

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 04/29/2026
SOP: 418.AZ
Batch Number: 5921
Test ID: 134178

Sample Analysis

Date: 04/30/2026
SOP: 417.AZ - HPLC
Sample Weight: 1.018 g
Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.0060	0.0190	2	ND	ND	ND	ND	
CBD	0.0060	0.0190	2	0.0599	0.5990	3.0968	30.9683	
CBDA	0.0060	0.0190	2	ND	ND	ND	ND	
CBDV	0.0060	0.0190	2	ND	ND	ND	ND	
CBG	0.0060	0.0190	2	0.0020	0.0200	0.1034	1.0340	
CBGA	0.0060	0.0190	2	ND	ND	ND	ND	
CBN	0.0060	0.0190	2	0.0045	0.0450	0.2326	2.3265	
d8-THC	0.0060	0.0190	2	ND	ND	ND	ND	
d9-THC	0.0060	0.0190	2	1.9955	19.9550	103.1673	1031.6735	
THCA	0.0060	0.0190	2	ND	ND	ND	ND	
THCV	0.0060	0.0190	2	0.0204	0.2040	1.0547	10.5468	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	1.9955	19.9550	103.1673	1031.6735	
Total CBD	0.0599	0.5990	3.0968	30.9683	
Total Cannabinoids	2.0822	20.8220	107.6497	1076.4974	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
Serving Weight: 5.17 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2604SMAZ0921.3357
Batch #: A504260421



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 24089

Microbial Analysis

Pass

Sample Prep

Batch Date: 04/30/2026
SOP: 412.AZ
Batch Number: 5929
Test ID: 134189

Sample Analysis

Date: 05/01/2026
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.048 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 04/30/2026
SOP: 406.AZ
Batch Number: 5928
Test ID: 134192

Sample Analysis

Date: 05/04/2026
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.001 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2604SMAZ0921.3357
Batch #: A504260421



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 24089

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2604SMAZ0921.3357
Batch #: A504260421



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 24089

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.
This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2604SMAZ0719.2669
Batch #: OGZD-VE102S



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 23665

Sativa Distillate

Batch #: OGZD-VE102S
Strain: Blue Dream
Parent Batch #: TR01
Production Method: Alcohol
Harvest Date: 09/15/2025
Received: 04/03/2026

Sample ID: 2604SMAZ0719.2669
Amount Received: 6.2 g
Sample Type: Distillate
Sample Collected: 04/03/2026 11:32:00
Manufacture Date: 01/05/2026
Published: 04/16/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

93.3572%
Total THC

2.7540%
Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

0.1927%
CBN

<LOQ
CBG

96.3040%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2604SMAZ0719.2669
Batch #: OGZD-VE102S



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 23665

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 04/03/2026
SOP: 418.AZ
Batch Number: 5687
Test ID: 128539

Sample Analysis

Date: 04/06/2026
SOP: 417.AZ - HPLC
Sample Weight: 0.043 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.5990	1.8180	2	ND	ND	
CBD	0.5990	1.8180	2	2.7540	27.5400	
CBDA	0.5990	1.8180	2	ND	ND	
CBDV	0.5990	1.8180	2	ND	ND	
CBG	0.5990	1.8180	2	<LOQ	<LOQ	
CBGA	0.5990	1.8180	2	ND	ND	
CBN	0.5990	1.8180	2	0.1927	1.9270	
d8-THC	0.5990	1.8180	2	ND	ND	
d9-THC	0.5990	1.8180	2	93.3572	933.5720	
THCA	0.5990	1.8180	2	ND	ND	
THCV	0.5990	1.8180	2	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	93.3572	933.5720	
Total CBD	2.7540	27.5400	
Total Cannabinoids	96.3040	963.0400	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2604SMAZ0719.2669
Batch #: OGZD-VE102S



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 23665

Microbial Analysis

Pass

Sample Prep

Batch Date: 04/06/2026
SOP: 412.AZ
Batch Number: 5695
Test ID: 128550

Sample Analysis

Date: 04/07/2026
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.022 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 04/06/2026
SOP: 406.AZ
Batch Number: 5691
Test ID: 128551

Sample Analysis

Date: 04/07/2026
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.017 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 04/06/2026
SOP: 406.AZ
Batch Number: 5692
Test ID: 128552

Sample Analysis

Date: 04/07/2026
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.017 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2604SMAZ0719.2669
Batch #: OGZD-VE102S



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 23665

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 04/06/2026
SOP: 405.AZ
Batch Number: 5689
Test ID: 128540

Sample Analysis

Date: 04/07/2026
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.053 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	126 / 377	1	1000	ND		Heptane	628 / 1887	1	5000	ND	
Acetonitrile	52 / 155	1	410	ND		Hexanes	36 / 109	1	290	ND	
Benzene	0.24 / 0.76	1	2	ND		Isopropyl acetate	628 / 1887	1	5000	ND	
Butanes	157 / 472	1	5000	ND		Methanol	377 / 1132	1	3000	ND	
Chloroform	8 / 23	1	60	ND		Pentanes	157 / 472	1	5000	ND	
Dichloromethane	75 / 226	1	600	ND		2-Propanol (IPA)	628 / 1887	1	5000	ND	
Ethanol	628 / 1887	1	5000	ND		Toluene	112 / 336	1	890	ND	
Ethyl acetate	628 / 1887	1	5000	ND		Xylenes	274 / 819	1	2170	ND	
Ethyl ether	628 / 1887	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2604SMAZ0719.2669
Batch #: OGZD-VE102S



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 23665

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 04/06/2026
SOP: 428.AZ
Batch Number: 5690
Test ID: 128541

Sample Analysis

Date: 04/07/2026
SOP: 428.AZ - ICP-MS
Sample Weight: 0.205 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.059	0.195	10	0.4	ND	
Cadmium	0.059	0.195	10	0.4	ND	
Lead	0.059	0.488	10	1	ND	
Mercury	0.059	0.097	10	0.2	ND	V1

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 04/06/2026
SOP: 432.AZ
Batch Number: 5688
Test ID: 128543

Sample Analysis

Date: 04/07/2026
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.534 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.75	9.36	1	20	ND	R1 V1
Aflatoxin B1	3.75	9.36	1		ND	I1
Aflatoxin B2	3.75	9.36	1		ND	V1
Aflatoxin G1	3.75	9.36	1		ND	
Aflatoxin G2	3.75	4.68	1		ND	I1, R1 V1
Ochratoxin A	9.36	9.36	1	20	ND	I1, L1 V1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2604SMAZ0719.2669
Batch #: OGZD-VE102S



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 23665

**Pesticides, Fungicides, and
Growth Regulators**
LC-MS/MS **Pass**

Sample Prep

Batch Date: 04/06/2026
SOP: 432.AZ
Batch Number: 5688
Test ID: 128542

Sample Analysis

Date: 04/07/2026
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.534 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.078 / 0.234	1	0.5	ND	I1	Hexythiazox	0.156 / 0.468	1	1	ND	
Acephate	0.063 / 0.187	1	0.4	ND		Imazalil	0.031 / 0.094	1	0.2	ND	
Acetamiprid	0.031 / 0.094	1	0.2	ND		Imidacloprid	0.063 / 0.187	1	0.4	ND	
Aldicarb	0.063 / 0.187	1	0.4	ND		Kresoxim-methyl	0.063 / 0.187	1	0.4	ND	
Azoxystrobin	0.031 / 0.094	1	0.2	ND		Malathion	0.031 / 0.094	1	0.2	ND	
Bifenazate	0.031 / 0.094	1	0.2	ND	L1	Metaxyl	0.031 / 0.094	1	0.2	ND	
Bifenthrin	0.031 / 0.094	1	0.2	ND		Methiocarb	0.031 / 0.094	1	0.2	ND	
Boscalid	0.063 / 0.187	1	0.4	ND		Methomyl	0.063 / 0.187	1	0.4	ND	
Carbaryl	0.031 / 0.094	1	0.2	ND		Myclobutanil	0.031 / 0.094	1	0.2	ND	
Carbofuran	0.031 / 0.094	1	0.2	ND		Naled	0.078 / 0.234	1	0.5	ND	
Chlorantraniliprole	0.031 / 0.094	1	0.2	ND	V1	Oxamyl	0.156 / 0.468	1	1	ND	
Chlorfenapyr	0.156 / 0.468	1	1	ND	I1	Paclobutrazol	0.063 / 0.187	1	0.4	ND	
Chlorpyrifos	0.031 / 0.094	1	0.2	ND		Permethrins	0.031 / 0.094	1	0.2	ND	
Clofentezine	0.031 / 0.094	1	0.2	ND		Phosmet	0.031 / 0.094	1	0.2	ND	
Cyfluthrin	0.156 / 0.468	1	1	ND		Piperonyl Butoxide	0.312 / 0.936	1	2	ND	
Cypermethrin	0.156 / 0.468	1	1	ND		Prallethrin	0.031 / 0.094	1	0.2	ND	
Daminozide	0.156 / 0.468	1	1	ND		Propiconazole	0.063 / 0.187	1	0.4	ND	
Diazinon	0.031 / 0.094	1	0.2	ND		Propoxur	0.031 / 0.094	1	0.2	ND	
Dichlorvos	0.016 / 0.047	1	0.1	ND		Pyrethrins	0.131 / 0.392	1	1	ND	
Dimethoate	0.031 / 0.094	1	0.2	ND		Pyridaben	0.031 / 0.094	1	0.2	ND	
Ethoprophos	0.031 / 0.094	1	0.2	ND		Spinosad	0.031 / 0.094	1	0.2	ND	
Etofenprox	0.063 / 0.187	1	0.4	ND		Spiromesifen	0.031 / 0.094	1	0.2	ND	
Etoxazole	0.031 / 0.094	1	0.2	ND		Spirotetramat	0.031 / 0.094	1	0.2	ND	
Fenoxycarb	0.031 / 0.094	1	0.2	ND		Spiroxamine	0.063 / 0.187	1	0.4	ND	
Fenpyroximate	0.063 / 0.187	1	0.4	ND		Tebuconazole	0.063 / 0.187	1	0.4	ND	
Fipronil	0.063 / 0.187	1	0.4	ND		Thiacloprid	0.031 / 0.094	1	0.2	ND	
Flonicamid	0.156 / 0.468	1	1	ND		Thiamethoxam	0.031 / 0.094	1	0.2	ND	
Fludioxonil	0.063 / 0.187	1	0.4	ND		Trifloxystrobin	0.031 / 0.094	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2604SMAZ0719.2669
Batch #: OGZD-VE102S



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 23665

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2604SMAZ0719.2669
Batch #: OGZD-VE102S



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 23665

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>

Arizona Dept. of Health Services Warning		Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child	
Final Product Information:			
Product Form	Distillate		
Strain	Hybrid Blend	Hybrid	
Batch Number	TR01		
Date of Manufacture	01/05/2026		
Manufactured By	The Distillery (Life Changers Investments LLC) 0000156ESTDP70697204		
Packaged By	The Distillery (Life Changers Investments LLC) 0000156ESTDP70697204		
Distributed By	GTL LLC (00000128DCNB00202967)		
	Lucid Distribution (Life Changers Investments) 0000156ESTDP70697204		
Starting Material Information:			
Type	Flower		
Batch Number(s)	Bubba Cookies - 1415.BUBBACOOKIES	06/22/2025	
	Supermax OG - 1442.SUPERMAXOG	09/15/2025	
Type of Extraction	Alcohol		
Harvest Date(s)	06/22/25, 09/15/25		
Cultivated By	Tru Med (00000079DCUU00478481)		
Marijuana Establishment(s)			
Establishment Name	Establishment License	Establishment Name	Establishment License
4245 Investments LLC	00000036ESXU42814428	M&T Retail Facility	00000101ESZO30906924
480 License Holdings, LLC	0000154ESTQI31348041	MCD-SE Venture 25, LLC	0000167ESTML86118201
Absolute Health Care Inc	00000027ESMP88938972	MCD-SE Venture 26, LLC	0000162ESTOS80671885
All Rebel Rockers Inc	00000131ESYX97720376	Medmar Tanque Verde LLC	00000081DCPK00962019
Arizona Cannabis Society, Inc.	00000090DCYT00194857	MMJ Apothecary	00000100ESEC12878172
Arizona Natures Wellness	00000030ESDG72791381	Natural Herbal Remedies Inc	00000058ESFA63267513
AZ Compassionate Care Inc	00000076ESON21559195	Natural Remedy Patient Center	00000125ESMC92036121
AZCL1	00000054ESDU93884651	Nature's Healing Center Inc	00000041ESLU31226658
Blue Palo Verde 1, LLC	0000150ESTPZ83854528	Nature's Wonder INC	00000075ESJK64208740
Cactus Bloom Facilities Management LLC	00000144ESQK21738687	Non Profit Patient Center Inc	0000146ESTKT01674214
Cardinal Square, Inc	000000132ESFR7510840	Perpetual Healthcare Inc	00000033DCCK00134006
Catalina Hills Botanical Care Inc	00000025ESOX62486193	Phytotherapeutics of Tucson	00000049ESUK39624376
Compassionate Care of AZ Inc	00000091ESHS96689917	Pinal County Wellness Center	00000059ESZW76539792
Devine Desert Healing Inc	00000026ESRZ88769978	Ponderosa Botanical Care Inc	00000109ESVM44878444
Dynamic Trio Holdings LLC	0000146ESTKT01674214	PP Wellness Center	00000050ESTO08528992
EBA Holdings, Inc	00000068ESZM96727661	Swallowtail 3, LLC	0000161ESTOJ23023764
Green Lightning LLC	0000157ESTHZ07905975	The Desert Valley Pharmacy Inc	00000089ESLW87335751
GTL LLC	00000034ESEZ92106085	The Health Center of Cochise Inc	00000099ESVM28064808
Healing Healthcare 3 Inc	00000020ESEN67630727	The Kind Relief Inc	00000053ESYR15319850
High Mountain Health, LLC	00000087ESWR93327597	Uncle Harry Corp	00000129ESRG43839179
K Group Partners LLC	00000029ESAA16670843	Whoa QC Inc	00000069ESPV40435704
		Woodstock 1	0000168ESTBM41952754
		Zonacare	00000024ESUV84524312



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 000156ESTDP70697204
Sample ID: 2601SMAZ0016.0051
Batch #: TR01



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 19868

Distill-TR01

Batch #: TR01

Strain: Hybrid

Parent Batch #:

Production Method: Alcohol

Harvest Date: 09/15/2025

Received: 01/05/2026

Sample ID: 2601SMAZ0016.0051

Amount Received: 7.3 g

Sample Type: Distillate

Sample Collected: 01/05/2026 09:58:00

Manufacture Date: 01/05/2026

Published: 01/07/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)

Tested

Microbial Contaminants

Pass

Residual Solvents

Pass

91.9918%

Total THC

Pesticides, Fungicides,
and Growth Regulators

Pass

Mycotoxins

Pass

Heavy Metals

Pass

0.2292%

Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3)

Not Tested

Moisture Analysis (Q3)

Not Tested

Water Activity (Q3)

Not Tested

1.2582%

CBN

Filth & Foreign (Q3)

Not Tested

Homogeneity (Q3)

Not Tested

Additional Microbial
Contaminants (Q3)

Not Tested

2.6568%

CBG

96.6993%

Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 000156ESTDP70697204
Sample ID: 2601SMAZ0016.0051
Batch #: TR01



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 19868

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 01/05/2026
SOP: 418.AZ
Batch Number: 4880
Test ID: 109438

Sample Analysis

Date: 01/06/2026
SOP: 417.AZ - HPLC
Sample Weight: 0.040 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3220	0.9770	1	ND	ND	M1
CBD	0.3220	0.9770	1	0.2292	2.2920	M1
CBDA	0.3220	0.9770	1	ND	ND	M1
CBDV	0.3220	0.9770	1	ND	ND	M1
CBG	0.3220	0.9770	1	2.6568	26.5680	M1
CBGA	0.3220	0.9770	1	ND	ND	M1
CBN	0.3220	0.9770	1	1.2582	12.5820	M1
d8-THC	0.3220	0.9770	1	ND	ND	M1
d9-THC	0.3220	0.9770	1	91.9918	919.9180	M1
THCA	0.3220	0.9770	1	ND	ND	M1
THCV	0.3220	0.9770	1	0.5633	5.6330	M1

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	91.9918	919.9180	
Total CBD	0.2292	2.2920	
Total Cannabinoids	96.6993	966.9930	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 000156ESTDP70697204
Sample ID: 2601SMAZ0016.0051
Batch #: TR01



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 19868

Microbial Analysis

Pass

Sample Prep

Batch Date: 01/06/2026
SOP: 412.AZ
Batch Number: 4899
Test ID: 109452

Sample Analysis

Date: 01/07/2026
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.050 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 01/06/2026
SOP: 406.AZ
Batch Number: 4895
Test ID: 109453

Sample Analysis

Date: 01/07/2026
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.014 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 01/06/2026
SOP: 406.AZ
Batch Number: 4895
Test ID: 109455

Sample Analysis

Date: 01/07/2026
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.014 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 000156ESTDP70697204
Sample ID: 2601SMAZ0016.0051
Batch #: TR01



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 19868

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 01/06/2026
SOP: 405.AZ
Batch Number: 4891
Test ID: 109439

Sample Analysis

Date: 01/07/2026
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.053 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	62 / 189	1	1000	ND		Heptane	315 / 943	1	5000	ND	
Acetonitrile	26 / 77	1	410	ND		Hexanes	45 / 137	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	315 / 943	1	5000	ND	
Butanes	157 / 472	1	5000	ND		Methanol	189 / 566	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	315 / 943	1	5000	ND	
Dichloromethane	38 / 113	1	600	ND		2-Propanol (IPA)	315 / 943	1	5000	ND	
Ethanol	315 / 943	1	5000	ND		Toluene	57 / 168	1	890	ND	
Ethyl acetate	315 / 943	1	5000	ND		Xylenes	274 / 819	1	2170	ND	
Ethyl ether	315 / 943	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 000156ESTDP70697204
Sample ID: 2601SMAZ0016.0051
Batch #: TR01



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 19868

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 01/06/2026
SOP: 428.AZ
Batch Number: 4890
Test ID: 109440

Sample Analysis

Date: 01/06/2026
SOP: 428.AZ - ICP-MS
Sample Weight: 0.229 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.052	0.175	10	0.4	ND	
Cadmium	0.052	0.175	10	0.4	ND	
Lead	0.052	0.437	10	1	<LOQ	
Mercury	0.052	0.087	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 01/05/2026
SOP: 432.AZ
Batch Number: 4885
Test ID: 109442

Sample Analysis

Date: 01/06/2026
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.571 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.50	8.76	1	20	ND	
Aflatoxin B1	3.50	8.76	1		ND	
Aflatoxin B2	3.50	8.76	1		ND	
Aflatoxin G1	3.50	8.76	1		ND	
Aflatoxin G2	3.50	4.38	1		ND	
Ochratoxin A	8.76	8.76	1	20	ND	I1, L1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 000156ESTDP70697204
Sample ID: 2601SMAZ0016.0051
Batch #: TR01



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 19868

**Pesticides, Fungicides, and
Growth Regulators**
LC-MS/MS **Pass**

Sample Prep

Batch Date: 01/05/2026
SOP: 432.AZ
Batch Number: 4885
Test ID: 109441

Sample Analysis

Date: 01/06/2026
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.571 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.073 / 0.219	1	0.5	ND	L1	Hexythiazox	0.146 / 0.438	1	1	ND	R1
Acephate	0.059 / 0.175	1	0.4	ND	L1	Imazalil	0.029 / 0.088	1	0.2	ND	
Acetamiprid	0.029 / 0.088	1	0.2	ND		Imidacloprid	0.059 / 0.175	1	0.4	ND	L1
Aldicarb	0.059 / 0.175	1	0.4	ND		Kresoxim-methyl	0.059 / 0.175	1	0.4	ND	
Azoxystrobin	0.029 / 0.088	1	0.2	ND		Malathion	0.029 / 0.088	1	0.2	ND	
Bifenazate	0.029 / 0.088	1	0.2	ND		Metaxyl	0.029 / 0.088	1	0.2	ND	
Bifenthrin	0.029 / 0.088	1	0.2	ND	R1	Methiocarb	0.029 / 0.088	1	0.2	ND	
Boscalid	0.059 / 0.175	1	0.4	ND		Methomyl	0.059 / 0.175	1	0.4	ND	
Carbaryl	0.029 / 0.088	1	0.2	ND		Myclobutanil	0.029 / 0.088	1	0.2	ND	L1
Carbofuran	0.029 / 0.088	1	0.2	ND		Naled	0.073 / 0.219	1	0.5	ND	
Chlorantraniliprole	0.029 / 0.088	1	0.2	ND	L1	Oxamyl	0.146 / 0.438	1	1	ND	
Chlorfenapyr	0.146 / 0.438	1	1	ND		Paclobutrazol	0.059 / 0.175	1	0.4	ND	L1
Chlorpyrifos	0.029 / 0.088	1	0.2	ND		Permethrins	0.029 / 0.088	1	0.2	ND	L1
Clofentezine	0.029 / 0.088	1	0.2	ND		Phosmet	0.029 / 0.088	1	0.2	ND	
Cyfluthrin	0.146 / 0.438	1	1	ND		Piperonyl Butoxide	0.292 / 0.876	1	2	ND	
Cypermethrin	0.146 / 0.438	1	1	ND	R1	Prallethrin	0.029 / 0.088	1	0.2	ND	L1
Daminozide	0.146 / 0.438	1	1	ND		Propiconazole	0.059 / 0.175	1	0.4	ND	
Diazinon	0.029 / 0.088	1	0.2	ND		Propoxur	0.029 / 0.088	1	0.2	ND	
Dichlorvos	0.015 / 0.044	1	0.1	ND		Pyrethrins	0.122 / 0.367	1	1	ND	L1
Dimethoate	0.029 / 0.088	1	0.2	ND		Pyridaben	0.029 / 0.088	1	0.2	ND	L1
Ethoprophos	0.029 / 0.088	1	0.2	ND		Spinosad	0.029 / 0.088	1	0.2	ND	
Etofenprox	0.059 / 0.175	1	0.4	ND	R1	Spiromesifen	0.029 / 0.088	1	0.2	ND	
Etoxazole	0.029 / 0.088	1	0.2	ND	L1	Spirotetramat	0.029 / 0.088	1	0.2	ND	L1
Fenoxycarb	0.029 / 0.088	1	0.2	ND		Spiroxamine	0.059 / 0.175	1	0.4	ND	
Fenpyroximate	0.059 / 0.175	1	0.4	ND	L1	Tebuconazole	0.059 / 0.175	1	0.4	ND	L1
Fipronil	0.059 / 0.175	1	0.4	ND	I1, R1	Thiacloprid	0.029 / 0.088	1	0.2	ND	L1
Fonicamid	0.146 / 0.438	1	1	ND	L1	Thiamethoxam	0.029 / 0.088	1	0.2	ND	
Fludioxonil	0.059 / 0.175	1	0.4	ND		Trifloxystrobin	0.029 / 0.088	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 000156ESTDP70697204
Sample ID: 2601SMAZ0016.0051
Batch #: TR01



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 19868

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 000156ESTDP70697204
Sample ID: 2601SMAZ0016.0051
Batch #: TR01



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 19868

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>